

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1866	Egg Rock Light Station CG Mooring Buoy	44 21 18 N 68 08 25 W				White with blue band marked CG.	
						*	1/09
11065	WINTHROP LIGHT 1	42 21 42 N 70 58 48 W	<b>FI G 6s</b>	24	5	SG on skeleton tower on piles.	
						*	1/09
*13267	Race Point Coast Guard Station Mooring Buoy C	42 02 01 N 70 10 39 W				White can with blue stripe.	
							1/09
*16460.1	Wild Harbor Buoy 5	41 38 24 N 70 38 45 W				Green can.	Private aid.
							1/09
17650.1	Tiverton Basin Speed Buoy 1	41 37 34 N 71 12 57 W				White and orange.	Private aid.
						*	1/09
17911	<b>Newport-Pell Bridge Sound Signal</b>	41 30 20 N 71 21 05 W					HORN 2 blast ev 20s (1s bl-1s si-1s bl-17s si). Private aid.
	*						1/09
18005	CODDINGTON COVE BREAKWATER LIGHT 18	41 31 57 N 71 19 28 W	<b>FI R 6s</b>	30	7	TR on red skeleton tower.	White/ Orange dayboards have been added. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si).
							* 1/09
18160	MUSSELBED SHOALS DIRECTIONAL LIGHT	41 38 12 N 71 15 36 W	<b>F W (R sectors)</b>		W 9 R 7 G 7	Skeleton tower.	Show red from 043.5° to 049.2°; white from 049.2° to 052.7°; green from 052.7° to 058.5°.
			*				1/09
18197	- Danger Daybeacon	41 40 23 N 71 16 52 W		25		Orange and white worded DANGER ROCKS.	Private aid.
						*	* 1/09
18433	- Speed Daybeacon	41 45 08 N 71 21 13 W				NW on pile.	Private aid.
		*					1/09
18490	- Pawtuxet Cove Channel Buoy 6	41 45 35 N 71 23 10 W				Red nun.	
		*					1/09
18930	<b>Braga Bridge Sound Signal</b>	41 42 25 N 71 09 59 W					Private aid. HORN: 1 blast ev 20s (2s bl).
	*						1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19125	<b>Jamestown Bridge Sound Signal</b>	41 31 37 N 71 23 58 W					Private aid. SIREN: 2 blasts ev 30s (2s bl- 3s si-2s bl-23s si).
	*						1/09
*19636.1	Point Judith Pond No Wake Buoy	41 24 28 N 71 30 28 W				White with orange bands.	Private aid.
							1/09
21205 24015	<i>New Haven Harbor Lighted Whistle Buoy NH</i>	41 12 07 N 72 53 47 W	<b>Mo (A) W</b>		6	Red and white stripes with red spherical topmark.	
	*						1/09
21400	<b>Great Captain Island Light</b>	40 58 57 N 73 37 23 W	<b>Al W R</b> 12s W fl 6s ec. R fl 6s ec.	62	17	NR on skeleton tower.	Emergency light of reduced intensity FI W 6s when main light is extinguished. HORN: 1 blast ev 15s (2s bl).
	*				*		1/09
21440	<b>Execution Rocks Light</b>	40 52 41 N 73 44 16 W	<b>FI W</b> 10s	62	15	White stone tower, brown band midway of height; granite dwelling attached.	Emergency light of reduced intensity when main light is extinguished. RACON: X (- • • -)
							* 1/09
21825	<b>New London Ledge Light</b> On west side of Southwest Ledge.	41 18 21 N 72 04 39 W	<b>FI (3) W</b> 30s	58	14	Red brick dwelling on square pier.	Emergency light of FI (3) W 30s and reduced intensity when main light is extinguished. HORN: 2 blast ev 20s (2s bl- 2s si-2s bl-14s si).
							* 1/09
21830	<i>New London Dumping Ground Lighted Buoy NDA</i>	41 16 14 N 72 04 51 W	<b>FI Y</b> 4s			Yellow.	Maintained from Oct. 1 to June 1. U.S. Army maintained. Private aid.
							* 1/09
22430	- Channel Junction Daybeacon SC	41 20 19 N 72 10 58 W				JG on pile.	
						*	1/09
22451	Smith Cove Buoy 1					Green can.	Private aid.
	*						1/09
23710	- Daybeacon HR	41 15 00 N 72 32 05 W				JG on pile.	Private aid.
						*	1/09
	<b>Southport Harbor</b>						
24762	<i>Pine Creek Point Aquaculture Lighted Buoys (4)</i>		<b>Q Y</b>			Yellow.	Marks aquaculture farm. Maintained from Mar 15 to Dec. 15. Private aid.
							* 1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>New Rochelle Harbor (Southwest Approach)</b>							
25865	<b>City Island Ferry Sound Signal</b>	40 50 54 N 73 46 54 W					Private aid. HORN: 1 blast ev 15s (5s bl).
	*						1/09
26055	- Buoy 6	40 52 30 N 73 49 21 W				Red nun.	
		*					1/09
<b>PORT JEFFERSON AND MOUNT SINAI HARBORS (Chart 12362)</b>							
<b>Mount Sinai Harbor</b>							
26065	- Approach Buoy M	40 58 12 N 73 02 38 W				Red and white stripes; sphere.	
		*					1/09
<b>Port Jefferson Harbor</b>							
26190	- Narrows Channel Buoy CN13	40 58 13 N 73 06 47 W					Private aid.
						*	1/09
<b>LONG ISLAND SOUND (Western Part) (Chart 12363)</b>							
<b>Port Jefferson Harbor</b>							
<b>Belle Terre</b>							
26205	- Channel Buoy BT6	40 57 25 N 73 04 23 W				Red nun.	Private aid.
		*			*		1/09
26206	- Channel Buoy BT8	40 57 14 N 73 04 15 W				Red nun.	Private aid.
		*					1/09
26207	- Channel Buoy BT10	40 57 06 N 73 04 06 W				Red nun.	Private aid.
		*					1/09
<b>Whitehall Ferry</b>							
27350	<b>- East Sound Signal</b>	40 42 00 N 74 00 42 W		36		Green rectangular structure.	Private aid. BELL: 3 strokes ev 15s.
	*						1/09
27365	<b>- West Sound Signal</b>			28		On gray pyramid.	Private aid. BELL: 2 strokes ev 7.5s.
	*						1/09
27370	<b>- Rack A Sound Signal</b>	40 42 00 N 74 00 48 W		25		On wood platform.	Private aid. HORN: 1 blast ev 13s (5s bl).
	*						1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27651	LaGuardia Airport Security Zone Daybeacon A	40 46 31 N 73 53 23 W				White with orange band.	Private aid.  * 1/09
27652	LaGuardia Airport Security Zone Daybeacon B	40 46 42 N 73 53 16 W				White with orange band.	Private aid.  * 1/09
27725	- LIGHT	41 09 12 N 72 14 30 W	<b>FR</b>	10		On pile.	Maintained from sundown to 0130 daily. HORN: 1 blast ev 30s (1s bl). Private aid.  * 1/09
<b>Sag Harbor</b>							
28323	- Buoy 1	41 00 42 N 72 17 32 W				Green can.	  * 1/09
31020	CG STATION JONES BEACH BREAKWATER LIGHT 2	40 35 27 N 73 33 19 W	<b>FR 2.5s</b>	6	2	TR on breakwall.	  * 1/09
31340	State Boat Channel Buoy 64	40 38 58 N 73 17 52 W				Red nun.	  * 1/09
34280	NY PARK SERVICE STATION ROCKAWAY WEST BREAKWATER LIGHT	40 34 08 N 73 53 03 W	<b>FR 4s</b>	20		On piles.	Private aid.  * 1/09
34285	<b>Marine Parkway Bridge Sound Signal</b>	40 34 24 N 73 53 12 W					Private aid. HORN: 1 blast ev 60s (10s bl).  * 1/09
34925	<b>The Verrazano-Narrows Bridge Sound Signal</b>						Private aid. HORN (2): 1 blast ev 15s (2s bl). One oriented upstream and one downstream.  * 1/09
34949	ST GEORGE FERRY TERMINAL FOG LIGHT	40 38 39 N 74 04 15 W	<b>STROBE</b>				Private aid.  * 1/09
34950	<b>Ferry Terminal Slip 6 Sound Signal</b>	40 38 36 N 74 04 18 W		28			BELL: 3 strokes ev 12s.. Private aid.  * 1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34955	<b>Ferry Terminal Slip 4 Sound Signal</b>						Private aid. HORN: (two-tone) 1 blast ev 15s (3s bl).
	*						1/09
34960	<b>Ferry Terminal Slip 3 Sound Signal</b>						Private aid. HORN: 1 blast ev 20s (2s bl).
	*						1/09
36635	<b>Outerbridge Crossing Sound Signal</b>	40 33 06 N 74 14 48 W					Private aid. HORN: 1 blast ev 15s (5s bl).
	*	*					1/09
37001	Constable Hook Artificial Reef Daybeacon A	40 39 26 N 74 05 16 W				NW on pile.	Marks hazard. Private aid.
							* 1/09
37182	PORT JERSEY CHANNEL RANGE REAR LIGHT 672 yards, 300° from front light.	40 40 41 N 74 05 59 W	ISO G 6s			KRW on skeleton tower.	Private aid.
	*						1/09
38155	ESOPUS MEADOWS LIGHT	41 52 07 N 73 56 29 W	FI W 2.5s	52	6	White conical tower on white dwelling.	
						*	1/09
38315	<b>Kingston Bridge Sound Signal</b>						Private aid. HORN (2): 2 blast ev 30s (2s bl-2s si-2s bl-24s si).
	*						1/09
38525	<b>Rip Van Winkle Bridge Sound Signal</b>	42 13 24 N 73 51 06 W					Private aid.
	*						1/09
<b>King Bay</b>							
<b>Great Chazy River Boat Channel</b>							
<i>Aids maintained from May 15 to Oct. 15.</i>							
39170	- Lighted Buoy 1	44 55 42 N 73 23 15 W	FI G 4s			Green can.	Private aid.
		*					1/09
39175	- Lighted Buoy 2	44 55 46 N 73 23 48 W	FI R 4s			Red.	Private aid.
		*					1/09
<b>Missisquoi Bay</b>							
39345	- Buoy 2 Marks north edge of Sandy Point Ledge.				1	Red nun.	Maintained from May 1 to Nov. 1.
					*		1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>CUMBERLAND HEAD TO FOUR BROTHERS ISLANDS (Chart 14782)</b>							
<b>Main Passage</b>							
<b>Cumberland Head</b>							
39365	- Ferry Dock Sound Signal	44 41 54 N 73 22 48 W					Maintained from Apr. 1 to Dec. 30. Private aid. HORN: 1 blast ev 30s (2s bl).
	*						1/09
39370	- FERRY DOCK EAST LIGHT	44 41 51 N 73 22 51 W	<b>F G</b>				Private aid.
		*					1/09
39375	- FERRY DOCK WEST LIGHT	44 41 48 N 73 22 48 W		19			Private aid.
		*					1/09
<b>Main Passage</b>							
39385	<b>Grand Isle Ferry Dock Sound Signal</b>	44 41 18 N 73 21 00 W					Maintained from Apr. 1 to Dec. 30. Private aid. HORN: 2 blasts ev 30s (1s bl-1s si-1s bl-27s si).
	*						1/09
39390	GRAND ISLE FERRY DOCK EAST LIGHT	44 41 18 N 73 20 51 W	<b>F G</b>	18		On dolphin.	Private aid.
		*					1/09
39395	GRAND ISLE FERRY DOCK WEST LIGHT	44 41 15 N 73 21 00 W	<b>F R</b>	18		On dolphin.	Private aid.
		*					1/09
<b>Port Kent Ferry Dock</b>							
<i>Aids maintained from May 1 to Nov. 1.</i>							
39545	- NORTH LIGHT	41 31 40 N 73 24 16 W	<b>F G</b>			On dolphin.	Private aid.
		*					1/09
39555	- SOUTH LIGHT	44 31 34 N 73 24 12 W	<b>F R</b>			On dolphin.	Private aid.
		*					1/09
39580	<b>Port Kent Sound Signal</b>			16			Private aid. HORN: 3 blasts ev 30s (1s bl-1s si-1s bl-1s si-2s bl-24s si). Maintained from Apr. 1 to Nov. 15.
	*						1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Burlington Bay</b>							
39660	- FERRY DOCK NORTH LIGHT	44 28 29 N 73 13 36 W	<b>F G</b>	16		On dolphin.	Private aid.
		*					1/09
39665	- FERRY DOCK MIDDLE RACK LIGHT	44 28 27 N 73 13 19 W	<b>F G</b>	16		On dolphin.	Private aid.
		*					1/09
39670	- FERRY DOCK SOUTH LIGHT	44 28 27 N 73 13 19 W	<b>F R</b>			On dolphin.	Private aid.
		*					1/09
39675	- FERRY DOCK LOWER RACK LIGHT	44 28 27 N 73 23 19 W	<b>F R</b>	16		On dolphin.	Private aid.
		*					1/09
39790	ESSEX FERRY DOCK NORTH LIGHT	44 18 39 N 73 21 06 W	<b>F R</b>	14		On dolphin.	Private aid.
		*					1/09
39800	MCNEIL COVE FERRY DOCK NORTH LIGHT	44 18 06 N 73 17 51 W	<b>F G</b>			On dolphin.	Private aid.
		*					1/09
39805	McNEIL COVE FERRY DOCK SOUTH LIGHT	44 18 03 N 73 17 48 W	<b>F R</b>	14		On dolphin.	Private aid.
		*					1/09
39915	TICONDEROGA LIGHT 70	43 50 53 N 73 22 36 W	<b>F I R 4s</b>	30	4	TR on skeleton tower.	Higher intensity toward watch point.
		*					1/09
39935	WRIGHT POINT LIGHT 76	43 48 07 N 73 22 47 W	<b>F I R 4s</b>	33	5	TR on red skeleton tower.	
		*					1/09
<b>LAKE MEMPHREMAGOG</b>							
<i>Unless otherwise noted, lights on Lake Memphremagog will be extinguished at the close of navigation in the fall, then relighted at the opening of navigation in the spring.</i>							
40090	- Buoy 1					Green can.	Maintained from June 1 to Sept. 30. Private aid.
						*	1/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23085	- CHANNEL LIGHT 23	37 59 12 N 76 00 38 W	<b>F I G 4s</b>	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23220	- LIGHT 4	38 00 05 N 76 02 54 W	<b>F I R</b> 4s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					1/09
28007	- Buoy 8	35 46 49 N 75 31 35 W				Red nun.	
		*					1/09
28015	- Lighted Buoy 9	35 46 44 N 75 31 34 W	<b>F I G</b> 4s		4	Green.	
		*					1/09
28025	Oregon Inlet Lighted Buoy 12	35 46 39 N 75 31 32 W	<b>F I R</b> 2.5s		3	Red.	
		*					1/09
28030	- Buoy 14	35 46 29 N 75 31 05 W				Red nun.	
		*					1/09
*28732.1	Hatteras Inlet Channel Lighted Buoy 12A	35 12 13 N 75 43 51 W	<b>Q R</b>		3		
							1/09
29385	- CHANNEL LIGHTED BUOY 16	34 41 19 N 76 39 59 W	<b>Q R</b>		4	Red.	Ra ref.
	*	*				*	1/09
38415	- Daybeacon 25	34 46 14 N 76 41 00 W				SG-SY on pile.	
		*					1/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*7457	Dames Point Lighted Buoy 49	30 23 25 N 81 34 04 W	<b>F I G</b> 2.5s		4	Green.	
							1/09
*7459	Trapac Turning Basin Buoy A	30 23 25 N 81 34 09 W				Yellow can.	
							1/09
*7461	Trapac Turning Basin Buoy B	30 23 34 N 81 34 16 W				Yellow can.	
							1/09
*7463	Trapac Turning Basin Buoy C	30 23 43 N 81 34 22 W				Yellow can.	
							1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2007**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*17696	Naples Harbour Yacht Club Buoy 1	26 08 01 N 81 47 00 W				Green can.	Private aid.  1/09
*17696.1	Naples Harbour Yacht Club Buoy 2	26 08 01 N 81 47 00 W				Red nun.	Private aid.  1/09
*17696.2	Naples Harbour Yacht Club Buoy 3	26 08 01 N 81 47 00 W				Green can.	Private aid.  1/09
*17696.3	Naples Harbour Yacht Club Buoy 4	26 08 01 N 81 47 00 W				Red nun.	Private aid.  1/09
*17696.4	Naples Harbour Yacht Club Buoy 5	26 08 01 N 81 47 00 W				Green can.	Private aid.  1/09
*17696.5	Naples Harbour Yacht Club Buoy 6	26 08 01 N 81 47 00 W				Red nun.	Private aid.  1/09
*17696.6	Naples Harbour Yacht Club Buoy 7	26 09 00 N 81 47 00 W				Green can.	Private aid.  1/09
*17696.7	Naples Harbour Yacht Club Buoy 8	26 09 00 N 81 47 00 W				Red nun.	Private aid.  1/09
*17696.8	Naples Harbour Yacht Club Buoy 9	26 09 00 N 81 47 00 W				Green can.	Private aid.  1/09
*17696.9	Naples Harbour Yacht Club Buoy 10	26 09 00 N 81 47 00 W				Red nun.	Private aid.  1/09
*17697	Naples Harbour Yacht Club Buoy 11	26 09 00 N 81 47 00 W				Green can.	Private aid.  1/09
*17697.1	Naples Harbour Yacht Club Buoy 12	26 09 00 N 81 47 00 W				Red nun.	Private aid.  1/09
31708	Vieques Island East Warning Buoy A	18 07 06 N 65 19 27 W				White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE.	Maintained by US Navy. Private aid.  1/09
		*					1/09
31710	Vieques Island East Warning Buoy B	18 08 58 N 65 18 49 W				White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE.	Maintained by U.S. Navy. Private aid.  1/09
		*					1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
31712	Vieques Island East warning Buoy C	18 09 37 N 65 21 36 W				White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE.	Maintained by US Navy. Private aid.
		*					1/09
31715	Vieques Island East Warning Buoy D	18 07 45 N 65 17 08 W				White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE.	Maintained by U.S. Navy. Private aid.
		*					1/09
31716	Vieques Island East Warning Buoy E	18 09 08 N 65 19 47 W				White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE.	Maintained by US Navy. Private aid.
		*					1/09
31718	Vieques Island East Warning Buoy F	18 06 41 N 65 20 26 W				White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE.	Maintained by US Navy. Private aid.
		*					1/09
31720	Vieques Island East Warning Buoy G	18 07 35 N 65 18 11 W				White with orange retro bands. Worded DANGER UNEXPLODED ORDNANCE.	Maintained by U.S. Navy. Private aid.
		*					1/09
34510	- Daybeacon 117	32 47 44 N 79 47 15 W				SG-SY on pile.	
		*					1/09
36870	- Daybeacon 194	31 20 20 N 81 19 41 W				TR-TY on pile.	
		*					1/09

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*831	Walter-114-10 (Lighted Buoy)	28 34 59 N 91 47 21 W	FI W 2.5s				Private aid.
							1/09
5005	- Lighted Buoy 8		QR		3	Red.	
					*		1/09
6197	OUTER RANGE REAR PASSING LIGHT		FI W 4s	15	3	On same structure as Theodore Ship Channel Outer Range Rear Light.	
					*		1/09
7630	- LIGHT 29	30 23 49 N 88 50 12 W	FI G 2.5s	17	4	SG on pile.	Ra ref.
					*		1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22945	- LIGHT 38 235 feet outside channel limit.	29 25 42 N 94 49 51 W	FI R 2.5s	17	3	TR on pile.	
						*	1/09
22975	- LIGHT 42 235 feet outside channel limit.	29 26 54 N 94 50 27 W	FI R 2.5s	17	3	TR on pile.	Ra ref.
						*	1/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
297	NOAA Environmental Lighted Buoy 46042	36 47 19 N 122 24 15 W	FI (4) Y 20s			Yellow disc-shaped buoy.	
						*	1/09
15571	Grays Harbor Entrance Lighted Whistle Buoy 8	46 54 29 N 124 11 01 W	QR		4	Red.	
						*	1/09
15940	DAMON POINT LIGHT	46 57 02 N 124 06 21 W	FI Y 4s	20	5	NB on pile structure.	Ra ref.
						*	1/09
23680	DOUGLAS BOAT HARBOR LIGHT 1D	58 16 36 N 134 23 16 W	FI G 4s	17	4	SG on skeleton tower.	
						*	1/09
29400	- LIGHT 5	21 18 55 N 157 58 01 W	FI G 2.5s	16	4	SG on pile.	
						*	1/09
29525	- LIGHT 3		QG	17	4	SG on pile.	
						*	1/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3575	- Lighted Buoy 9	42 08 53 N 80 05 08 W	FI G 2.5s		4	Green.	Replaced by can from 01 Nov. to 15 May .
						*	1/09
3580	- Lighted Buoy 10	42 08 55 N 80 05 17 W	FI R 2.5s		4	Red.	Replaced by nun from 01 Nov. to 15 May .
						*	1/09
3585	- Lighted Buoy 11	42 08 47 N 80 05 11 W	FI G 4s		4	Green.	Replaced by can from 01 Nov. to 15 May .
						*	1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3590	- Lighted Buoy 12	42 08 47 N 80 05 33 W	FI R 4s		4	Red.	Replaced by nun from 01 Nov. to 15 May .  * 1/09
3595	- Lighted Buoy 13	42 08 36 N 80 05 06 W	FI G 2.5s		4	Green.	Replaced by can from 01 Nov. to 15 May .  * 1/09
3596	- Lighted Buoy 14	42 08 34 N 80 05 42 W	FI R 4s		4	Red.	Replaced by can from 01 Nov. to 15 May .  * 1/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.