

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7570	Portland Head Directional Light	43 37 23 N 70 12 28 W	F W (R+G sector)	23	W 15 R 11 G 11	At base of Portland Head Light.	Shows red from 271.3° to 274.3°; white from 274.3° to 275.8°, green from 275.8° to 279.3°.
		*					3/09
15985 630	Buzzards Bay Entrance Light	41 23 48 N 71 02 01 W	FI W 2.5s	67	17	Tower on red square on 3 red piles with large red tube in center, worded BUZZARDS on sides.	Emergency light of reduced intensity when main light is extinguished. RACON: B(-••••). HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).
							* 3/09
19480	Block Island North Light	41 13 39 N 71 34 33 W	FI W 5s	58	13	Skelton tower. 58	
						*	3/09
31080	- Daybeacon 28	40 36 55 N 73 30 16 W				TR on pile.	
		*					3/09
31120	- Daybeacon 3	40 37 12 N 73 29 54 W				SG on pile.	
		*					3/09
31140	- Daybeacon 8	40 36 45 N 73 29 49 W				TR on pile.	
		*					3/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Wicomico River							
23875	- Channel Daybeacon 30	38 17 39 N 75 45 30 W				TR on pile.	
		*					3/09
23885	- Channel Daybeacon 33	38 18 47 N 75 45 03 W				SG on pile.	
		*					3/09
23945	- CHANNEL LIGHT 51	38 20 28 N 75 38 30 W	FIG 2.5s	18	3	SG on multi-pile structure.	
		*					3/09
23950	- CHANNEL LIGHT 53	38 20 30 N 75 38 07 W	FIG 4s	15	3	SG on pile.	
		*					3/09
24840	COOK POINT COVE LIGHT 2	38 37 29 N 76 16 10 W	FIR 2.5s	15	3	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					3/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
25180	- CHANNEL LIGHT 40	38 39 16 N 75 57 16 W	F I R 6s	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					3/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6745 37860	- RANGE A-1 FRONT LIGHT	30 43 36 N 81 29 32 W	Q R	15		KRW-I on dolphin.	Visible all around.
		*					3/09
7000	- LIGHT 48	30 47 48 N 81 30 18 W	F I R 4s	16	4	TR on pile.	
		*					3/09
37860 6745	- RANGE A-1 FRONT LIGHT	30 43 36 N 81 29 32 W	Q R	15		KRW-I on dolphin.	Visible all around.
		*					3/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5070	MOBILE MIDDLE GROUND RANGE FRONT LIGHT	30 15 26 N 88 02 29 W	Q G	30		KRW on skeleton tower on piles.	Visible 2° each side of range line.
		*					3/09
5075	MOBILE MIDDLE GROUND RANGE REAR LIGHT 611 yards, 350° from front light.	30 15 44 N 88 02 32 W	I s o G 6s	45		KRW on skeleton tower on piles.	Visible 2° each side of range line.
		*					3/09
17387	Caillou Boca Shoal Buoy 3	29 03 53 N 90 48 05 W				Green can.	
		*					3/09
19553.01	SOUTHWEST PASS- VERMILION BAY CHANNEL LIGHT 29	29 41 08 N 92 04 01 W	F I G 2.5s	17	3	SG on pile.	Ra ref.
		*					3/09
19855	- Daybeacon 14	29 52 18 N 91 56 26 W				TR on pile.	Ra ref.
		*					3/09
Adams Bayou							
22135 33790	- LIGHT 2	30 02 55 N 93 43 48 W	F I R 4s	17	3	TR-SY on pile.	
		*					3/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27743	- ENTRANCE RANGE REAR LIGHT 492 yards, 295.0° from front light.	27 49 21 N 97 13 56 W	Iso R 6s	24		KRW on piles.	Ra ref.
		*					3/09
33790 22135	ADAMS BAYOU LIGHT 2	30 02 55 N 93 43 48 W	FI R 4s	17	3	TR-SY on pile.	
		*					3/09
40085	- Daybeacon 17	26 19 59 N 97 30 06 W				SG on pile.	Ra ref.
		*					3/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16185	<i>Clallam Reef Lighted Buoy 1</i>	48 16 06 N 124 15 28 W	FI G 4s		4	Green.	
		*					3/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
ST. MARYS RIVER TO AU SABLE POINT (Chart 14962)							
14510	Ile Parisienne Light (C)	46 38 42 N 84 43 24 W	FI W 10s 1s fl 9s ec.	53 16	16	White hexagonal tower.	Seasonal. Emergency light.
							* 3/09
15790	- Lighted Buoy 10	46 43 39 N 92 03 45 W	FI R 4s		3	Red.	Maintained from Apr. 28 to Dec. 7.
							* 3/09
15805	- Lighted Buoy 14	46 44 03 N 92 04 19 W	FI R 4s		3	Red.	Maintained from Apr. 28 to Dec. 7.
							* 3/09
15825	- Lighted Buoy 19	46 44 32 N 92 05 11 W	FI G 4s		3	Green.	Maintained from Apr. 28 to Dec. 7.
							* 3/09
16976	Oak Island Buoy 4	49 18 17 N 94 49 24 W				Red nun.	Maintained from May 7 to Oct. 14.
							* 3/09
16977	Oak Island Buoy 2					Red nun.	Maintained from May 7 to Oct. 14.
							* 3/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16980	Sugar Point Rock Buoy 2					Red nun.	Maintained from May 7 to Oct. 14. * 3/09
16985	Stoney Point Reef Buoy 2					Red nun.	Maintained from May 7 to Oct. 14. * 3/09
17277	South Shore Buoy 9	48 36 29 N 93 01 29 W				Green can.	Maintained from May 7 to Oct. 14. * 3/09
17750	White Shoal Light Marks east side of shoal.	45 50 30 N 85 08 08 W	FI W 5s	125 38	11	Red and white spiral bands on conical crib.	RACON: K (- • -). HORN: 1 blast ev 30s (3s bl). * 3/09
17775	Grays Reef Light	45 46 00 N 85 09 12 W	FI R 10s	82 25	15	Square tower.	RACON: G (- - •). Obscured from 080° to 170°. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). * 3/09
18340	North Manitou Shoal Light Marks south side of shoal.	45 01 15 N 85 57 25 W	FI R 15s	79 24	23		RACON: N(- •). HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). * 3/09
18420	- SOUTH PIERHEAD LIGHT	44 21 34 N 86 16 07 W	FI R 4s	27 8	6		 * 3/09
18545	- INNER BREAKWATER NORTH LIGHT	43 57 18 N 86 27 42 W	Q R	16 5		On steel pile.	Maintained from Apr. 1 to Nov. 15. Private aid. * 3/09
18900	Verplank Channel Buoy 2	43 14 42 N 86 15 12 W					Private aid. * 3/09
18905	Verplank Channel Buoy 4						Private aid. * 3/09
19510	- NORTH PIER LIGHT		FI G 4s	28 9	6	On pole.	 * 3/09
19650	- PASTRICK MARINA LIGHT 3	41 39 12 N 87 26 06 W	FI G 4s	16 5		SG on post.	Maintained from Apr. 1 to Dec. 15. Visible 294° through 359°. Private aid. * 3/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19655	- PASTRICK MARINA LIGHT 4	41 39 12 N 87 26 00 W	FI R 4s	16 5		TR on post.	Maintained from Apr. 1 to Dec. 15. Visible 294° through 359°. Private aid. * 3/09
19840	- PIERHEAD LIGHT	41 44 01 N 87 31 44 W	Iso R 6s	31 9	5	TR on post. 20	Obscured from 240° to 060°. * 3/09
20335	- BREAKWATER LIGHT	42 21 44 N 87 48 39 W	FI R 2.5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec.	32 10	6	White cylindrical tower with red band.	 * 3/09
20490	- EAST HARBOR ENTRANCE LIGHT 2	42 44 01 N 87 46 14 W	Q R	50 15	10	On post with 10 ft. lightpipe.	Maintained from Apr. 1 to Nov. 1. Private aid. HORN: 2 blasts ev 18s (2s bl-2s si-2s bl-12s si). * 3/09
21647	Basic Marine Inc. Buoy 2					Red nun.	Maintained from Apr. 15 to Dec. 1. Private aid. * 3/09
21705	- Entrance Buoy 2					Red nun.	Private aid. * 3/09
21715	- Entrance Buoy 4					Red nun.	Private aid. * 3/09
21725	- Entrance Buoy 6					Red nun.	Private aid. * 3/09
21797	Yacht Works Marina West Breakwall Light "A"	45 12 12 N 87 07 16 W	FI W 4s	22 7	3		Private aid. * 3/09
21825	EAGLE BLUFF LIGHT	45 10 07 N 87 14 12 W	FI W 6s	75 23	7	Yellow square tower with brown roof attached to dwelling.	Light is obscured from 220° to 030°. * 3/09
21835	- Mid-Channel Lighted Buoy S	45 08 33 N 87 16 22 W	FI (2+1) R 6s			Red and green bands.	Replaced by nun from Oct. 14 to May 1. * 3/09
21850	Hat Island South Shoal Buoy HI	45 05 17 N 87 19 24 W				Black can with red band. Topmark spheres.	Replaced by smaller can from Oct. 14 to Apr 21. * 3/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.