

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13580	Handkerchief Shoal Buoy 14	41 29 09 N 70 05 05 W				Red nun.	
		*					7/09
24015 21205	- Lighted Whistle Buoy NH	41 12 07 N 72 53 47 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
		*					7/09
29125	- Channel Lighted Buoy 4	40 37 30 N 73 19 10 W	FIR 2.5s		3	Red.	Replaced by nun when endangered by ice.
		*					7/09
29135	- Channel Lighted Buoy 6	40 37 47 N 73 19 17 W	QR		2	Red.	Replaced by nun when endangered by ice.
		*					7/09
29140	- Buoy 5	40 37 38 N 73 19 17 W				Green can.	
		*					7/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4080	LOWER FLORENCE DIRECTIONAL LIGHT	40 07 46 N 74 49 14 W	QW	27		On skeleton tower.	Lighted throughout 24 hours. Visible 1.5° either side of rangline.
	*		*				* 7/09
4085	FLORENCE LOWER RANGE REAR LIGHT 252 yards, 291.3° from front light.						<i>Remove from list.</i>
							* 7/09
4867	Isle of Wight Bay Buoy 12A	38 21 55 N 75 05 22 W				Red nun.	
		*					7/09
JAMESTOWN ISLAND TO JORDAN POINT (Chart 12251)							
Scotland Wharf Ferry							
12115	- LIGHT A	37 11 10 N 76 47 04 W	FY	18		On dolphin.	Private aid.
		*					7/09
12116	- LIGHT 2	37 11 10 N 76 47 02 W	Oc R 4s	18		On dolphin.	Private aid. SIREN . Siren signals Ferry leaving dock.
		*					* 7/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12116.5	- LIGHT 3	37 11 09 N 76 47 00 W	Oc G 4s	18		On dolphin.	Private aid.
		*					7/09
12117	- LIGHT B	37 11 08 N 76 46 59 W	F Y	18		On dolphin.	Private aid.
		*					7/09
12119	- LIGHT D	37 11 06 N 76 46 57 W	F Y	18		On dolphin.	Private aid.
		*					7/09
18705	<i>Hains Point Junction Lighted Buoy HP</i>	38 51 06 N 77 01 20 W	FI (2+1) G 6s		4	Green and red bands.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
							* 7/09
	Price Creek						
30495 39985	- SOUTH MOORING DOLPHIN LIGHT	33 56 01 N 77 59 13 W	FI Y 4s	12		On dolphin.	Private aid.
		*					7/09
33493	NC-EONS SCIENCE PLATFORM LIGHT A						<i>Remove from list.</i>
							* 7/09
	Price Creek						
39985 30495	- SOUTH MOORING DOLPHIN LIGHT	33 56 01 N 77 59 13 W	FI Y 4s	12		On dolphin.	Private aid.
		*					7/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7275	- Jetty East Daybeacon	30 22 47 N 81 27 24 W				NW on pile worded DANGER SUBMERGED JETTY.	
		*					7/09
	*Delete Heading: *Miami Herald						
48445	- Buoy 1						<i>Remove from list.</i>
							* 7/09
48450	- Buoy 2						<i>Remove from list.</i>
							* 7/09
48455	- Buoy 3						<i>Remove from list.</i>
							* 7/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
48460	- Buoy 5						<i>Remove from list.</i>
							* 7/09
48465	- Buoy 6						<i>Remove from list.</i>
							* 7/09
	*Add Heading: *Blind Pass Park Channel						
*57536	Blind Pass Park Channel Daybeacon 1	26 58 05 N 82 22 43 W				SG on pile.	Private aid. 7/09
*57536.1	Blind Pass Park Channel Daybeacon 2	26 58 07 N 82 22 44 W				TR on pile.	Private aid. 7/09
*57536.2	Blind Pass Park Channel Daybeacon 3	26 58 04 N 82 22 44 W				SG on pile.	Private aid. 7/09
*57536.3	Blind Pass Park Channel Daybeacon 4	26 58 06 N 82 22 45 W				TR on pile.	Private aid. 7/09
*57536.4	Blind Pass Park Channel Shoal Daybeacon A	26 57 54 N 82 23 02 W				NW on pile worded DANGER SHOAL.	Private aid. 7/09
*57536.5	Blind Pass Park Channel Shoal Daybeacon B	26 57 54 N 82 23 02 W				NW on pile worded DANGER SHOAL.	Private aid. 7/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
693	<i>Probe-102-1 Lighted Buoy</i> Marks subsea installation.	28 26 19 N 90 41 18 W	FI W 2.5s			White with orange bands.	SIGN: EP-ST-214. Private aid.
	*						7/09
	St. Andrew Bay						
3255 29765	- <i>Junction Lighted Buoy</i>		FI (2+1) G 6s		4	Green can with red band and yellow triangle.	* 7/09
4170 31565	- <i>Lighted Bell Buoy 20</i>		QR		3	Red with yellow square.	* 7/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
PENSACOLA BAY (Chart 11383)							
Pensacola Bay							
4175	- RANGE FRONT LIGHT	30 24 26 N 87 11 36 W	FI W 2.5s	18	3	On skeleton tower on piles.	DAY: Visible 2° each side of range line. NIGHT: Visible all around, higher intensity 2° each side of range line.
			*	*			7/09
5450 6550	Arlington Channel Junction Buoy 60 feet outside channel limit.	30 38 36 N 88 02 00 W				Green can with red band.	
						*	7/09
5495	Chickasaw Creek Junction Buoy C					Green can with red band.	
						*	7/09
6550 5450	- Junction Buoy 60 feet outside channel limit.	30 38 41 N 88 02 02 W				Green can with red band.	
						*	7/09
6990	- Bayou La Batre Lighted Junction Buoy BB.	30 14 44 N 88 30 25 W	FI (2+1) R 6s		3	Red with green band.	
						*	7/09
7060	Bayou Casotte Junction Lighted Buoy BC	30 17 24 N 88 30 52 W	FI (2+1) R 6s		3	Red and green band.	
						*	7/09
12365	- LIGHT 3 50 feet outside channel limit.	29 23 57 N 89 18 26 W	FI G 6s	17	4	SG on pile.	Ra ref.
		*					7/09
16699	- Junction Lighted Buoy TB		FI (2+1) R 6s		4	Red with green band.	
						*	7/09
*22551	PORT OF BEAUMONT GENERAL CARGO DOCK LIGHTS(2)	30 04 40 N 94 04 47 W	FI R 2.5s	12		On dock.	Private aid.
							7/09
24365	- Lighted Buoy 15		FI G 2.5s		4	Green.	
					*		7/09
29112	Scipio Creek Junction Buoy A					Green can with green band.	
						*	7/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
29765 3255	- Junction Lighted Buoy		Fl (2+1) G 6s		4	Green can with red band and yellow triangle.	7/09
						*	
Pensacola Bay							
31565 4170	- Lighted Bell Buoy 20		Q R		3	Red with yellow square.	7/09
						*	
34365	- Junction Buoy					Green can with red band and yellow square.	7/09
						*	
Chocolate Bayou Channel							
35125	- North Entrance Junction Buoy E	29 09 48 N 95 07 42 W				Red nun with green band.	7/09
						*	
35139	- Junction Buoy C					Green can with red band.	7/09
						*	
35355	- Junction Buoy W					Red nun with green band.	7/09
						*	
MATAGORDA BAY (Chart 11317)							
Palacios Channel							
35700	- Junction Buoy A	28 29 12 N 96 17 30 W				Green can with red band.	7/09
						*	
Victoria East Entrance Channel							
<i>Channel aids located 20 to 70 feet outside channel limit.</i>							
36165	- Junction Buoy A					Red nun with green band and yellow triangle.	7/09
						*	
Victoria Channel							
<i>Channel aids are located 20 to 70 feet outside channel limits.</i>							
36190	- Junction Buoy C					Green can with red band.	7/09
						*	
Victoria West Entrance Channel							
36405	- Junction Buoy 2W					Red nun with green band and yellow triangle.	7/09
						*	

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
36466	- Daybeacon 8 90 feet outside the channel limit.					TR-TY on pile.	Ra ref. * 7/09
36516	- Daybeacon 20 90 feet outside the channel limit.					TR-TY on pile.	Ra ref. * 7/09
Aransas - Corpus Christi Bay Cut Off Channel							
37095	- Junction Buoy	28 00 01 N 97 01 49 W				Red nun with green band and yellow triangle.	* 7/09
Baffin Bay							
38855	- Junction Buoy	27 16 29 N 97 24 42 W				Red nun with green band and yellow triangle.	* 7/09
39980	- Junction Buoy N					Red nun with green band and yellow triangle.	* 7/09
40020	- Junction Buoy A					Green can with red band.	* 7/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
190 3585	Point Hueneme Light	34 08 42 N 119 12 35 W	Fl (5) W 30s 0.1s fl 4.9s ec. 0.1s fl 4.9s ec. 0.1s fl 4.9s ec. 0.1s fl 9.9s ec.	52	20	White square tower on building. 48	Light obscured from 155° to 296°. The fog signal can be activated upon request to the Coast Guard via VHF- FM Ch 16. HORN: 1 blast ev 30s (3s bl). 251 feet from light. * 7/09
Port Hueneme							
3585 190	- Light	34 08 42 N 119 12 35 W	Fl (5) W 30s 0.1s fl 4.9s ec. 0.1s fl 4.9s ec. 0.1s fl 4.9s ec. 0.1s fl 9.9s ec.	52	20	White square tower on building.	Obscured from 155° to 296°. The fog signal can be activated upon request to the Coast Guard via VHF- FM Ch 16. HORN: 1 blast ev 30s (3s bl). 251 feet from light. * 7/09
4651	<i>Oakland Outer Harbor Lighted Buoy 7A</i> 50 feet outside of channel limit.	37 48 55 N 122 19 30 W	Fl G 2.5s		4	Green	* 7/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11160	- UPPER RANGE REAR LIGHT 345 yards, 193.5° from front light.		Iso W 6s	34		KRB on skeleton tower.	Visible 14° each side of rangeline. * 7/09
11195	- UPPER RANGE REAR LIGHT 260 yards, 341.5° from front light.		Iso W 6s	35		KRB on skeleton tower.	Visible 14° each side of rangeline. * 7/09
15325	- Daybeacon 30	46 42 15 N 123 50 34 W				TR on pile.	 * 7/09
South Willapa Bay							
15400	- LIGHT 3	46 41 16 N 123 59 44 W	FI G 6s	15	4	SG on pile.	 * 7/09
17400	DOFFLEMYER POINT LIGHT	47 08 29 N 122 54 29 W	FI W 4s	30	7	White pyramidal tower.	 * * 7/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4160	- Main Entrance Light	41 30 32 N 81 43 04 W	FI R 6s 0.1s W fl 4.9s ec. 0.1s R fl 4.9s ec.	63 19	11	White conical tower with fog signal building attached.	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates from Apr. 1 to Dec. 1. * * 7/09
Lake Huron Cut							
<i>Lighted buoys maintained from Apr. 1 to Dec. 21 unless otherwise noted.</i>							
10035	- Lighted Buoy 1	43 00 33 N 82 25 04 W	Q G		5	Green.	Replaced by LIB of reduced intensity from Dec. 21 to Apr. 1. * * 7/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.