

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2007**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
105 8100	<b>Goat Island Light</b>	43 21 28 N 70 25 30 W	<b>FI W 6s</b> (NIGHT)	38	12	Brick conical tower. 38	HORN: 1 blast ev 15s (2s bl).
			*			*	* 10/09
*201	<i>UNH Jeffreys Ledge Moored Observatory Buoy</i>	42 47 46 N 70 10 13 W	<b>FI Y 4s</b>			Yellow	Private aid.
							10/09
8100 105	<b>Goat Island Light</b>	43 21 28 N 70 25 30 W	<b>FI W 6s</b> (NIGHT)	38	12		HORN: 1 blast ev 15s (2s bl).
			*				10/09
13136	Salten Point Buoy 1	41 42 43 N 70 18 10 W				Green can.	Private aid.
		*					10/09
13137	Salten Point Buoy 2	41 42 44 N 70 18 12 W				Red nun.	Private aid.
		*					10/09
*13137.5	Salten Point Buoy 4	41 42 45 N 70 18 19 W				Red nun.	Private aid.
							10/09
*13139	Salten Point Buoy 6	41 42 42 N 70 18 52 W				Red nun.	Private aid.
							10/09
21171	<i>UCONN Central Long Island Sound Research Lighted Buoy</i>	41 08 25 N 72 39 18 W	<b>FI Y 4s</b>			Yellow.	Private aid.
	*						10/09
21796	<i>UCONN/MSTC Oceanographic Lighted Buoy</i>		<b>FI Y 4s</b>			Yellow can.	Private aid.
	*		*				10/09

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2007**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
130	<i>Five Fathom Bank Traffic Lane Lighted Buoy FB</i>	38 46 51 N 74 55 35 W	<b>FI Y 6s</b>		7	Yellow.	
						*	10/09
<b>CAPE MAY TO FENWICK ISLAND (Chart 12214)</b>							
165	<i>Delaware Lighted Buoy D</i>	38 27 18 N 74 41 47 W	<b>FI Y 6s</b>		7	Yellow.	RACON: K (- • -).
						*	10/09
348	<i>Surface Gunnery Area 8 Lighted Buoy GB</i>	37 12 00 N 74 51 40 W	<b>FI Y 6s</b>		5	Yellow.	
						*	10/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
349	<i>Surface Gunnery Area 8 Lighted Buoy GC</i>	37 12 15 N 74 51 49 W	FI Y 2.5s		5	Yellow.	
						*	10/09
1530	<b>Harbor of Refuge Light</b>	38 48 52 N 75 05 33 W	FI W 10s <b>(2 R sectors)</b>	72	W 19 R 16	White conical tower, on black cylindrical substructure.	Red from 325° to 351°, covers Hen and Chicken Shoal, and 127° to 175° covers Brown Shoals. Structure maintained by entity outside the U.S. Coast Guard. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).
							* 10/09
1575	<b>Fourteen Foot Bank Light</b>	39 02 54 N 75 10 56 W	FI W 9s <b>(R sector)</b> 3s fl 6s ec.	59	W 13 R 10	White tower and dwelling on black cylindrical pier.	Red from 332.5° to 151°, covers Brown and Joe Flogger Shoals. Structure maintained by entity outside the U.S. Coast Guard. HORN: 1 blast ev 30s (3s bl). Operates continuously from Mar. 15 to Dec. 1.
							* 10/09
7125	<i>- Lighted Buoy 18 75 feet outside channel limit.</i>	37 05 45 N 76 06 44 W	FI R 2.5s		5	Red.	
						*	10/09
7230	<i>- Lighted Buoy 38 75 feet outside channel limit.</i>	37 17 31 N 76 06 44 W	FI R 2.5s		5	Red.	
						*	10/09
7305	<i>- Lighted Buoy 44</i>	37 32 09 N 76 02 21 W	FI R 2.5s		5	Red.	Replaced by nun when endangered by ice.
						*	10/09
7425	<i>- Lighted Bell Buoy 60</i>	37 40 28 N 76 09 17 W	FI R 2.5s		5	Red.	Replaced by nun when endangered by ice.
						*	10/09
9699	<i>APM Terminal Channel Lighted Buoy 1 125 feet outside channel limit.</i>	36 52 40 N 76 20 13 W	Q G		3	Green.	
						*	10/09
9810	<i>- Lighted Buoy 2PM</i>	36 51 43 N 76 19 22 W	Q R		3	Red.	
						*	10/09
10470	<i>Little Creek Entrance Lighted Buoy 2</i>	36 56 29 N 76 10 48 W	FI R 2.5s		5	Red.	
						*	10/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2007							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*16638	Gray Point Lighted Mooring Buoy A	38 04 45 N 76 23 50 W	FI W 2.5s			White with blue band.	Private aid.
							10/09
	<b>Potomac River</b>						
	<i>Buoys located 140 feet outside channel limit.</i>						
17355	- Midchannel Lighted Whistle Buoy C	38 11 50 N 76 44 40 W	Mo (A) W		6	Red and white stripes.	Replaced by can when endangered by ice.
					*		10/09
*17712	Morgantown Lighted Mooring Buoy A	38 20 54 N 76 59 05 W	FI W 2s			White with blue bands.	Private aid.
							10/09
18600	Upper Potomac River Channel Lighted Buoy 90	38 46 42 N 77 02 04 W	FI R 4s		4	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
	*						10/09
18705	Hains Point Junction Lighted Buoy HP	38 51 06 N 77 01 20 W	FI (2+1) G 6s		4	Green and red bands.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
		*					10/09
28195	- CHANNEL LIGHT 55		Q G	15	3	SG on pile.	
	*		*			*	10/09
28666	Hatteras Inlet Buoy 7A	35 11 49 N 75 45 17 W				Green can.	
		*					10/09
28726.1	Hatteras Inlet Buoy 10A	35 11 46 N 75 45 26 W				Red nun.	
		*					10/09
28732	- Buoy 12	35 12 10 N 75 43 54 W				Red nun.	
		*					10/09
28735.2	Hatteras Inlet Lighted Buoy 13	35 12 12 N 75 43 56 W	Q G		3	Green.	
		*					10/09
29057	Big Foot Slough Channel Buoy 9AA						Remove from list.
							* 10/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>DOBOY SOUND TO FERNANDINA (Chart 11502)</b>							
6525	- RANGE FRONT LIGHT	30 42 28 N 81 27 54 W	FI W 2.5s (Day) FI W 2.5s (Night)	19 24		KRW on tower. On same structure as Cumberland Sound Obstruction Light.	DAY: Visible on range line only. NIGHT: Visible 4° each side of range line.
				*			10/09
<b>St. Marys Entrance</b>							
6525.5 37920	- RANGE FRONT PASSING LIGHT	30 42 28 N 81 27 54 W	FI W 2.5s	37	5	On same structure as St. Marys Entrance Range Front Light.	
				*			10/09
6530	- RANGE REAR LIGHT 1,933 yards, 267.8° from front light.		Iso W 6s (Day) Iso W 6s (Night)	94 87		KRW on tower.	DAY: Visible on range line only. NIGHT: Visible 4° each side of range line. Lighted throughout 24 hours.
				*			10/09
<b>*Add Heading: *Buccaneer Lagoon Entrance</b>							
*18746	Buccaneer Lagoon Entrance Daybeacon 1	26 24 18 N 81 52 56 W				SG on pile.	Private aid.
							10/09
*18746.1	Buccaneer Lagoon Entrance Daybeacon 2	26 24 19 N 81 52 55 W				TR on pile.	Private aid.
							10/09
*18746.2	Buccaneer Lagoon Entrance Daybeacon 3	26 24 18 N 81 52 58 W				SG on pile.	Private aid.
							10/09
*18746.3	Buccaneer Lagoon Entrance Daybeacon 4	26 24 19 N 81 52 58 W				TR on pile.	Private aid.
							10/09
*18747	Buccaneer Lagoon Entrance Daybeacon 6	26 24 20 N 81 53 00 W				TR on pile.	Private aid.
							10/09
*18747.2	Buccaneer Lagoon Entrance Daybeacon 8	26 24 25 N 81 53 01 W				TR on pile.	Private aid.
							10/09
*18747.4	Buccaneer Lagoon Entrance Daybeacon 10	26 24 28 N 81 53 01 W				TR on pile.	Private aid.
							10/09
*18747.6	Buccaneer Lagoon Entrance Daybeacon 12	26 24 30 N 81 53 02 W				TR on pile.	Private aid.
							10/09
*18747.8	Buccaneer Lagoon Entrance Daybeacon 14	26 24 34 N 81 53 03 W				TR on pile.	Private aid.
							10/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2007**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	<b>*Change Headings to Read: *San Carlos Bay *Mullock Creek</b>						
18750	- Daybeacon 1	26 24 36 N 81 52 54 W				SG on pile.	Private aid.  10/09
*24607	Simmons Park Channel Daybeacon 11	27 44 55 N 82 28 37 W				SG on pile.	Private aid.  10/09
37920 6525.5	- CUMBERLAND SOUND PASSING LIGHT	30 42 28 N 81 27 54 W	FI W 2.5s	37	5	On same structure as St. Marys Entrance Range Front Light.	  10/09
				*			10/09

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
977	<i>Helis-122-7(Lighted Buoy)</i>	28 06 34 N 93 11 46 W	QR			White with orange bands.	Private aid.  10/09
	*	*				*	*
3020	- Lighted Bell Buoy 12		QR		3	Red.	 10/09
					*		10/09
6240	-LIGHT 9 300 feet outside channel limit.						Remove from list.  10/09
							*
*6241	Theodore Ship Channel Buoy 9 300 feet outside channel limit.	30 30 10 N 88 03 35 W				Green can.	 10/09
6495	- CHANNEL LIGHT 8	30 34 00 N 88 04 12 W	FI R 4s	17	4	TR on pile.	Ra ref.  10/09
					*		10/09
6933	- RANGE D FRONT PASSING LIGHT		FI W 4s	29	3	On same structure as Pascagoula Channel Range D Front Light.	 10/09
					*		10/09
9470	BAYOU BILOXI ENTRANCE LIGHT 1 1,000 yards, 341° from entrance.						Remove from list.  10/09
							*
19880	- Daybeacon 23					SG on pile.	Ra ref.  10/09
	*						10/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*21837	MOTIVA DOCK LIGHTS (2)	29 49 48 N 93 57 34 W	FI R 2.5s			On dock.	Private aid.  10/09
22855	- ENTRANCE INNER RANGE REAR LIGHT 2,510 yards, 318.3° from front light.		Iso G 6s	60		KRW on skeleton tower on piles.	Visible 2° each side of range line.  10/09
				*			10/09
22870	- Lighted Buoy 26	29 22 10 N 94 48 03 W	Q R		3	Red.	  10/09
					*		10/09
35597.2	- Daybeacon 14 25 feet outside channel limit.	28 28 06 N 96 22 38 W				TR-TY on pile.	Ra ref.  10/09
		*					10/09
*35881	Bird Island Daybeacon	28 27 02 N 96 21 03 W				NR on pile.	  10/09

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
380	Noonday Rock Lighted Bell Buoy 28	37 47 35 N 123 10 44 W	FI R 4s		4	Red.	  10/09
			*				10/09
*17093	Maury Island Research Lighted Buoy	47 20 17 N 122 28 45 W	Q Y			Yellow.	Private aid.  10/09
17837	Bangor Explosive Anchorage Lighted Buoy D	47 44 05 N 122 44 54 W	FI Y 6s		3	Yellow	  10/09
		*					10/09
22687	AIRPORT RUNWAY ROCK LIGHT	56 29 06 N 132 21 16 W	FI W 6s	15	5	NR on spindle.	  10/09
					*		10/09
23960	FALSE POINT RETREAT LIGHT 4	58 22 11 N 134 58 11 W	FI R 6s	25	4	TR on skeleton tower.	  10/09
					*		10/09
25043	SITKA HARBOR GOVERNMENT PIER NORTH LIGHT	57 03 01 N 135 20 46 W	FI R 2.5s	15	3	On pier.	  10/09
		*					10/09
25445	Yakutat Roads Lighted Buoy 1	59 33 27 N 139 45 56 W	FI G 2.5s		3	Green.	  10/09
					*		10/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2007

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
25823	Valdez Security Zone Lighted Buoy A	61 06 00 N 146 25 42 W	FI Y 2.5s		4	Yellow pillar.	Port of Valdez security zone.  * 10/09
25824	Valdez Security Zone Lighted Buoy B	61 06 00 N 146 21 30 W	FI Y 2.5s		4	Yellow pillar.	Port of Valdez security zone.  * 10/09
26165	- LIGHT 3	59 26 33 N 151 43 17 W	FI G 4s	45	4	SG on small house.	* 10/09
26384	Lighted Bell Buoy 6	61 09 00 N 150 20 01 W	FI R 2.5s		3	Red.	Maintained from May 1 to Nov. 1.  * 10/09
<b>Sitkalidak Strait</b>							
26855	TABLE ISLAND LIGHT	57 11 20 N 152 55 13 W	FI W 4s	106	7	NR on small house.	* 10/09
26870	SHEEP ISLAND LIGHT 3	57 12 50 N 153 15 13 W	FI G 2.5s	20	3	SG on tower.	* 10/09
27170	ILIASIK ISLANDS LIGHT	55 02 15 N 161 56 22 W	FI W 6s	95	7	NR on skeleton tower.	Obscured from 120.5° to 254°. * 10/09
27181	SOUTH KING COVE HARBOR LIGHT 1	55 03 17 N 162 19 25 W	FI G 4s	25	4	SG on spindle.	* 10/09
<b>Unalaska Bay</b>							
27501	Hog Island Lighted Buoy HI	53 55 14 N 166 34 10 W	FI(2+1)G 6s		3	Green and red bands.	* 10/09

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.