

SECTION II

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009 | | | | | | | |
|---|---|--------------------------|-----------------------|---------------|--------------|--|---|
| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
| 3540 | HORSESHOE BEND DIRECTIONAL LIGHT | 39 53 13 N 75 08 04 W | Q G | 20 | | On multi-pile structure. | Lighted throughout 24 hours. Visible 1.5" either side of rangeline. |
| | * | | | * | | | * 20/09 |
| 3546 | BIG TIMBER CREEK LIGHT 1 | 39 53 13 N 75 08 04 W | Q G | 23 | 4 | SG on multi-pile structure. On same structure as Horseshoe Bend Directional Light. | Lighted throughout 24 hours. |
| | | | | | | * | 20/09 |
| 3715 | FRANKFORD CHANNEL UPPER DIRECTIONAL LIGHT | 40 01 13 N 75 01 21 W | F G | 30 | | On tower on multi-pile structure. | Light oriented on bearing 061.2°(not on centerline of channel). Lighted throughout 24 hours. |
| | | | | | | | * 20/09 |
| 7291 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE FRONT PASSING LIGHT | | FI W 6s | 33 | 5 | On same structure as Rappahannock Shoal Channel South Range Front Light. | |
| | | | * | | | | 20/09 |
| 7296 | RAPPAHANNOCK SHOAL CHANNEL SOUTH RANGE REAR PASSING LIGHTS (2) | 37 29 30 N 75 57 55 W | FI W 6s | 33 | 6 | On same structure as Rappahannock Shoal Channel South Range Rear Light. | |
| | * | | * | | | | 20/09 |
| 11150 | - Channel Daybeacon 35 | 36 48 41 N 76 33 29 W | | | | SG on pile. | |
| | | * | | | | | 20/09 |
| 11155 | - Channel Daybeacon 36 | 36 48 34 N 76 33 36 W | | | | TR on pile. | |
| | | * | | | | | 20/09 |
| Western Branch | | | | | | | |
| 11180 | - Junction Daybeacon A | 36 47 21 N 76 33 46 W | | | | JR on pile. | |
| | | * | | | | | 20/09 |
| 11185 | - Daybeacon 2 | 36 47 20 N 76 33 57 W | | | | TR on pile. | |
| | | * | | | | | 20/09 |
| 11195 | - Daybeacon 4 | 36 47 29 N 76 34 13 W | | | | TR on pile. | |
| | | * | | | | | 20/09 |
| 29655 | - Buoy 1 | 34 31 30 N 77 19 42 W | | | | Green can. | |
| | | * | | | | | 20/09 |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|---|--------------------------|-----------------------|---------------|--------------|------------------|--------------------------|
| 26215 | - CUT C RANGE FRONT LIGHT | | | | | | <i>Remove from list.</i> |
| | | | | | | | * 20/09 |
| 26220 | - CUT C RANGE REAR LIGHT 446 yards, 145.4° from front light. | | | | | | <i>Remove from list.</i> |
| | | | | | | | * 20/09 |
| *26243 | ANCLOTE RIVER LIGHT 22 | 28 10 05 N 82 47 06 W | FI R 4s | 16 | 3 | TR on dolphin. | 20/09 |
| 32705 | <i>Mingo Rock Lighted Buoy 2</i> | 18 19 23 N 64 48 12 W | FI R 4s | | 4 | Red. | 20/09 |
| | | * | | | | | 20/09 |
| 40615 | - Junction Daybeacon | 29 03 28 N 80 54 51 W | | | | JG on pile. | 20/09 |
| | | * | | | | | 20/09 |
| 58435 | - Daybeacon 81 | 27 17 39 N 82 32 45 W | | | | SG-SY on pile. | 20/09 |
| | | * | | | | | 20/09 |

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|---|--------------------------|-----------------------|---------------|--------------|--------------------------------|--|
| 105 | ST. GEORGE LIGHTHOUSE | 29 39 47 N 84 51 46 W | FI W 6s | 76 | | White conical tower. | Visible 305° to 11°. Private aid. |
| | * | * | * | * | * | * | * 20/09 |
| 951.7 | <i>Tarpon-105-5</i> Marks subsea installation. | 28 34 05 N 92 46 57 W | FI W 2.5s | | | White with orange bands. | SIGN: TARPON-EC-240-1. Private aid. |
| | * | * | * | | | * | * 20/09 |
| *1064 | <i>Tarpon-103-6</i> Marks subsea installation. | 28 25 19 N 93 38 52 W | FI W 2.5s | | | White with orange bands. | SIGN: TARPON-HI-273-A. Private aid. |
| | | | | | | | 20/09 |
| 5120 | - <i>Lighted Buoy 22</i> | | Q R | | 3 | Red. | 20/09 |
| | | | | | * | | 20/09 |
| 13465 | SHINGLE POINT LIGHT 80 LDB mile 78.0. | | Iso R 6s | | 3 | TR on skeleton tower on piles. | Higher intensity beam up and down river. |
| | | | | | * | | 20/09 |
| 13950 | FASHION LIGHT 123 RDB mile 123.0. | | Iso G 6s | | 4 | SG on skeleton tower on piles. | Higher intensity beam up river. |
| | | | | | * | | 20/09 |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009 | | | | | | | |
|--|--|--------------------------|--------------------------------------|---------------|--------------|-------------------------------|---------------------------------------|
| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
| 19553.02 | SOUTHWEST PASS- VERMILION BAY CHANNEL LIGHT 30 | 29 41 22 N 92 03 59 W | FI R 2.5s | 17 | 3 | TR on pile. | Ra ref. |
| | | * | | | | | 20/09 |
| | *Delete Heading: Cline Canal | | | | | | |
| 21055 | CALCASIEU RIVER LIGHT 114 130 feet outside channel limit. | 30 11 04 N 93 18 19 W | FI R 2.5s | 17 | 4 | TR on pile. | |
| | | | | | | | 20/09 |
| | *Add Heading: *Cline Canal | | | | | | |
| 21057 | Cline Canal Entrance Daybeacon 1 | 30 11 52 N 93 16 18 W | | 7 | | SG on pile. | Private aid. |
| | | | | | | | 20/09 |
| 21985 33940 | - Buoy 68 | 29 58 21 N 93 50 35 W | | | | Red nun with yellow square. | |
| | | * | | | | | 20/09 |
| 23220 | MORGANS POINT APPROACH OUTER RANGE REAR LIGHT 2,361 yards, 161.7° from front light. | | Iso W 6s (NIGHT) Iso G 6s (NIGHT) | 108 110 | | | Visible 2° each side of rangeline. |
| | | | * | | | * | 20/09 |
| 30915 | - Buoy 29 | 30 24 02 N 86 38 56 W | | | | Green can with yellow square. | |
| | | * | | | | | 20/09 |
| 32910 | MERRILL SHELL BANK LIGHT | | | | | | Remove from list. |
| | | | | | | | * |
| | | | | | | | 20/09 |
| 33940 21985 | - Buoy 68 | 29 58 21 N 93 50 35 W | | | | Red nun with yellow square. | |
| | | * | | | | | 20/09 |
| 37757 | - Buoy 14 | 27 40 41 N 97 13 38 W | | | | Red nun with yellow triangle. | |
| | | * | | | | | 20/09 |

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009 | | | | | | | |
|--|---------------------------------------|---------------------------|-----------------------|---------------|--------------|----------------------------------|----------------|
| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
| 2289.5 | Scripps Waverider Lighted Buoy 161 | 33 00 10 N 117 17 30 W | FI (5) Y 20s | | | Yellow sphere with whip antenna. | Private aid. |
| | * | * | * | | | * | 20/09 |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|---|---------------------------|-----------------------|---------------|--------------|------------------------|--|
| 3584 | <i>Scripps Waverider Lighted Buoy 141</i> | | | | | | <i>Remove from list.</i> |
| | | | | | | | * 20/09 |
| 11100 | - RANGE FRONT LIGHT | 45 48 41 N 122 47 53 W | Q R | 17 | | KRB on pile structure. | Visible all around; higher intensity on rangeline. |
| | | | * | | | | 20/09 |
| 11105 | - RANGE REAR LIGHT 285 yards, 328° from front light. | | Iso R 6s | 37 | | KRB on skeleton tower. | Visible 4° each side of rangeline. |
| | | | * | | | | 20/09 |
| 14505 | - LIGHT 23 | 46 17 54 N 124 02 28 W | FI G 2.5s | | 3 | SG on pile. | Ra ref. |
| | * | | * | | * | | 20/09 |
| 17470 | - LIGHT 3 40 feet outside channel limit. | | FI G 4s | | 3 | On pile. | |
| | * | | * | | * | * | 20/09 |

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|--|--------------------------|-----------------------|---------------|--------------|------------------|------------------------------------|
| 16235 | - <i>Lighted Buoy 14</i> | 46 43 06 N 92 09 41 W | FI R 4s | | 4 | Red. | Maintained from Apr. 28 to Dec. 7. |
| | | * | | | | | 20/09 |
| 18235 | - Buoy 1 Marks north side of shoal. | 44 59 51 N 85 36 04 W | | | | Green can. | |
| | | * | | | | | 20/09 |
| 19415 | - Buoy 17 | 42 47 27 N 86 07 17 W | | | | Green can. | |
| | | * | | | | | 20/09 |
| 22145 | - <i>Lighted Buoy 9</i> | 44 37 22 N 87 55 33 W | FI G 4s | | 4 | Green. | |
| | | | | | | | * 20/09 |
| 22200 | - <i>Lighted Buoy 17</i> | 44 34 55 N 87 58 37 W | Q G | | 4 | Green. | |
| | | | | | | | * 20/09 |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.