

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
APPROACHES TO NEW YORK - NANTUCKET SHOALS TO FIVE FATHOM BANK (Chart 12300)							
630 15985	Buzzards Bay Entrance Light	41 23 49 N 71 02 05 W	FI W 2.5s	67	17	Tower on red square on 3 red piles with large tube in center, worded BUZZARDS on sides.	Emergency light of reduced intensity when main light is extinguished. RACON: B(-••••), HORN: 2 blasts ev 30s (2s bl- 2s si-2s bl-24s si).
		*					21/09
13285	PROVINCETOWN HARBOR BREAKWATER WEST END LIGHT 4	42 02 46 N 70 10 52 W	FI R 2.5s	20	6	TR on skeleton tower.	
		*					21/09
15150	NANTUCKET EAST BREAKWATER LIGHT 3	41 18 37 N 70 06 59 W	FI G 4s	30	12	SG on skeleton tower.	HORN: 1 blast ev 10s (1s bl).
		*					21/09
15160	- RANGE FRONT LIGHT	41 17 23 N 70 05 32 W	Q W	35		KRW on white skeleton tower.	Higher intensity beam to seaward. Lighted throughout 24 hours.
		*					21/09
15760	- Daybeacon 3	41 31 09 N 70 40 48 W		17		SG on pile.	
		*					21/09
15985 630	Buzzards Bay Entrance Light	41 23 49 N 71 02 05 W	FI W 2.5s	67	17	Tower on red square on 3 red piles with large red tube in center, worded BUZZARDS on sides.	Emergency light of reduced intensity when main light is extinguished. RACON: B(-••••), HORN: 2 blasts ev 30s (2s bl- 2s si-2s bl-24s si).
		*					21/09
16670	- LIGHT 7	41 42 16 N 70 37 56 W	FI G 4s	26	5	SG on pile.	
		*					21/09
16792	<i>YSI Research Lighted Buoy B</i>						<i>Remove from list.</i>
							* 21/09
38026	<i>Beacon Institute Research Lighted Platform B1</i>	41 29 40 N 73 59 24 W	FI Y 2s			10X18 lighted platform.	Removed when endangered by ice. Private aid.
	*		*			*	21/09
38027	BEACON INSTITUTE RESEARCH LIGHT BDA						<i>Remove from list.</i>
							* 21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
21435	OLD PLANTATION FLATS WARNING LIGHT A	37 13 43 N 76 02 48 W	FI W 4s	19	7	NW on pile worded DANGER ROCKS.	
	*	*		*	*	*	* 21/09
24960	La Trappe Creek Daybeacon 2	38 37 38 N 76 07 13 W				TR on caisson.	
		*					21/09
25685	- Daybeacon 3	38 45 16 N 76 15 29 W				SG on pile.	
		*					21/09
29975	- Buoy 1	34 20 04 N 77 39 30 W				Green can.	
		*					21/09
29985	- Buoy 2	34 20 05 N 77 39 28 W				Red nun.	
		*					21/09
*31627.4	HARVEY POINT WARNING LIGHT P	36 07 03 N 76 20 37 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
							21/09
*31627.5	HARVEY POINT WARNING LIGHT Q	36 06 52 N 76 20 26 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
							21/09
*31627.6	HARVEY POINT WARNING LIGHT R	36 06 45 N 76 20 14 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
							21/09
*31627.7	HARVEY POINT WARNING LIGHT S	36 06 35 N 76 20 03 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
							21/09
*31627.8	HARVEY POINT WARNING LIGHT T	36 06 29 N 76 19 49 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense.
							21/09
*31627.9	Harvey Point Warning Daybeacon U	36 06 23 N 76 19 35 W				NW on pile worded DANGER.	Maintained by Dept. of Defense.
							21/09
*31628	Harvey Point Warning Daybeacon V	36 06 18 N 76 19 19 W				NW on pile worded DANGER.	Maintained by Dept. of Defense.
							21/09
*31628.01	Harvey Point Warning Daybeacon W	36 06 14 N 76 19 03 W				NW on pile worded DANGER.	Maintained by Dept. of Defense.
							21/09
*31628.02	HARVEY POINT WARNING LIGHT X	36 06 10 N 76 18 48 W	FI W 4s			NW on pile worded DANGER.	Maintained by Dept. of Defense.
							21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*31628.03	HARVEY POINT WARNING LIGHT Y	36 06 10 N 76 18 32 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.04	HARVEY POINT WARNING LIGHT Z	36 06 10 N 76 18 17 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.05	HARVEY POINT WARNING LIGHT AA	36 06 01 N 76 18 05 W	FI W 4s			NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.06	HARVEY POINT WARNING LIGHT BB	36 05 48 N 76 18 05 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.07	HARVEY POINT WARNING LIGHT CC	36 05 36 N 76 18 08 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.08	HARVEY POINT WARNING LIGHT DD	36 05 26 N 76 18 15 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.09	HARVEY POINT WARNING LIGHT EE	36 05 19 N 76 18 28 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.1	HARVEY POINT WARNING LIGHT FF	36 05 12 N 76 18 41 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.2	HARVEY POINT WARNING LIGHT GG	36 05 07 N 76 18 54 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.3	HARVEY POINT WARNING LIGHT HH	36 05 00 N 76 19 07 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.4	HARVEY POINT WARNING LIGHT JJ	36 04 59 N 76 19 21 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.5	HARVEY POINT WARNING LIGHT KK	36 04 57 N 76 19 37 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.6	Harvey Point Warning Daybeacon LL	36 04 55 N 76 19 52 W				NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.7	Harvey Point Warning Daybeacon MM	36 04 58 N 76 20 08 W				NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*31628.8	HARVEY POINT WARNING LIGHT NN	36 05 01 N 76 20 23 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31628.9	HARVEY POINT WARNING LIGHT PP	36 05 00 N 76 20 39 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31629	HARVEY POINT WARNING LIGHT QQ	36 04 59 N 76 20 51 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31629.01	HARVEY POINT WARNING LIGHT RR	36 05 00 N 76 21 52 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31629.02	HARVEY POINT WARNING LIGHT SS	36 04 55 N 76 22 06 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
*31629.03	HARVEY POINT WARNING LIGHT TT	36 04 57 N 76 22 21 W	FI W 4s	10	1	NW on pile worded DANGER.	Maintained by Dept. of Defense. 21/09
40340	Cape Fear River-Little River Buoy 81	33 54 24 N 78 23 06 W				Green can with yellow square.	* 21/09
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2565	- Buoy 36	29 51 19 N 84 41 22 W				Red nun.	* 21/09
2620	- Buoy 53	26 51 28 N 84 40 37 W				Green can.	* 21/09
2655	- Buoy 63	29 51 57 N 84 40 29 W				Green can.	* 21/09
4750	- LIGHT 18		QR	17	3	TR on pile.	Ra ref. 21/09
5235	- MIDDLE REACH OUTER RANGE REAR LIGHT 2,093 yards, 174.5° from front light.	30 24 41 N 88 00 35 W	Oc R 4s	62		KRW on skeleton tower on piles.	Visible 3° each side of range line. 21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5515	Big Bayou Canot East Danger Daybeacon	30 48 36 N 87 59 24 W				NW on pile worded DANGER FIXED BRIDGE.	* 21/09
5520	Big Bayou Canot West Danger Daybeacon	30 48 42 N 87 59 30 W				NW on pile worded DANGER FIXED BRIDGE.	* 21/09
10745	- LIGHT 41 250 feet outside channel limit.						Remove from list. * 21/09
10765	- LIGHT 45						Remove from list. * 21/09
10770	- LIGHT 46						Remove from list. * 21/09
10855	- LIGHT 61 150 feet outside channel limit.						Remove from list. * 21/09
13409	WILLS POINT LIGHT 68 LDB Mile 68.4	29 45 12 N 90 01 08 W	FIR 2.5s			3 TR on skeleton tower on piles.	* 21/09
13416	BERTRANDVILLE LIGHT 70 LDB Mile 70.0	29 46 35 N 90 01 03 W	FIR 4s			3 TR on skeleton tower on piles.	* 21/09
18415	- LIGHT 36	29 36 30 N 91 14 48 W	FIR 6s	17		4 TR-NW on pile.	VTS Berwick check point sign. Daybeacon on same structure as light. Ra ref. * 21/09
20480	- Lighted Bell Buoy 8	29 31 06 N 93 13 30 W	QR			3 Red.	* 21/09
31560	- LIGHT 145	30 19 54 N 87 13 53 W	FIG 2.5s	17		4 SG-SY on dolphin.	Ra ref. * 21/09
33590	- LIGHT 3	29 38 30 N 91 18 06 W	FIG 2.5s	17		4 SG-NW on pile worded: VTS BERWICK CHECK POINT SIGN.	Ra ref. * 21/09
33592	Wax Outlet East Approach Daybeacon E	29 38 48 N 91 23 11 W		15		NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref. * 21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33597	Wax Outlet Northeast Approach Warning Daybeacon NE	29 38 55 N 91 23 19 W				NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref. * 21/09
33598	Wax Outlet Northwest Approach Warning Daybeacon NW					NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref. * 21/09
33602	Wax Outlet West Approach Daybeacon W	29 38 58 N 91 23 58 W				NG-NW on pile worded WARNING EXTREME CURRENT.	Ra ref. * 21/09
36132	- Daybeacon 4A	28 22 56 N 96 32 33 W				TR-TY on pile.	Ra ref. * 21/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
390	<i>NOAA Environmental Lighted Buoy EB 46013</i>	38 14 31 N 123 18 02 W	FI (4) Y 20s			Yellow disc-shaped buoy.	Aid maintained by NOAA. * 21/09
8135	- Lighted Bell Buoy 2	40 45 56 N 124 14 57 W	FI R 4s		4		* 21/09
8175	- <i>Lighted Bell Buoy 5</i>	40 45 29 N 124 13 53 W	FI G 4s		5	Green.	* 21/09
9087	<i>Isthmus Slough Lighted Buoy WR 45</i>						<i>Remove from list.</i> * 21/09
9600	- <i>Entrance Lighted Buoy 3</i>	44 36 26 N 124 05 27 W	FI G 4s		3	Green.	Maintained from May 01 to Oct. 01. * 21/09
9830	TILLAMOOK BAY ENTRANCE LEADING LIGHT	45 34 06 N 123 56 28 W	Oc Y 4s	53		On skeleton tower.	Visible .5° each side of rangeline. * 21/09
10955	- Bybee Ledge Channel Range Rear Light 175 yards, 138° from front light.		Iso W 6s	30		KRB on pile.	Visible 14° each side of rangeline. * 21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15585	POINT CHEHALIS RANGE FRONT LIGHT	46 54 31 N 124 07 23 W	F I R 2.5s	27		KRB on pile structure.	Visible 1.5° each side of rangeline.
			*				* 21/09
16575	- Entrance Buoy 1						<i>Remove from list.</i>
							* 21/09
16580	- Entrance Buoy 2						<i>Remove from list.</i>
							* 21/09
16583	CULTUS BAY ENTRANCE LIGHT 1	47 54 25 N 122 24 08 W	F I G 4s			Piling.	Private aid.
	*		*			*	21/09
16585	CULTUS BAY ENTRANCE LIGHT 2	47 54 28 N 122 24 05 W	F I R 4s			Piling.	Private aid.
	*		*			*	21/09
16645	- CHANNEL LIGHT 19	47 55 09 N 122 23 41 W	F I G 2s			Piling.	Private aid.
	*	*	*			*	21/09
16650	CULTUS BAY CHANNEL LIGHT 20	47 55 09 N 122 23 39 W	F I R 2s			Piling.	Private aid.
	*	*	*			*	21/09
*19023	<i>Padilla Bay Research Lighted Buoy</i>	48 33 28 N 122 34 24 W	F I Y 4s			Yellow	Private aid.
							21/09
24948	<i>Indian River Flats Lighted Buoy 2</i>	57 02 32 N 135 18 37 W	F I R 4s		4	Red.	
	*		*		*	*	* 21/09
24952	<i>Indian River Flats Lighted Buoy 4</i>	57 02 33 N 135 19 00 W	F I R 6s		4	Red.	
	*	*	*		*	*	* 21/09
*24953	<i>Indian River Flats Lighted Buoy 6</i>	57 02 40 N 135 19 16 W	F I R 4s		4	Red.	
							21/09
24955	ROCKWELL LIGHT	57 02 09 N 135 20 01 W	F R	50		White octagonal tower with dwelling attached.	Private aid.
							21/09
26315	Kasilof Entrance Channel Buoy 2	60 23 16 N 151 19 37 W				Red nun.	Maintained from May 1 to Nov 1.
	*	*				*	* 21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*26315.1	Kasilof Entrance Channel Buoy 3	60 23 17 N 151 19 35 W				Green can.	Maintained from May 1 to Nov 1. 21/09
*26315.2	Kasilof Entrance Channel Buoy 4	60 23 14 N 151 19 21 W				Red nun.	Maintained from May 1 to Nov 1. 21/09
*26315.3	Kasilof Entrance Channel Buoy 5	60 23 16 N 151 19 15 W				Green can.	Maintained from May 1 to Nov 1. 21/09
*26315.4	Kasilof Entrance Channel Buoy 6	60 23 16 N 151 19 06 W				Red nun.	Maintained from May 1 to Nov 1. 21/09
*26315.5	Kasilof Entrance Channel Buoy 7	60 23 20 N 151 18 51 W				Green can.	Maintained from May 1 to Nov 1. 21/09
*26315.6	Kasilof Entrance Channel Buoy 8	60 23 26 N 151 18 40 W				Red nun.	Maintained from May 1 to Nov 1. 21/09
*26315.7	Kasilof Entrance Channel Buoy 9	60 23 30 N 151 18 28 W				Green can.	Maintained from May 1 to Nov 1. 21/09
*26315.8	Kasilof Entrance Channel Buoy 11	60 23 22 N 151 18 15 W				Green can.	Maintained from May 1 to Nov 1. 21/09
*28007.5	NOAA Data Lighted Buoy 51000	23 27 50 N 154 00 00 W	FI(4)Y 20s			3 meter yellow discus buoy.	Aid maintained by National Oceanic and Atmospheric Administration. 21/09
*28008.5	NOAA Data Lighted Buoy 51100	23 33 30 N 153 54 00 W	FI(4)Y 20s			3 meter yellow discus buoy.	Aid maintained by National Oceanic and Atmospheric Administration. 21/09
*28009	NOAA Data Lighted Buoy 51101	24 19 15 N 162 03 30 W	FI(4)Y 20s			3 meter yellow discus buoy.	Aid maintained by National Oceanic and Atmospheric Administration. 21/09
29440	- LIGHT 16		QR	15	3	TR on multi-pile structure. *	21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
29465	FORD ISLAND JUNCTION LIGHT F	21 21 17 N 157 57 57 W	FI (2+1) G 6s	18	4	JG on multi-pile structure.	
				*			21/09
29770	- BREAKWATER LIGHT	21 57 12 N 159 20 54 W	Q W	33	6	NB on post. 23	
				*		*	21/09
Ofu Harbor							
30240	- LIGHT 1	14 10 02 S 169 40 51 W	FI G 4s	15	4	TG on pile.	
					*		21/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3832	NORTH PERRY LIGHT 1	41 49 11 N 81 06 14 W	FI G 4s				Private aid.
							21/09
*3832.1	NORTH PERRY EAST BREAKWATER LIGHT	41 49 12 N 81 06 11 W	FI W 4s				Private aid.
							21/09
*3833	NORTH PERRY LIGHT 2	41 49 11 N 81 06 16 W	FI R 4s				Private aid.
							21/09
*3833.1	NORTH PERRY WEST BREAKWATER LIGHT	41 49 08 N 81 06 21 W	FI W 4s				Private aid.
							21/09
*3908	MAST Mooring Buoy "Queen Of The West"	41 50 46 N 81 23 08 W	Q W				Private aid.
							21/09
*4261	MAST Mooring Buoy "Admiral"	41 38 15 N 81 54 12 W	Q W				Private aid.
							21/09
*4300	SHEFFIELD LAKE LIGHT 1	49 29 28 N 82 06 49 W	FI G 4s				Private aid.
							21/09
*4301	SHEFFIELD LAKE LIGHT 2	41 29 27 N 82 06 49 W	FI R 4s				Private aid.
							21/09
*6717.1	Enrico Fermi Nuclear Power Plant Security Zone Buoy L	41 56 54 N 83 15 12 W					Private aid.
							21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*10281	NOAA Saginaw Bay Buoy 3	44 07 52 N 83 05 38 W	FI Y 4s				Private aid. 21/09
*10282	NOAA Saginaw Bay Buoy 2	44 08 42 N 83 12 42 W	FI Y 4s				Private aid. 21/09
*10536	NOAA Saginaw Bay Buoy 4	44 01 12 N 83 31 14 W	FI Y 4s				Private aid. 21/09
*10536.1	NOAA Saginaw Bay Buoy 4T	44 00 55 N 84 31 20 W	FI Y 4s				Private aid. 21/09
*10537	NOAA Saginaw Bay Buoy 8	44 00 53 N 83 31 37 W	FI Y 4s				Private aid. 21/09
*10571	NOAA Saginaw Bay Buoy 6	43 48 11 N 83 42 52 W	FI Y 4s				Private aid. 21/09
*10572	NOAA Saginaw Bay Buoy 7	43 48 05 N 83 42 47 W	FI Y 4s				Private aid. 21/09
*11309	NOAA Saginaw Bay Buoy 1	44 16 21 N 83 15 54 W	FI Y 4s				Private aid. 21/09
*11309.1	NOAA Saginaw Bay Buoy 1T	44 16 22 N 83 16 05 W	FI Y 4s				Private aid. 21/09
*11311	NOAA Saginaw Bay Buoy 5	44 19 06 N 83 18 01 W	FI Y 4s				Private aid. 21/09
11790	- RIVER RANGE FRONT LIGHT	45 38 51 N 84 28 22 W	F R	45 14		KRW on building. *	21/09
*12651	McGulpin Point Lighthouse	45 47 13 N 84 46 22 W	FI W 4s		108		Private aid. 21/09
*17902	Zoll Street Channel Lighted Buoy 1	45 25 34 N 84 58 53 W	FI G 4s				Private aid. 21/09
*17902.1	Zoll Street Channel Lighted Buoy 2	45 25 34 N 84 58 57 W	FI R 4s				Private aid. 21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Donald S. Cook Nuclear Security Zone							
Buoy maintained from Apr. 1 to Nov. 15							
19534	- No Entry Buoy A	41 58 32 N 86 34 19 W	Iso W 2s			White can with orange bands and exclusion symbol worded NO ENTRY.	Private aid.
	*		*				21/09
19534.1	- No Entry Buoy B	41 58 35 N 86 34 35 W	Iso W 2s			White can with orange bands and exclusion symbol worded NO ENTRY.	Private aid.
	*		*				21/09
19534.2	- No Entry Buoy C	41 58 40 N 86 34 34 W	Iso W 2s			White can with orange bands and exclusion symbol worded NO ENTRY.	Private aid.
	*		*				21/09
19534.3	- No Entry Buoy D	41 58 46 N 86 34 32 W	Iso W 2s			White can with orange bands and exclusion symbol worded NO ENTRY.	Private aid.
	*		*				21/09
19534.4	- No Entry Buoy E	41 58 43 N 86 34 15 W	Iso W 2s			White can with orange bands and exclusion symbol worded NO ENTRY.	Private aid.
	*		*				21/09
*19921	OAKWOOD BEACH NORTH PIER LIGHT	41 49 25 N 87 35 48 W	FI Y 2s				Private aid.
							21/09
*19922	OAKWOOD BEACH SOUTH PIER LIGHT	41 49 17 N 87 35 39 W	FI Y 2s				Private aid.
							21/09
*20754	VETERANS PARK WEST LIGHT	43 02 35 N 87 53 19 W	FI W 4s				Private aid.
							21/09
*20754.1	VETERANS PARK EAST LIGHT	43 02 36 N 87 53 16 W	FI W 4s				Private aid.
							21/09
*21851	EGG HARBOR LIGHT 1	45 02 57 N 87 17 03 W	FI G 4s				Private aid.
							21/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.