

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009**

| (1)<br>No.                                     | (2)<br>Name and Location           | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                          |
|--|------------------------------------|--------------------------|-----------------------|---------------|--------------|------------------|---|
| <b>Montsweag Bay</b>                           |                                    |                          |                       |               |              |                  |   |
| <i>Aids maintained from May 15 to Oct. 15.</i> |                                    |                          |                       |               |              |                  |   |
| 5850   | - Buoy 2                           | 43 53 44 N<br>69 44 27 W |                       |               |              | Red nun.         |   |
|  |                                    | *                        |                       |               |              |                  | 24/09                                   |
| 7890   | - Buoy 2SR                         | 43 31 52 N<br>70 19 24 W |                       |               |              | Red nun.         |   |
|  |                                    | *                        |                       |               |              |                  | 24/09                                   |
| 7892   | - Buoy 3                           | 43 32 01 N<br>70 19 24 W |                       |               |              | Green can.       | Removed when endangered by ice.         |
|  |                                    | *                        |                       |               |              |                  | 24/09                                   |
| 7895   | - Buoy 4                           | 43 32 08 N<br>70 19 31 W |                       |               |              | Red nun.         |   |
|  |                                    | *                        |                       |               |              |                  | 24/09                                   |
| 13895  | <i>Stage Harbor Lighted Buoy 8</i> | 41 39 24 N<br>69 58 59 W | <b>FIR 4s</b>         |               | 3            | Red.             | Replaced by nun from Dec. 1 to Apr. 15. |
|  |                                    | *                        |                       |               |              |                  | 24/09                                   |
| 23415  | - Channel Buoy 3                   | 41 16 01 N<br>72 28 22 W |                       |               |              | Green can.       |   |
|  |                                    | *                        |                       |               |              |                  | 24/09                                   |
| 24435  | - Channel Buoy 21                  | 41 11 24 N<br>73 06 57 W |                       |               |              | Green can.       |   |
|  |                                    | *                        |                       |               |              |                  | 24/09                                   |
| 37145  | - South Buoy 1                     | 40 39 41 N<br>74 04 29 W |                       |               |              | Green can.       |   |
|  |                                    | *                        |                       |               |              |                  | 24/09                                   |

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009**

| (1)<br>No. | (2)<br>Name and Location                 | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure               | (8)<br>Remarks |
|------------|--|--------------------------|-----------------------|---------------|--------------|--------------------------------|----------------|
| *1687      | Cape May Aquaculture Zone Lighted Buoy A | 39 04 22 N<br>74 55 11 W | <b>FI W 4s</b>        |               |              | White can with orange diamond. | Private aid.   |
|            |  |                          |                       |               |              |                                | 24/09          |
| *1687.1    | Cape May Aquaculture Zone Lighted Buoy B | 39 04 17 N<br>74 54 56 W | <b>FI W 4s</b>        |               |              | White can with orange diamond. | Private aid.   |
|            |  |                          |                       |               |              |                                | 24/09          |
| *1687.2    | Cape May Aquaculture Zone Lighted Buoy C | 39 03 52 N<br>74 55 11 W | <b>FI W 4s</b>        |               |              | White can with orange diamond. | Private aid.   |
|            |  |                          |                       |               |              |                                | 24/09          |
| *1687.3    | Cape May Aquaculture Zone Lighted Buoy D | 39 03 38 N<br>74 55 27 W | <b>FI W 4s</b>        |               |              | White can with orange diamond. | Private aid.   |
|            |  |                          |                       |               |              |                                | 24/09          |

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

| (1)<br>No. | (2)<br>Name and Location  | (3)<br>Position          | (4)<br>Characteristic   | (5)<br>Height | (6)<br>Range | (7)<br>Structure   | (8)<br>Remarks                     |
|------------|---|--------------------------|-------------------------|---------------|--------------|--|------------------------------------|
|            |   |                          |                         |               |              |  | 24/09                              |
| 7296       | RAPPAHANNOCK SHOAL<br>CHANNEL SOUTH RANGE<br>REAR PASSING LIGHTS<br>(2) | 37 29 30 N<br>75 57 55 W | FI W 6s                 | 33            | 6            | On same structure as<br>Rappahannock Shoal<br>Channel South Range<br>Rear Light. | On corners of platform.            |
|            |   |                          |                         |               |              |  | * 24/09                            |
| 8575       | POOLES ISLAND BAR<br>LIGHT  | 39 15 42 N<br>76 16 41 W | FI W 2.5s<br>(R sector) | 27            | W 6<br>R 5   | Black skeleton tower on<br>cylindrical base.                                     | Red from 058° to 225°.             |
|            |   |                          |                         |               |              |  | * 24/09                            |
| 8891       | GROVE POINT RANGE REAR<br>PASSING LIGHTS(2)                             |                          | Oc W 4s                 | 15            | 7            | On same structure as<br>Grove Point Range<br>Rear Light.                         | Located on corners of<br>platform. |
|            | *   |                          |                         | *             |              |  | * 24/09                            |
| *9950      | JORDAN BRIDGE FENDER<br>WARNING LIGHT NW                                | 36 48 30 N<br>76 17 26 W | FI Y 4s                 | 5             |              | On northwest corner of fender<br>system.   | Private aid.                       |
|            |   |                          |                         |               |              |  | 24/09                              |
| *9950.1    | JORDAN BRIDGE FENDER<br>WARNING LIGHT SW                                | 36 48 30 N<br>76 17 26 W | FI Y 4s                 | 5             |              | On southwest corner of fender<br>system.   | Private aid.                       |
|            |   |                          |                         |               |              |  | 24/09                              |
| *9950.2    | JORDAN BRIDGE FENDER<br>WARNING LIGHT NE                                | 36 48 31 N<br>76 17 23 W | FI Y 4s                 | 5             |              | On northwest corner of fender<br>system.   | Private aid.                       |
|            |   |                          |                         |               |              |  | 24/09                              |
| *9950.3    | JORDAN BRIDGE FENDER<br>WARNING LIGHT SE                                | 36 48 30 N<br>76 17 23 W | FI Y 4s                 | 5             |              | On southwest corner of fender<br>system.   | Private aid.                       |
|            |   |                          |                         |               |              |  | 24/09                              |
| 14385      | Green Mansion Cove<br>Junction Daybeacon GC                             |                          |                         |               |              | JR on pile.  |                                    |
|            | *   |                          |                         |               |              |  | 24/09                              |
| 21223      | Masonville Construction Area<br>Lighted Buoy A                          |                          |                         |               |              |  | Remove from list.                  |
|            |   |                          |                         |               |              |  | * 24/09                            |
| 21223.1    | Masonville Construction Area<br>Lighted Buoy B                          |                          |                         |               |              |  | Remove from list.                  |
|            |   |                          |                         |               |              |  | * 24/09                            |
| 21223.2    | Masonville Construction Area<br>Lighted Buoy C                          |                          |                         |               |              |  | Remove from list.                  |
|            |   |                          |                         |               |              |  | * 24/09                            |
| 21223.3    | Masonville Construction Area<br>Lighted Buoy D                          |                          |                         |               |              |  | Remove from list.                  |
|            |   |                          |                         |               |              |  | * 24/09                            |
| 21223.4    | Masonville Construction Area<br>Lighted Buoy E                          |                          |                         |               |              |  | Remove from list.                  |
|            |   |                          |                         |               |              |  | * 24/09                            |

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009 |  |                          |                       |               |              |                  |                                  |
|---|--|--------------------------|-----------------------|---------------|--------------|------------------|----------------------------------|
| (1)<br>No.  | (2)<br>Name and Location                       | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                   |
| 21223.5   | Masonville Construction Area<br>Lighted Buoy F |                          |                       |               |              |                  | Remove from list.<br><br>* 24/09 |
| 21223.6   | Masonville Construction Area<br>Lighted Buoy G |                          |                       |               |              |                  | Remove from list.<br><br>* 24/09 |
| 21223.7   | Masonville Construction Area<br>Lighted Buoy H |                          |                       |               |              |                  | Remove from list.<br><br>* 24/09 |
| 21223.8   | Masonville Construction Area<br>Lighted Buoy I |                          |                       |               |              |                  | Remove from list.<br><br>* 24/09 |
| 35687   | - Daybeacon 170A                               | 39 25 51 N<br>74 25 01 W |                       |               |              | TR-TY on pile.   |                                  |
|   | *  | *                        |                       |               |              | *                | 24/09                            |
| <b>Cow Creek Channel</b>  |  |                          |                       |               |              |                  |                                  |
| 39125   | - Daybeacon CC                                 | 34 39 29 N<br>77 09 14 W |                       |               |              | JG on pile.      | Private aid.                     |
|   | *  | *                        |                       |               |              | *                | 24/09                            |
| 39135   | - Daybeacon 4                                  | 34 39 25 N<br>77 09 09 W |                       |               |              | TR on pile.      | Private aid.                     |
|   |  | *                        |                       |               |              |                  | 24/09                            |
| 39140   | - Daybeacon 6                                  | 34 39 20 N<br>77 09 07 W |                       |               |              | TR on pile.      | Private aid.                     |
|   |  | *                        |                       |               |              |                  | 24/09                            |
| 39145   | - Daybeacon 7                                  | 34 39 12 N<br>77 09 06 W |                       |               |              | SG on pile.      | Private aid.                     |
|   |  | *                        |                       |               |              |                  | 24/09                            |
| 39150   | - Daybeacon 9                                  | 34 39 02 N<br>77 08 57 W |                       |               |              | SG on pile.      | Private aid.                     |
|   |  | *                        |                       |               |              |                  | 24/09                            |
| 39155   | - Daybeacon 10                                 | 34 39 02 N<br>77 08 58 W |                       |               |              | TR on pile.      | Private aid.                     |
|   |  | *                        |                       |               |              |                  | 24/09                            |
| 39160   | - Daybeacon 11                                 | 34 38 55 N<br>77 08 49 W |                       |               |              | SG on pile.      | Private aid.                     |
|   |  | *                        |                       |               |              |                  | 24/09                            |
| 39165   | - Daybeacon 12                                 | 34 38 54 N<br>77 08 50 W |                       |               |              | TR on pile.      | Private aid.                     |
|   |  | *                        |                       |               |              |                  | 24/09                            |

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009 |                          |                          |                       |               |              |                  |                |
|---|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|----------------|
| (1)<br>No.  | (2)<br>Name and Location | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks |
| 39170   | - Daybeacon 13           | 34 38 43 N<br>77 08 38 W |                       |               |              | SG on pile.      | Private aid.   |
|   |                          | *                        |                       |               |              |                  | 24/09          |
| 39175   | - Daybeacon 14           | 34 38 43 N<br>77 08 39 W |                       |               |              | TR on pile.      | Private aid.   |
|   | *                        | *                        |                       |               |              | *                | 24/09          |
| 39180   | - Daybeacon 15           | 34 38 37 N<br>77 08 37 W |                       |               |              | SG on pile.      | Private aid.   |
|   | *                        | *                        |                       |               |              | *                | 24/09          |
| 39185   | - Daybeacon 16           | 34 38 37 N<br>77 08 38 W |                       |               |              | TR on pile.      | Private aid.   |
|   | *                        | *                        |                       |               |              | *                | 24/09          |
| 39190   | - Daybeacon 17           | 34 38 31 N<br>77 08 30 W |                       |               |              | SG on pile.      | Private aid.   |
|   | *                        | *                        |                       |               |              | *                | 24/09          |
| 39195   | - Daybeacon 18           | 34 38 31 N<br>77 08 30 W |                       |               |              | TR on pile.      | Private aid.   |
|   | *                        | *                        |                       |               |              | *                | 24/09          |

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009 |   |                          |                       |               |              |                           |   |
|--|---|--------------------------|-----------------------|---------------|--------------|---------------------------|---|
| (1)<br>No.   | (2)<br>Name and Location                      | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure          | (8)<br>Remarks  |
| *132   | Bay County Midway II Artificial Reef Buoy     | 30 00 59 N<br>85 42 12 W |                       |               |              | Yellow.                   | SIGN: MIDWAY II/RED SEA TUG REEF-BAY COUNTY FL.<br>Private aid. |
|  |   |                          |                       |               |              |                           | 24/09   |
| *651.5   | <i>Furgo Metocean Lighted Buoy</i>            | 26 42 15 N<br>90 27 32 W | <b>FI Y 2.5s</b>      |               |              | Yellow lighted data buoy. | SIGN: FURGO-WR-250.<br>Private aid.                             |
|  |   |                          |                       |               |              |                           | 24/09   |
| 5170   | - LIGHT 32<br>300 feet outside channel limit. |                          | <b>Oc R 4s</b>        | 17            | 4            | TR on piles.              | Ra ref.   |
|  |   |                          |                       |               |              | *                         | 24/09   |
| 5195   | - LIGHT 38<br>300 feet outside channel limit. |                          | <b>FI R 4s</b>        | 17            | 4            | TR on piles.              | Ra ref.   |
|  |   |                          |                       |               |              | *                         | 24/09   |
| *10446   | Ticfaw River Buoy 3                           | 30 20 42 N<br>90 28 25 W |                       |               |              | Green can.                |   |
|  |   |                          |                       |               |              |                           | 24/09   |

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009 |  |                          |                       |               |              |                   |   |
|--|--|--------------------------|-----------------------|---------------|--------------|-------------------|---|
| (1)<br>No.   | (2)<br>Name and Location                     | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure  | (8)<br>Remarks  |
| <b>Santa Rosa Sound Entrance</b>   |  |                          |                       |               |              |                   |   |
| 30745  | - LIGHT 1                                    | 30 24 02 N<br>86 33 38 W | FIG 2.5s              | 17            | 4            | SG-SY on dolphin. | Visible all around, higher intensity on bearing 245°. Ra ref. |
|  |  |                          |                       |               |              | *                 | 24/09   |
| 32665  | - LIGHT 40<br>90 feet outside channel limit. |                          | FIR 4s                | 17            | 5            | TR-TY on piles.   | Ra ref.   |
|  |  |                          |                       |               |              | *                 | 24/09   |
| 32667  | - LIGHT 41                                   |                          | FIG 4s                | 17            | 5            | SG-SY on piles.   | Ra ref.   |
|  |  |                          |                       |               |              | *                 | 24/09   |

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009 |  |                           |                       |               |              |                          |                   |
|--|--|---------------------------|-----------------------|---------------|--------------|--------------------------|-------------------|
| (1)<br>No.   | (2)<br>Name and Location   | (3)<br>Position           | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure         | (8)<br>Remarks    |
| 198  | NOAA Environmental Lighted Buoy EB 46054                                       | 34 16 22 N<br>120 27 42 W | FI (4) Y 20s          |               |              | Yellow disc-shaped buoy. |                   |
|  |  | *                         |                       |               |              |                          | 24/09             |
| 750  | Umatilla Reef Lighted Whistle Buoy "UR"  |                           |                       |               |              |                          | Remove from list. |
|  |  |                           |                       |               |              |                          | * 24/09           |
| <b>*Delete Headings:<br/>*JOHNSTON ATOLL (Chart 83637)<br/>*Johnston Atoll</b>     |  |                           |                       |               |              |                          |                   |
| 30080  | - Channel Entrance Lighted Buoy 2  |                           |                       |               |              |                          | Remove from list. |
|  |  |                           |                       |               |              |                          | * 24/09           |
| 30085  | - JOHNSTON ATOLL CHANNEL RANGE FRONT LIGHT                                     |                           |                       |               |              |                          | Remove from list. |
|  |  |                           |                       |               |              |                          | * 24/09           |
| 30095  | - JOHNSTON ATOLL CHANNEL RANGE REAR LIGHT<br>650 yards, 000° from front light. |                           |                       |               |              |                          | Remove from list. |
|  |  |                           |                       |               |              |                          | * 24/09           |
| 30100  | - Channel Buoy 4   |                           |                       |               |              |                          | Remove from list. |
|  |  |                           |                       |               |              |                          | * 24/09           |
| 30105  | - Channel Buoy 5   |                           |                       |               |              |                          | Remove from list. |
|  |  |                           |                       |               |              |                          | * 24/09           |

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

| (1)<br>No. | (2)<br>Name and Location                 | (3)<br>Position | (4)<br>Characteristic | (5)<br>Height | (6)<br>Range | (7)<br>Structure | (8)<br>Remarks                      |
|------------|--|-----------------|-----------------------|---------------|--------------|------------------|-------------------------------------|
| 30110      | - Channel Daybeacon 6                    |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30115      | - Channel Daybeacon 7                    |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30120      | - Johnston Atoll Channel<br>Daybeacon 9  |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30125      | - Johnston Atoll Channel<br>Daybeacon 10 |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30130      | Johnston Atoll Channel Buoy<br>11        |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30135      | - Channel Buoy 12                        |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30140      | - Channel Daybeacon 13                   |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30145      | - Channel Daybeacon 14                   |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30150      | - Channel Articulated<br>Beacon 16       |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30155      | - Harbor Buoy 17                         |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30160      | - Harbor Buoy 18                         |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30162      | - Harbor Buoy 20                         |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30165      | - Harbor Buoy 22                         |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |
| 30170      | - Harbor Daybeacon 23                    |                 |                       |               |              |                  | <i>Remove from list.</i><br>* 24/09 |

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

| (1)<br>No.   | (2)<br>Name and Location              | (3)<br>Position          | (4)<br>Characteristic | (5)<br>Height   | (6)<br>Range | (7)<br>Structure                                 | (8)<br>Remarks  |
|--|---------------------------------------|--------------------------|-----------------------|-----------------|--------------|--|---|
| <b>St. Louis Bay South Channel (Eastern Section)</b> |                                       |                          |                       |                 |              |  |   |
| 16065  | - Buoy 2                              | 46 44 55 N<br>92 06 19 W |                       |                 |              | Red nun.   |   |
|  |                                       | *                        |                       |                 |              |  | 24/09   |
| 21635  | <b>Escanaba Light</b><br>Marks shoal. | 45 44 48 N<br>87 02 13 W | <b>Iso W 6s</b>       | 45<br><b>14</b> | 11           | White square tower with green<br>stripe on crib. | HORN: 1 blast ev 30s (3s bl).<br>Operates from May 1 to<br>Oct. 20. |
|  |                                       |                          |                       |                 | *            |  | 24/09   |

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.