

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2410	Ship and Barges Ledge Junction Daybeacon SB South end of ledge.	44 13 32 N 68 25 52 W				JG on spindle.	
		*					27/09
5530	<i>Tumbler Island Lighted Buoy 8</i>	43 50 18 N 69 38 12 W	FIR 4s		3	Red.	
					*		27/09
*7321	Chebeague Island Stone Wharf Channel Buoy 1	43 45 18 N 70 06 38 W					Private aid. 27/09
*7322	Chebeague Island Stone Wharf Channel Buoy 3	43 45 12 N 70 06 32 W					Private aid. 27/09
*7323	Chebeague Island Stone Wharf Daybeacon 5	43 45 09 N 70 06 30 W					Private aid. 27/09
Saquatumet Harbor							
14030	- Buoy 1	31 39 24 N 70 03 36 W				Green can.	
		*					27/09
14035	- Buoy 2	41 39 33 N 70 03 37 W				Red nun.	
		*					27/09
14037	- Buoy 3	41 39 30 N 70 03 37 W				Green can.	
		*					27/09
*35011	<i>Pier 9 Northeast Lighted Hazard Buoy</i>	40 42 07 N 74 00 21 W	Q W				Private aid. 27/09
*35012	<i>Pier 9 Southeast Lighted Hazard Buoy</i>	40 42 06 N 74 00 22 W	Q W				Private aid. 27/09
37261	- Channel Lighted Buoy 1	40 38 54 N 74 04 14 W	FIG 4s		3	Green.	
		*					27/09
37263	- Channel Lighted Buoy 3	40 39 01 N 74 04 37 W	Q G		3	Green.	
		*					27/09
37270	- Channel Lighted Buoy 5	40 39 02 N 74 04 55 W	FIG 2.5s		3	Green.	
		*					27/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
38060	HMM Intake Hazard Lighted Buoy A	41 32 52 N 73 58 44 W	Fl(2)W 5s				Private aid.
	*	*	*			*	27/09
*38061	HMM Intake Hazard Buoy B	42 32 51 N 73 58 41 W					Private aid.
							27/09
*38062	HMM Intake Hazard Buoy C	41 32 50 N 73 58 37 W					Private aid.
							27/09
*38063	HMM Intake Hazard Buoy D	41 32 49 N 73 58 33 W					Private aid.
							27/09
*38064	HMM Intake Hazard Buoy E	41 32 48 N 73 58 29 W					Private aid.
							27/09
*38071	Chelsea Yatch Club Buoy I					White and orange.	Private aid.
							27/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7493	UMCES Lighted Buoy SP						Remove from list.
							* 27/09
	HAMPTON ROADS (Chart 12245)						
	Hampton Bar						
9380	Old Point Comfort Light	37 00 06 N 76 18 23 W	Fl (2) R 12s (W sector) 2s fl 2s ec. 2s fl 6s ec.	54	W 16 R 14	White tower.	White from 265° to 038°.
			*				27/09
	CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)						
	Lynnhaven Inlet						
10125	LYNNHAVEN ROADS FISHING PIER LIGHTS(2)	36 55 00 N 76 04 42 W	F Y	24		On each side of end of pier.	Private aid.
	*		*			*	27/09
10185	Long Creek Junction Daybeacon BL	36 54 13 N 76 04 22 W				JG on pile.	
	*						27/09
14400	- Daybeacon 7	37 25 12 N 76 26 59 W				SG on pile.	
		*					27/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
26765	- CHANNEL LIGHT 27	39 08 15 N 76 04 27 W	FI G 4s	18	4	SG on pile.	
		*					27/09
28647	- Buoy 3	35 10 38 N 75 45 47 W				Green can.	Ra ref.
		*					27/09
29265	- Daybeacon A					NW on pile worded DANGER SHOAL.	
	*					*	27/09
29975	- Buoy 1	34 20 08 N 77 39 13 W				Green can.	
		*					27/09
29985	- Buoy 2	34 20 10 N 77 39 10 W				Red nun.	
		*					27/09
*33730.1	Whittaker Creek Buoy 5A	35 01 47 N 76 40 55 W				Green can.	
							27/09
*34730.1	Harkers Island West Channel Buoy 1A	34 42 06 N 76 35 47 W				Green can.	
							27/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
965.3	NOAA Life Support Lighted Buoy Aquarius	24 57 00 N 80 27 12 W	FI (4)Y 20s	30		Yellow disc-shaped with mast.	
			*				27/09
1375 22280	EGMONT CHANNEL RANGE FRONT LIGHT	27 36 48 N 82 45 54 W	FG	30		On tower.	Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Standby light F W.
			*				27/09
1430	REDINGTON SHORES FISHING PIER LIGHTS (2)	27 49 24 N 82 49 54 W	FR	12		On pier.	Private aid.
							* 27/09
14540	- LIGHT 8	24 33 45 N 81 43 04 W	FIR 4s	16	3	TR on pile.	
		*					27/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22280 1375	- RANGE FRONT LIGHT	27 36 48 N 82 45 54 W	F G	30		On tower.	Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Standby light F W.
			*				27/09
30733	- Buoy 4	18 28 41 N 66 42 16 W				Red nun.	
		*					27/09
30734	- Buoy 6	18 28 44 N 66 42 10 W				Red nun.	
		*					27/09
34545	- Buoy 126	32 45 56 N 79 51 37 W				Red nun with yellow triangle.	
		*					27/09
*36242	<i>Water Island Channel Lighted Buoy 1</i>	18 18 47 N 64 57 42 W	FI G 4s			Green.	Private aid.
							27/09
*36242.1	<i>Water Island Channel Lighted Buoy 2</i>	18 18 40 N 64 57 31 W	FI R 2.5s			Red.	Private aid.
							27/09
*36242.2	<i>Water Island Channel Lighted Buoy 3</i>	18 18 40 N 64 57 26 W	FI G 2.5s			Green.	Private aid.
							27/09
36270	Hell Gate Buoy 89	31 51 41 N 81 05 00 W				Green can with yellow square.	
		*					27/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3619	<i>Grand Lagoon Channel Lighted Buoy 1</i>	30 07 52 N 85 43 13 W	Q G			Green.	
							27/09
7050	- Lighted Buoy 36		Q R		3	Red.	
					*		27/09
8715	- LIGHT 61		FI G 2.5s	17	4	SG on pile.	Ra ref.
					*		27/09
8725	- LIGHT 63		Q G	17	4	SG on pile.	Ra ref.
					*		27/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17280	- LIGHT 17		Q G	17	4	SG on pile.	Ra ref.
					*		27/09
35001	- Buoy 65						Remove from list.
							* 27/09
35002	- Buoy 67						Remove from list.
							* 27/09
35003	- Buoy 69						Remove from list.
							* 27/09
35004	- Buoy 71						Remove from list.
							* 27/09
35006	- Buoy 73						Remove from list.
							* 27/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
320	Pigeon Point Light	37 10 54 N 122 23 38 W	FI W 10s	148	20		Emergency light of reduced intensity when main light is extinguished.
						*	27/09
10305	<i>Jim Crow Lighted Buoy 22</i>	46 15 28 N 123 32 34 W	Q R		3	Red.	
		*	*				27/09
*10307	<i>Jim Crow Lighted Buoy 22A</i>	46 15 45 N 123 31 37 W	FI R 4s		3	Red.	
							27/09
*11857	Wind River Regulatory Buoys(4)	45 42 41 N 121 47 50 W				White steel float balls with orange markings.	Private aid.
							27/09
15680	<i>Grays Harbor South Reach Lighted Buoy 24</i>	46 55 36 N 124 01 54 W	FI R 4s		3	Red.	
	*				*		27/09
15790	- NORTH CHANNEL RANGE F REAR LIGHT 375 yards, 225° from front light.		Iso W 6s	45		KRB on pile structure.	Visible 5.5° each side of rangeline.
	*						27/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Grays Harbor North Bay							
15925	- Lighted Buoy 1	46 55 47 N 124 06 04 W	FI G 4s		3	Green.	
						*	27/09
16510	Puget Sound Traffic Lane Separation Lighted Buoy SC	48 01 51 N 122 38 10 W	FI Y 2.5s		6	Yellow.	May be submerged during periods of extreme current.
							* 27/09
27857.12	Kuskokwim River Buoy 16	60 00 40 N 162 25 55 W				Red nun.	Maintained from June 1 to Oct. 1.
	*	*					* 27/09
27857.14	Kuskokwim River Buoy 18	60 05 24 N 162 28 28 W				Red nun.	Maintained from June 1 to Oct. 1.
	*	*					* 27/09
27857.15	Kuskokwim Double Green Buoy 23						<i>Remove from list.</i>
							* 27/09
27857.16	Kuskokwim River Buoy 20	60 06 32 N 162 27 35 W				Red nun.	Maintained from June 1 to Oct. 1.
	*	*					* 27/09
27857.17	Kuskokwim Double Red Buoy 26						<i>Remove from list.</i>
							* 27/09
27857.18	Kuskokwim River Buoy 21	60 12 16 N 162 20 51 W				Green can.	Maintained from June 1 to Oct. 1.
	*	*					* 27/09
27857.19	Kuskokwim Double Red Buoy 28						<i>Remove from list.</i>
							* 27/09
27857.2	Kuskokwim River Buoy 23	60 13 14 N 162 20 58 W				Green can.	Maintained from June 1 to Oct. 1.
	*	*					* 27/09
27857.21	Kuskokwim Double Red Buoy 30						<i>Remove from list.</i>
							* 27/09
27857.22	Kuskokwim River Buoy 25	60 15 02 N 162 23 30 W				Green can.	Maintained from June 1 to Oct. 1.
	*	*					* 27/09
27857.23	Kuskokwim Single Red Buoy 32						<i>Remove from list.</i>
							* 27/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27857.24	Kuskokwim River Buoy 26	60 19 58 N 162 29 52 W				Red nun.	Maintained from June 1 to Oct. 1.
	*	*				*	27/09
27857.25	Kuskokwim Single Red Buoy 36						<i>Remove from list.</i>
							* 27/09
27857.26	Kuskokwim River Buoy 28	60 20 35 N 162 29 10 W				Red nun.	Maintained from June 1 to Oct. 1.
	*	*				*	27/09
27857.27	Kuskokwim Single Green 39						<i>Remove from list.</i>
							* 27/09
27857.28	Kuskokwim River Buoy 30	60 21 06 N 162 27 47 W				Red nun.	Maintained from June 1 to Oct. 1.
	*	*				*	27/09
27857.29	Kuskokwim Single Green Buoy 41						<i>Remove from list.</i>
							* 27/09
27857.3	Kuskokwim River Buoy 31	60 21 11 N 162 22 13 W				Green can.	Maintained from June 1 to Oct. 1.
	*	*				*	27/09
27857.31	Kuskokwim Single Green Buoy 43						<i>Remove from list.</i>
							* 27/09
27857.32	Kuskokwim River Buoy 33	60 21 33 N 162 20 52 W				Green can.	Maintained from June 1 to Oct. 1.
	*	*				*	27/09
27857.33	Kuskokwim Single Green Buoy 45						<i>Remove from list.</i>
							* 27/09
27857.34	Kuskokwim River Buoy 35	60 22 12 N 162 20 19 W				Green can.	Maintained from June 1 to Oct. 1.
	*	*				*	27/09
27857.35	Kuskokwim Single Green Buoy 49						<i>Remove from list.</i>
							* 27/09
27857.36	Kuskokwim River Buoy 36	60 23 43 N 162 20 55 W				Red nun.	Maintained from June 1 to Oct. 1.
	*	*				*	27/09
27857.37	Kuskokwim Single Green Buoy 51						<i>Remove from list.</i>
							* 27/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27857.38	Kuskokwim River Buoy 37	60 25 35 N 162 21 41 W				Green can.	Maintained from June 1 to Oct. 1.
	*	*				*	27/09
27857.39	Kuskokwim Single Green Buoy 53						<i>Remove from list.</i>
							* 27/09
27857.4	Kuskokwim River Buoy 38	60 26 17 N 162 20 27 W				Red nun.	Maintained from June 1 to Oct. 1.
	*	*				*	27/09
27857.41	Kuskokwim Single Red Buoy 56						<i>Remove from list.</i>
							* 27/09
*27857.42	Kuskokwim River Buoy 39	60 27 50 N 162 18 33 W				Green can.	Maintained from June 1 to Oct 1.
							27/09
*27857.44	Kuskokwim River Buoy 41	60 28 28 N 162 17 25 W				Green can.	Maintained from June 1 to Oct. 1.
							27/09
*27857.46	Kuskokwim River Buoy 42	60 29 58 N 162 17 26 W				Red nun.	Maintained from June 1 to Oct 01.
							27/09
*27857.48	Kuskokwim River Buoy 43	60 29 55 N 162 17 47 W				Green can.	Maintained from June 1 to Oct 1.
							27/09
*27857.5	Kuskokwim River Buoy 44	60 31 02 N 162 17 49 W				Red nun.	Maintained from June 1 to Oct 1.
							27/09
*27857.52	Kuskokwim River Buoy 45	60 31 29 N 162 17 11 W				Green can.	Maintained from June 1 to Oct 1.
							27/09
*27857.54	Kuskokwim River Buoy 46	60 31 46 N 162 16 29 W				Red nun.	Maintained from June 1 to Oct 1.
							27/09
*27857.56	Kuskokwim River Buoy 48	60 34 00 N 162 13 53 W				Red nun.	Maintained from June 1 to Oct 1.
							27/09
*27857.58	Kuskokwim River Buoy 50	60 35 36 N 162 14 11 W				Red nun.	Maintained from June 1 to Oct 1.
							27/09
*27857.6	Kuskokwim River Buoy 51	60 36 10 N 162 12 46 W				Green can.	Maintained from June 1 to Oct 1.
							27/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*27857.62	Kuskokwim River Buoy 52	60 37 25 N 162 11 25 W				Red nun.	Maintained from June 1 to Oct 1. 27/09
*27857.64	Kuskokwim River Buoy 54	60 38 13 N 162 10 16 W				Red nun.	Maintained from June 1 to Oct 1. 27/09
*27857.66	Kuskokwim River Buoy 55	60 38 18 N 162 07 19 W				Green can.	Maintained from June 1 to Oct 1. 27/09
*27857.68	Kuskokwim River Buoy 57	60 38 19 N 162 06 25 W				Green can.	Maintained from June 1 to Oct 1. 27/09
*27857.7	Kuskokwim River Buoy 59	60 38 26 N 162 05 44 W				Green can.	Maintained from June 1 to Oct 1. 27/09
*28000.1	COMINCO RED DOG FRONT LIGHT	67 34 32 N 164 03 50 W	FI W 2s	80		On pier.	Private aid. 27/09
28215	Keahole Point Light	19 43 40 N 156 03 40 W	FI W 6s (R sector)	43	W 9 R 7	NB on post. 28	Red from 185° to 343°, covers rocks off Makolea and Kaiwi Points. * * 27/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15605	- INNER NORTH PIERHEAD LIGHT	46 42 30 N 92 00 48 W	Iso R 6s	35 11	5	TR on post.	 * 27/09
*16494	UMINN Research Buoy	46 51 54 N 91 55 36 W	FI Y 4s				Private aid. 27/09
18915	CONSUMERS POWER COMPANY LIGHT 3	43 15 08 N 86 14 46 W	FG				Maintained from Apr. 1 to Nov. 30. Private aid. * 27/09
18920	CONSUMERS POWER COMPANY LIGHT 5	43 15 12 N 86 14 37 W	FG				Maintained from Apr. 1 to Nov. 30. Private aid. * 27/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.