Chart 11353 NM 28/09

MISSISSIPPI RIVER - GULF OUTLET CHANNEL

TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO OCT 2008

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)

NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	WIDTH (FEET)	DATE OF SURVEY
LT. BUOY 1 (29°25'27"N, 88°59'31"W) TO LT. BUOY 20	28.0	27.0	21.0	600	1,3-08
THENCE TO END OF JETTY OPPOSITE LIGHT 62	15.0	15.0	14.0	500	1,3,10-08

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGING CONDITIONS SUBSEQUENT TO THE ABOVE

Chart 11363 NM 28/09

MISSISSIPPI RIVER - GULF OUTLET CHANNEL

TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO OCT 2008

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)

NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	WIDTH (FEET)	DATE OF SURVEY
LT. BUOY 1 (29°25'27"N, 88°59'31"W) TO LT. BUOY 20	28.0	27.0	21.0	600	1,3-08
THENCE TO END OF JETTY OPPOSITE LIGHT 62	15.0	15.0	14.0	500	1,3,10-08
THENCE TO INTERSECTION WITH G. I. W. W.	23.0	31.0	18.0	500	2,3,10-08
THENCE TO INNER HARBOR NAVIGATION CANAL	25.0	27.0	28.0	500	2-08

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGING CONDITIONS SUBSEQUENT TO THE ABOVE

Chart 11364 NM 28/09

MISSISSIPPI RIVER - GULF OUTLET CHANNEL

TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO OCT 2008

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)

NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	WIDTH (FEET)	DATE OF SURVEY
LT. BUOY 1 (29°25'27"N, 88°59'31"W) TO LT. BUOY 20	28.0	27.0	21.0	600	1,3-08
THENCE TO END OF JETTY OPPOSITE LIGHT 62	15.0	15.0	14.0	500	1,3,10-08
THENCE TO INTERSECTION WITH G. I. W. W.	23.0	31.0	18.0	500	2,3,10-08
THENCE TO INNER HARBOR NAVIGATION CANAL	25.0	27.0	28.0	500	2-08

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGING CONDITIONS SUBSEQUENT TO THE ABOVE

Chart 11369 NM 28/09

MISSISSIPPI RIVER - GULF OUTLET CHANNEL

TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO OCT 2008

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)

NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	WIDTH (FEET)	DATE OF SURVEY
LT. BUOY 1 (29°25'27"N, 88°59'31"W) TO LT. BUOY 20	28.0	27.0	21.0	600	1,3-08
THENCE TO END OF JETTY OPPOSITE LIGHT 62	15.0	15.0	14.0	500	1,3,10-08
THENCE TO INTERSECTION WITH G. I. W. W.	23.0	31.0	18.0	500	2,3,10-08
THENCE TO INNER HARBOR NAVIGATION CANAL	25.0	27.0	28.0	500	2-08

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGING CONDITIONS SUBSEQUENT TO THE ABOVE

Chart 11373 NM 28/09

HORN ISLAND PASS PASCAGOULA HARBOR AND BAYOU CASOTTE CHANNEL DEPTHS

TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF APR 2009 AND SURVEYS TO MAR 2009

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
PASCAGOULA BAR CHANNEL	41.9	44.9	43.0	2-09	450	3.3	44.0
HORN ISLAND PASS CHANNEL	42.6	43.8	28.3	1-09	600	1.2	44.0
LOWER PASCAGOULA CHANNEL	35.7	42.0	39.6	12-08	350	3.7	42.0
UPPER PASCAGOULA CHANNEL	36.0	36.5	37.3	3-09	350	5.6	38.0
TURNING BASIN	37.8	37.5A	35.1	3-09	900	0.3	38.0
BAYOU CASOTTE CHANNEL	37.6	40.1	36.5	3-09	350	3.7	42.0
TURNING BASIN	42.4	42.6	42.3	3-09	850	0.3	42.0

A. EXCEPT FOR AN OBSTRUCTION AT 30°22'00.0"N 88°33'54.0"W
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 11374 (Side B) NM 28/09

HORN ISLAND PASS PASCAGOULA HARBOR AND BAYOU CASOTTE CHANNEL DEPTHS

TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF APR 2009 AND SURVEYS TO MAR 2009

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
PASCAGOULA BAR CHANNEL	41.9	44.9	43.0	2-09	450	3.3	44.0
HORN ISLAND PASS CHANNEL	42.6	43.8	28.3	1-09	600	1.2	44.0
LOWER PASCAGOULA CHANNEL	35.7	42.0	39.6	12-08	350	3.7	42.0
UPPER PASCAGOULA CHANNEL	36.0	36.5	37.3	3-09	350	5.6	38.0
TURNING BASIN	37.8	37.5A	35.1	3-09	900	0.3	38.0
BAYOU CASOTTE CHANNEL	37.6	40.1	36.5	3-09	350	3.7	42.0
TURNING BASIN	42.4	42.6	42.3	3-09	850	0.3	42.0

A. EXCEPT FOR AN OBSTRUCTION AT 30°22'00.0"N 88°33'54.0"W
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 11375 NM 28/09

HORN ISLAND PASS PASCAGOULA HARBOR AND BAYOU CASOTTE CHANNEL DEPTHS

TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF APR 2009 AND SURVEYS TO MAR 2009

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
PASCAGOULA BAR CHANNEL	41.9	44.9	43.0	2-09	450	3.3	44.0
HORN ISLAND PASS CHANNEL	42.6	43.8	28.3	1-09	600	1.2	44.0
LOWER PASCAGOULA CHANNEL	35.7	42.0	39.6	12-08	350	3.7	42.0
UPPER PASCAGOULA CHANNEL	36.0	36.5	37.3	3-09	350	5.6	38.0
TURNING BASIN	37.8	37.5A	35.1	3-09	900	0.3	38.0
BAYOU CASOTTE CHANNEL	37.6	40.1	36.5	3-09	350	3.7	42.0
TURNING BASIN	42.4	42.6	42.3	3-09	850	0.3	42.0

A. EXCEPT FOR AN OBSTRUCTION AT 30°22'00.0"N 88°33'54.0"W
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 19367 NM 28/09

HONOLULU HARBOR CHANNEL DEPTHS

TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO JUN 2007

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
HONOLULU CHANNEL RANGE	39.0	43.0	45.0	43.0	6-07	500	0.53	45
KALIHI CHANNEL ENTRANCE	34.0	33.0	33.0	A14.0	2-99	400	1.2	23
EMERGENCY TURNING BASIN	28.0	34.0	34.0	27.0	2,3-99	400-960	0.5	35

A. LOCATED ON THE CHANNEL EDGE.
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 19369 NM 28/09

HONOLULU HARBOR CHANNEL DEPTHS

TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO JUN 2007

CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
HONOLULU CHANNEL RANGE	39.0	43.0	45.0	43.0	6-07	500	0.53	45
KALIHI CHANNEL ENTRANCE	34.0	33.0	33.0	A14.0	2-99	400	1.2	23
EMERGENCY TURNING BASIN	28.0	34.0	34.0	27.0	2,3-99	400-960	0.5	35

A. LOCATED ON THE CHANNEL EDGE.
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION