



**COAST PILOT 1 (Continued)**

of the pier at 42°23'13.4"N. 071°02'57.1"W. along the pier to the shoreline to the eastern side of Tobin Bridge; thence to the point of origin.

(d) *Boston Inner Harbor A.* (1) The waters of the western side of Boston Inner Harbor north of the entrance to the Fort Point Channel bound by the following points beginning at 42°21'32"N., 071°02'50"W; thence to 42°21'33"N., 071°02'44"W.; thence to 42°21'26"N., 071°02'36"W.; thence to 42°21'26"., 071°02'53"W.; thence to point of origin. [NAD83].

(2) The area is principally for use by yachts and other recreational craft. Temporary floats or buoys for marking anchors will be allowed. Fixed mooring piles or stakes are prohibited. The anchoring of vessels and placing of temporary moorings will be under the jurisdiction, and at the discretion of the Harbormaster, City of Boston. All moorings must be so placed that no vessel, when moored, will at any time extend beyond the limits of the area.

**Note to paragraph (d):** Administration of Special Anchorage Area is exercised by the Harbormaster, City of Boston, pursuant to local ordinances. The City of Boston will install and maintain suitable navigational aids to mark the limits of Special Anchorage areas.

**§110.30 Boston Harbor, Mass.**

(a) *Vicinity of South Boston Yacht Club, South Boston.* Northerly of a line bearing 96° from the stack of the heating plant of the Boston Housing Authority in South Boston; easterly of a line bearing 5° from the west shaft of the tunnel of the Boston Main Drainage Pumping Station; southerly of the shoreline; and westerly of a line bearing 158° from the northeast corner of the iron fence marking the east boundary of the South Boston Yacht Club property.

(b) *Dorchester Bay, in vicinity of Savin Hill Yacht Club.* Northerly of a line bearing 64° from the stack of the old power plant of the Boston Elevated Railway on Freeport Street in Dorchester; westerly of a line bearing 163° from the stack of the Boston Main Drainage Pumping Station on the Cow Pasture in Dorchester; and southerly and easterly of the shoreline.

(c) *Dorchester Bay, in vicinity of Dorchester Yacht Club.* Eastward of a line bearing 21° from the stack located a short distance northwestward of the Dorchester Yacht Club; southward of a line bearing 294° from the southerly channel pier of the highway bridge; westward of the highway bridge and the shoreline; and northward of the shoreline.

(d) *Quincy Bay, in vicinity of Wollaston and Squantum Yacht Clubs.* Northwestward of a line bearing 36°30' from a point on the shore 2,600 feet easterly of the east side of the Wollaston Yacht Club landing; southwestward of a line bear-

ing 129°15' from the water tank in Squantum; and south-easterly and northeasterly of the shoreline.

(e) *Quincy Bay, in vicinity of Merrymount Yacht Club.* South of a line starting from a point bearing 246°, 3,510 yards, from the stack of the pumping station on Nut Island, and extending thence 306° to the shore; west of a line bearing 190° from the aforesaid point to the shore; and north and east of the shoreline.

(f) *Weymouth Fore River, in vicinity of Quincy Yacht Club.* A line from 42°16'46.9"N., 70°57'12.5"W. to 42°16'48.8"N., 70°57'5.5"W.; thence to 42°16'31"N., 70°56'23.1"W. to the northerly end of Raccoon Island to 42°15'48"N., 70°56'43.4"W.; thence along the western shoreline of Raccoon Island to 42°15'46.4"N., 70°56'55.4"W.; thence to 42°15'43"N. 70°57'5.8"W.; thence along the shoreline to the point of origin. [NAD83]

(g) *Weymouth Fore River, in vicinity of Wessagusset Yacht Club.* Southwestward of a line bearing 117° from channel light "4;" southeasterly of a line 150 feet from and parallel to the meandering easterly limit of the dredged channel; easterly of a line bearing 188° from the eastern extremity of Rock Island Head; and northwesterly of the shoreline.

(h) *Weymouth Fore River, in the vicinity of Gull Point (PT).* All of the waters bound by the following points beginning at 42°15'05"N., 70°57'26"W.; thence to 42°15'00"N., 70°57'26"W.; thence to 42°15'15"N., 70°56'50"W.; thence to 42°15'18"N., 70°56'50"W.; thence to the point of the beginning. [NAD83]

**Note to paragraph (h):** The area is principally for use by recreational craft. All anchoring in the area will be under the supervision of the local harbor master or such other authority as may be designated by the authorities of the Town of Weymouth, Massachusetts. All moorings are to be so placed that no moored vessel will extend beyond the limit of the anchorage area.

(i) *Weymouth Back River, in vicinity of Eastern Neck.* The cove on the north side of the river lying northerly of a line bearing 264°30' from the southwestward corner of the American Agricultural Chemical Company's wharf (Bradley's Wharf) to the shore of Eastern Neck, about 2,200 feet distant.

(j) *Area No. 1 in Allerton Harbor.* That area north of Spinnaker Island beginning at 42°18'15.3"N., 70°53'44.1"W.; thence due east to 42°18'15.3"N., 70°53'27.6"W.; thence due south to 42°18'07.8"N., 70°53'27.6"W.; thence due west to

## COAST PILOT 1 (Continued)

42°18'07.8"N., 70°53'44.1"W.; thence due north to the point of beginning. [NAD83]

(k) *Area No. 2 in Hull Bay*. That area south of Hog Island beginning at

42°17'50.8"N., 70°54'05.1"W.; thence due east to 42°17'50.8"N., 70°53'27.6"W.; thence due south to 42°17'30.3"N., 70°53'27.6"W.; thence due west to 42°17'30.3"N., 70°54'5.1"W.; thence due north to the point of beginning. [NAD83]

(l) *Area No. 3 in Hull Bay*. That area north of Bumkin Island beginning at

42°17'22.3"N., 70°54'5.1"W.; thence due east to 42°17'22.3"N., 70°53'15.6"W.; thence due south to 42°17'01.3"N., 70°53'15.6"W.; thence due west to 42°17'01.3"N., 70°54'5.17"W.; thence due north to the point of beginning. [NAD83].

**Note to paragraphs (j), (k), and (l):** The areas will be principally for use by yachts and other recreational craft. Temporary floats or buoys for marking anchors will be allowed. Fixed mooring piles or stakes are prohibited. The anchoring of vessels and the placing of temporary moorings is under the jurisdiction, and at the discretion, of the local Harbor Master, Hull, Mass.

(m) *Hingham Harbor Area 1*. Beginning at 42°15'39.3"N., 70°53'22.1"W.; thence to 42°15'53.8"N. 70°53'30.1"W.; thence to 42°15'56.3"N. 70°53'21.1"W.; thence to 42°15'42.3"N. 70°53'13.1"W.; thence to point of beginning. [NAD83]

(n) *Hingham Harbor Area 2*. Beginning at 42°15'30.6"N., 70°53'0.5"W.; thence to 42°15'30.3"N., 70°53'11.6"W.; thence to 42°15'27.8"N., 70°53'16.1"W.; thence to 42°15'28.8"N., 70°53'29.1"W.; thence to 42°15'35.3"N., 70°53'32.1"W.; thence to 42°15'36.3"N., 70°53'34.6"W.; thence to 42°15'41.3"N., 70°53'32.6.5"W.; thence to 42°15'31.3"N., 70°53'26.1"W.; thence to 42°15'31.8"N., 70°53'01.1"W.; thence to point of beginning. [NAD83]

(o) *Hingham Harbor Area 3*. Beginning at 42°15'33.3"N., 70°52'59.6"W.; thence to 42°15'33.8"N., 70°53'17.1"W.; thence to 42°15'35.8"N., 70°53'00.1"W.; thence to point of beginning. [NAD83]

(p) *Hingham Harbor Area 4*. Beginning at 42°14'47.3"N., 70°53'07.6"W.; thence 42°14'48.8" N., 70°53'9.6"W.; thence to 42°14'54.3"N., 70°53'6.1"W.; thence to 42°14'56.9"N., 70°52'56.6"W.; thence to point of beginning. [NAD83]

(q) *Hingham Harbor Area 5*. Beginning at 42°14'48.3"N., 70°52'55.1"W.; thence to 42°14'48.8"N., 70°53'0.1" W.; thence to 42°14'58.3"N., 70°52'49.1"W.; thence to 42°14'53.8"N., 70°52'48.1"W.; thence to point of beginning. [NAD83]

**Note to paragraphs (m), (n), (o), (p), and (q):** The areas will be principally for use by yachts and other recreational craft. Temporary floats or buoys for marking anchors will be allowed in the areas but fixed piles or stakes may not be placed. The anchoring of vessels and the placing of moorings will be under the jurisdiction of the local Harbor Master.

(FR 6/10/09)

29/09

**COAST PILOT 2      38 Ed 2009      Change No. 18  
LAST NM 28/09**

Page 169—Paragraph 39 to Page 172—Paragraph 104; read:

**North Atlantic Right Whales**

The North Atlantic right whale is one of the world's most endangered large whale species. North Atlantic right whales are found primarily in continental shelf waters between Florida and Nova Scotia. They migrate annually along the east coast between the feeding grounds off New England and Canada and the calving grounds off Florida, Georgia and South Carolina. Because right whales mate, rest, feed and nurse their young at the surface, and often do not move out of the way of oncoming ships, they are highly vulnerable to being struck. Pregnant females and females with nursing calves appear to be particularly vulnerable to collisions with ships. Ship strikes and fishing gear entanglements are the two known sources of human-related mortality. Intentionally approaching within 500 yards of right whales is prohibited and is a violation of federal law. (See **50 CFR 224.103**, chapter 2 for limits, regulations and exceptions.)

**Description of North Atlantic right whale:** Right whales are large baleen whales. Adults are generally 45 to 55 feet in length and can weigh up to 70 tons. The body is mostly black, but irregularly shaped white patches may be present on the ventral surface. The best field identification marks are a broad back with no dorsal fin, irregular bumpy white patches (callosities) on the head, and a distinctive two-column V-shaped blow when viewed from directly behind or in front of the whale. The whales have broad, paddle-shaped flippers and a broad, deeply notched tail. (See following diagrams and photographs.) Right whales are slow moving and seldom travel faster than 5 or 6 knots. They can stay submerged for 10 to 20 minutes and may appear suddenly when surfacing to breathe. They are often seen alone or in small groups. At times, right whales form large courtship groups of 20 to 30 animals.

## COAST PILOT 2 (Continued)

**Seasonal occurrence of North Atlantic right whales:** During seasons and in areas where right whales may occur, vessel operators should maintain a sharp lookout for whales and reduce speeds when consistent with safe navigation. In any given year oceanographic variability may affect the seasonal distribution of right whales. In 1986, right whales were frequently sighted within the Stellwagen Bank National Marine Sanctuary throughout the summer, and in the early spring of 1998 a large number of right whales were documented near the Narragansett/Buzzards Bay Traffic Separation Scheme. Three areas in U.S. waters have been designated as critical habitats for North Atlantic right whales. The northern critical habitats, the Great South Channel (east of Cape Cod) and Cape Cod Bay extending into Massachusetts Bay, are feeding and nursery grounds. The southern critical habitat, off coastal Florida and Georgia (Sebastian Inlet, Florida to the Altamaha River, Georgia), is a calving area. (See **50 CFR 226.203**, chapter 2 for limits, regulations and exceptions.)

Seasonal occurrence of North Atlantic right whales		
Location	Season	Comments
Central Gulf of Maine (Jordan Basin, Cashes Ledge)	April-June  October-December	
Cape Cod Bay	December -May	
Great South Channel, Northern Edge of Georges Bank	March - July	
Bay of Fundy, Scotian Shelf (Browns Bank, Roseway Basin)	July - October	Most of the population can be found in this area during this time
Jeffreys Ledge	October- December	Whales are frequently sighted in this area
Stellwagen Bank National Marine Sanctuary	Year- round	Peak sightings occur in the early spring with infrequent sightings in the summer
New York to North Carolina	November -April	The migration corridor between right whale habitats is within 30 miles of the Atlantic coast

South Carolina, Georgia and Florida Calving Area	November -April	Calving right whales have been sighted as far north as Cape Fear, NC and as far south as Miami, FL with rare sightings in the Gulf of Mexico
--------------------------------------------------	--------------------	----------------------------------------------------------------------------------------------------------------------------------------------

**Mandatory Speed Restrictions:** Vessels 65 feet or greater in length overall (L.O.A.) are subject to mandatory speed restrictions of 10 knots or less in seasonal management areas (SMA) along the U.S. East Coast during times when right whales are likely to be present (See following maps for locations of SMAs). The Northeastern SMA speed restrictions are in place from January 1 through May 15 in Cape Cod Bay, from March 1 through April 30 off Race Point, and from April 1 through July 31 in the Great South Channel. Speed restrictions in the Mid-Atlantic U.S. SMAs are in place from November 1 to April 30 and include Block Island Sound, entry into the Ports of New York/New Jersey, Delaware Bay, Entrance to Chesapeake Bay, and the Ports of Morehead City and Beaufort, NC, and within a continuous boundary approximately 20 nautical miles from shore around the major ports of Wilmington, NC, Charleston, SC and Savannah, GA. Speed restrictions are in place in the Southeastern U.S. SMA from November 15 to April 15; this area extends from shore approximately 30 nautical miles eastward and contains the major ports of Brunswick, GA, Fernandina Beach, FL and Jacksonville, FL. (See **50 CFR 224.105**, chapter 2 for regulations, limitations, and exceptions and complete description of the SMAs.) NOAA Fisheries may also establish voluntary Dynamic Management Areas (DMAs) when right whales are present in areas and times not covered by the SMAs. Information about established DMAs will be announced over NOAA's customary maritime communication media. Mariners are encouraged to avoid or reduce speeds to 10 knots or less while transiting through DMAs.

**Area to be avoided**

In order to significantly reduce the risk of ship strikes to the North Atlantic right whale, an area to be avoided was established in the Great South Channel, east of the Boston Harbor traffic lanes. Ships of 300 gross tons and above should avoid the area bounded by lines connecting the following geographical positions:

41°44'08"N., 69°34'50"W.;

42°10'00"N., 68°31'00"W.;

41°24'53"N., 68°31'00"W.; and

40°50'28"N., 68°58'40"W. between the period of April 1 through July 31.

**COAST PILOT 2 (Continued)**

**Early Warning and Sighting Advisory Systems:** As weather and conditions permit, dedicated seasonal programs of aerial and vessel surveys are conducted in the Northeast and Southeast U.S. to provide whale sighting information to mariners. Surveys typically occur in the following locations at the specified times: a) Cape Cod Bay, the Gulf of Maine, the Great South Channel, and Rhode Island, Block Island, and Long Island Sounds from January through July; b) South Carolina/North Carolina border south to Crescent Beach, FL from December through March. Survey planes occasionally use VHF-FM channel 16 to contact ships directly if whales have been spotted in close proximity to that vessel. However, many right whales go undetected by surveys. Seasonal right whale advisories and sighting reports are broadcast periodically for these and surrounding areas by Coast Guard Broadcast Notice to Mariners, NAVTEX, NOAA Weather Radio, Cape Cod Canal Vessel Traffic Control, the Bay of Fundy Vessel Traffic Control, and are included in the return message from the Right Whale Mandatory Ship Reporting (MSR) systems. General sighting information may be obtained by sending an e-mail to [ne.rw.sightings@noaa.gov](mailto:ne.rw.sightings@noaa.gov) (Northeast) or [se.rw.sightings@noaa.gov](mailto:se.rw.sightings@noaa.gov) (Southeast).

**Precautions when transiting right whale habitat and areas of recently reported right whale sightings:** NOAA recommends the following precautionary measures be taken to avoid adverse interactions with North Atlantic right whales:

Before entering right whale habitat (See “Seasonal Occurrence” table), check Coast Guard Broadcast Notices to Mariners, NAVTEX, NOAA Weather Radio, Mandatory Ship Reporting (MSR) system, Cape Cod Canal Vessel Traffic Control, the Bay of Fundy Vessel Traffic Control, as well as other sources for recent right whale sighting reports. Local ship pilots also have information on whale sightings and safe local operating procedures.

Review right whale identification materials and maintain a sharp watch with lookouts familiar with spotting whales. Although right whales are large, their dark color and lack of a dorsal fin can make them difficult to spot.

Avoid transiting through the right whale habitats and areas where right whales have recently been sighted. If transiting between ports within critical habitats, minimize transit distance. Route around observed or recently reported right whales and anticipate delays due to prudent seamanship in response to whale sightings. Avoid transits at night or during periods of low visibility.

If a right whale is sighted from the ship or reported along the intended track of the ship, mariners should exercise caution, post a lookout and reduce speed to 10 knots when consistent with safe navigation. If a right whale is sighted, a vessel must steer a course away from the right

whale and immediately leave the area at slow safe speed. Do not assume right whales will move out of the way of an approaching vessel. Mariners should keep in mind that it is illegal to approach a right whale closer than 500 yards. (See **50 CFR 224.103**, chapter 2 for limits, regulations and exceptions.)

Any whale accidentally struck, dead whale carcass, and sighting of an injured or entangled whale should be reported immediately to the Coast Guard or NOAA National Marine Fisheries Service noting the precise location, date, and time of the accident or sighting. Call 978-281-9351 for reports to NOAA for the area from Virginia to Maine, or 877-433-8299 for the area from North Carolina to Florida. In the event of a strike or sighting of a dead, injured or entangled whale, the following information should be provided:

- location, date, and time of the accident or sighting of a carcass or an entangled whale,
- speed and course of the vessel,
- vessel specifications such as size and propulsion,
- water depth,
- environmental conditions such as visibility, wind speed and direction,
- description of the impact,
- fate of the animal, and
- species and size, if known.

**Recommended Two-Way Routes to Avoid Whales:** To reduce the possibility of vessel strikes with right whales, Two-Way Routes were developed for vessels entering and transiting through Cape Cod Bay and arriving and departing the ports of Brunswick, GA, Fernandina Beach, FL and Jacksonville, FL. The routes were developed from an analysis of historical right whale sightings and are designed to reduce the likelihood of adverse interactions between large vessels and right whales. The routes are found on the latest NOAA Nautical Charts. In July 2007, the northern leg of the Boston Traffic Separation Scheme (TSS) was shifted to direct ship traffic away from an area of high whale density. Use of the modified TSS is expected to considerably reduce the risk of striking a whale.

**Mandatory Ship Reporting Systems (MSR) WHALES-NORTH and WHALES-SOUTH**

Mandatory Ship Reporting (MSR) systems require all vessels, 300 gross tons or greater, to report to the U.S. Coast Guard upon entering two designated reporting areas off the east coast of the United States. (See **33 CFR 169**, chapter 2, for limits and regulations.) Sovereign immune vessels are exempt from the requirement to report, but are encouraged to participate.

**COAST PILOT 2 (Continued)**

The two reporting systems will operate independently of each other. The system in the northeastern United States will operate year round and the system in the southeastern United States will operate each year from November 15 through April 15. Reporting ships are only required to make reports when entering a reporting area during a single voyage (that is, a voyage in which a ship is in the area). Ships are not required to report when leaving a port in the reporting area nor when exiting the system.

Mariners should check all MSR messages carefully before transmittal to ensure the message includes the correct address and format. Additional greeting or comments in the message will preclude message receipt by the MSR system. Failure to receive a timely return message from the MSR system that provides locations of recent right whale sightings and precautionary guidance should be reported to the local Marine Safety Office of the U.S. Coast Guard.

**Northeastern reporting system/Southeastern reporting system** (See **33 CFR 169.105 and 169.115**, chapter 2, for limits.)

Vessels shall make reports in accordance with the format in IMO Resolution A.858 (20) in accordance with the International Convention for the Safety of Life at Sea 1974 (SOLAS 74). (See 33 CFR 169.135 and 169.140, chapter 2, for additional information.) Vessels should report via INMARSAT C or via alternate satellite communications to one of the following addresses:

Email: RightWhale.MSR@noaa.gov or Telex: 48156090.

Vessels not equipped with INMARSAT C or Telex should submit reports to the U.S. Coast Guard's Communication Area Master Station Atlantic (CAMSLANT) via HF voice frequencies on 2182 kHz, 4125 kHz, 6215 kHz, 8291 kHz, 12290 kHz, and 16420 kHz or by calling 1-800-742-8519x0. Vessels equipped only with VHF-FM voice communications should submit reports to the nearest U.S. Coast Guard activity or group.

Example Reports:

**WHALESNORTH**

WHALESNORTH//  
M/487654321//  
A/CALYPSO/NRUS//  
B/031401Z APR//  
E/345//  
F/15.5//  
H/031410Z APR/4104N/06918W//  
I/BOSTON/032345Z APR//  
L/WP/4104N/06918W/15.5//  
L/WP/4210N/06952W/15.5//  
L/WP/4230N/07006W/15.5//

**WHALESSOUTH**

WHALESSOUTH//

M/412345678//  
A/BEAGLE/NVES//  
B/270810Z MAR//  
E/250//  
F/17.0//  
H/270810Z MAR/3030N/08052W//  
I/MAYPORT/271215Z MAR//  
L/RL/17.0//  
(CL 212/09; DD 12622)

29/09

**COAST PILOT 2 38 Ed 2009 Change No. 19**

Page 189—Paragraph 5, line 18; read:  
may exist.

All vessels 65 feet or greater in length overall (L.O.A.) and subject to the jurisdiction of the United States are restricted to speeds of 10 knots or less in the Cape Cod Bay Seasonal Management Area between January 1 and May 15. The area is defined as all waters of Cape Cod Bay with a northern boundary of 42°41'56.5"N., 70°12'W., to 42°12'N., 70°12'W., thence due west back to shore. The restriction applies to a Seasonal Management Area off Race Point between March 1 and April 30. The area is defined as the waters bounded by:

42°04'56.5"N., 70°12'W.;  
42°12'N., 70°12'W.;  
42°12'N., 70°30'W.;  
42°30'N., 70°30'W.;  
42°30'N., 69°45'W.;

41°41'N., 69°45'W.; thence due west to the shore. (See **50 CFR 224.105** in chapter 2 for regulations, limitations, and exceptions.)

**Area to be avoided**

In order to significantly reduce the risk of ship strikes to the North Atlantic right whale, an area to be avoided was established in the Great South Channel, east of the Boston Harbor traffic lanes. Ships of 300 gross tons and above should avoid the area bounded by lines connecting the following geographical positions:

41°44'08"N., 69°34'50"W.;  
42°10'00"N., 68°31'00"W.;  
41°24'53"N., 68°31'00"W.; and  
40°50'28"N., 68°58'40"W. between the period of April 1 through July 31.  
(CL 212/09; FR 10/10/08)

29/09

Page 365—Paragraph 158, lines 1 to 2; read:

In March 2009, the controlling depth was 11.1 feet in the channel from Point Lookout (40°35.6'N., ...  
(CL 684/09; BP 193265)

29/09

**COAST PILOT 2 (Continued)**

Page 382—Paragraph 203, lines 13 to 14; read:  
bridge. The creek is crossed by three fixed bridges having a  
least clearance of 3 feet. The ruins of a fourth bridge exist  
about 0.17 mile above the third bridge in about 40°34'49"N.,  
73°58'42"W. A boatyard about 0.8 mile ...  
(DD 9583) 29/09

Page 387—Paragraph 247, line 4; read:  
an anchorage basin. In August 2008, depths of 4.4 to 8 feet  
...  
(CL 707/09; BP 193284) 29/09

Page 402—Paragraph 42, lines 5 to 7; read:  
supplies and minor engine repairs.  
(NOS 12341; H 10938) 29/09

**COAST PILOT 4      40 Ed 2008      Change No. 17  
LAST NM 24/09**

Page 197—Paragraph 107 to Page 200—Paragraph 165;  
read:

**North Atlantic Right Whales**

The North Atlantic right whale is one of the world's most endangered large whale species. North Atlantic right whales are found primarily in continental shelf waters between Florida and Nova Scotia. They migrate annually along the east coast between the feeding grounds off New England and Canada and the calving grounds off Florida, Georgia and South Carolina. Because right whales mate, rest, feed and nurse their young at the surface, and often do not move out of the way of oncoming ships, they are highly vulnerable to being struck. Pregnant females and females with nursing calves appear to be particularly vulnerable to collisions with ships. Ship strikes and fishing gear entanglements are the two known sources of human-related mortality. Intentionally approaching within 500 yards of right whales is prohibited and is a violation of federal law. (See **50 CFR 224.103**, chapter 2 for limits, regulations and exceptions.)

**Description of North Atlantic right whale:** Right whales are large baleen whales. Adults are generally 45 to 55 feet in length and can weigh up to 70 tons. The body is mostly black, but irregularly shaped white patches may be present on the ventral surface. The best field identification marks are a broad back with no dorsal fin, irregular bumpy white patches (callosities) on the head, and a distinctive two-column V-shaped blow when viewed from directly behind or in front of the whale. The whales have broad, paddle-shaped flippers and a broad, deeply notched tail. (See following diagrams and photographs.) Right whales are slow moving and seldom travel faster than 5 or 6 knots. They can stay submerged for 10 to 20 minutes and may appear suddenly when surfacing to breathe. They are often seen alone or in small

groups. At times, right whales form large courtship groups of 20 to 30 animals.

**Seasonal occurrence of North Atlantic right whales:** During seasons and in areas where right whales may occur, vessel operators should maintain a sharp lookout for whales and reduce speeds when consistent with safe navigation. In any given year oceanographic variability may affect the seasonal distribution of right whales. In 1986, right whales were frequently sighted within the Stellwagen Bank National Marine Sanctuary throughout the summer, and in the early spring of 1998 a large number of right whales were documented near the Narragansett/Buzzards Bay Traffic Separation Scheme. Three areas in U.S. waters have been designated as critical habitats for North Atlantic right whales. The northern critical habitats, the Great South Channel (east of Cape Cod) and Cape Cod Bay extending into Massachusetts Bay, are feeding and nursery grounds. The southern critical habitat, off coastal Florida and Georgia (Sebastian Inlet, Florida to the Altamaha River, Georgia), is a calving area. (See **50 CFR 226.203**, chapter 2 for limits, regulations and exceptions.)

Seasonal occurrence of North Atlantic right whales		
Location	Season	Comments
Central Gulf of Maine (Jordan Basin, Cashes Ledge)	April-June  October-December	
Cape Cod Bay	December -May	
Great South Channel, Northern Edge of Georges Bank	March - July	
Bay of Fundy, Scotian Shelf (Browns Bank, Roseway Basin)	July - October	Most of the population can be found in this area during this time
Jeffreys Ledge	October- December	Whales are frequently sighted in this area
Stellwagen Bank National Marine Sanctuary	Year- round	Peak sightings occur in the early spring with infrequent sightings in the summer
New York to North Carolina	November -April	The migration corridor between right whale habitats is within 30 miles of the Atlantic coast

## COAST PILOT 4 (Continued)

South Carolina, Georgia and Florida Calving Area	November -April	Calving right whales have been sighted as far north as Cape Fear, NC and as far south as Miami, FL with rare sightings in the Gulf of Mexico
--------------------------------------------------	-----------------	----------------------------------------------------------------------------------------------------------------------------------------------

**Mandatory Speed Restrictions:** Vessels 65 feet or greater in length overall (L.O.A.) are subject to mandatory speed restrictions of 10 knots or less in seasonal management areas (SMA) along the U.S. East Coast during times when right whales are likely to be present (See following maps for locations of SMAs). The Northeastern SMA speed restrictions are in place from January 1 through May 15 in Cape Cod Bay, from March 1 through April 30 off Race Point, and from April 1 through July 31 in the Great South Channel. Speed restrictions in the Mid-Atlantic U.S. SMAs are in place from November 1 to April 30 and include Block Island Sound, entry into the Ports of New York/New Jersey, Delaware Bay, Entrance to Chesapeake Bay, and the Ports of Morehead City and Beaufort, NC, and within a continuous boundary approximately 20 nautical miles from shore around the major ports of Wilmington, NC, Charleston, SC and Savannah, GA. Speed restrictions are in place in the Southeastern U.S. SMA from November 15 to April 15; this area extends from shore approximately 30 nautical miles eastward and contains the major ports of Brunswick, GA, Fernandina Beach, FL and Jacksonville, FL. (See **50 CFR 224.105**, chapter 2 for regulations, limitations, and exceptions and complete description of the SMAs.) NOAA Fisheries may also establish voluntary Dynamic Management Areas (DMAs) when right whales are present in areas and times not covered by the SMAs. Information about established DMAs will be announced over NOAA's customary maritime communication media. Mariners are encouraged to avoid or reduce speeds to 10 knots or less while transiting through DMAs.

**Area to be avoided**

In order to significantly reduce the risk of ship strikes to the North Atlantic right whale, an area to be avoided was established in the Great South Channel, east of the Boston Harbor traffic lanes. Ships of 300 gross tons and above should avoid the area bounded by lines connecting the following geographical positions:

41°44'08"N., 69°34'50"W.;

42°10'00"N., 68°31'00"W.;

41°24'53"N., 68°31'00"W.; and

40°50'28"N., 68°58'40"W. between the period of April 1 through July 31.

**Early Warning and Sighting Advisory Systems:** As weather and conditions permit, dedicated seasonal programs of aerial and vessel surveys are conducted in the Northeast and Southeast U.S. to provide whale sighting information to mariners. Surveys typically occur in the following locations at the specified times: a) Cape Cod Bay, the Gulf of Maine, the Great South Channel, and Rhode Island, Block Island, and Long Island Sounds from January through July; b) South Carolina/North Carolina border south to Crescent Beach, FL from December through March. Survey planes occasionally use VHF-FM channel 16 to contact ships directly if whales have been spotted in close proximity to that vessel. However, many right whales go undetected by surveys. Seasonal right whale advisories and sighting reports are broadcast periodically for these and surrounding areas by Coast Guard Broadcast Notice to Mariners, NAVTEX, NOAA Weather Radio, Cape Cod Canal Vessel Traffic Control, the Bay of Fundy Vessel Traffic Control, and are included in the return message from the Right Whale Mandatory Ship Reporting (MSR) systems. General sighting information may be obtained by sending an e-mail to [ne.rw.sightings@noaa.gov](mailto:ne.rw.sightings@noaa.gov) (Northeast) or [se.rw.sightings@noaa.gov](mailto:se.rw.sightings@noaa.gov) (Southeast).

**Precautions when transiting right whale habitat and areas of recently reported right whale sightings:** NOAA recommends the following precautionary measures be taken to avoid adverse interactions with North Atlantic right whales:

Before entering right whale habitat (See "Seasonal Occurrence" table), check Coast Guard Broadcast Notices to Mariners, NAVTEX, NOAA Weather Radio, Mandatory Ship Reporting (MSR) system, Cape Cod Canal Vessel Traffic Control, the Bay of Fundy Vessel Traffic Control, as well as other sources for recent right whale sighting reports. Local ship pilots also have information on whale sightings and safe local operating procedures.

Review right whale identification materials and maintain a sharp watch with lookouts familiar with spotting whales. Although right whales are large, their dark color and lack of a dorsal fin can make them difficult to spot.

Avoid transiting through the right whale habitats and areas where right whales have recently been sighted. If transiting between ports within critical habitats, minimize transit distance. Route around observed or recently reported right whales and anticipate delays due to prudent seamanship in response to whale sightings. Avoid transits at night or during periods of low visibility.

If a right whale is sighted from the ship or reported along the intended track of the ship, mariners should exercise caution, post a lookout and reduce speed to 10 knots when consistent with safe navigation. If a right whale is sighted, a vessel must steer a course away from the right

**COAST PILOT 4 (Continued)**

whale and immediately leave the area at slow safe speed. Do not assume right whales will move out of the way of an approaching vessel. Mariners should keep in mind that it is illegal to approach a right whale closer than 500 yards. (See **50 CFR 224.103**, chapter 2 for limits, regulations and exceptions.)

Any whale accidentally struck, dead whale carcass, and sighting of an injured or entangled whale should be reported immediately to the Coast Guard or NOAA National Marine Fisheries Service noting the precise location, date, and time of the accident or sighting. Call 978-281-9351 for reports to NOAA for the area from Virginia to Maine, or 877-433-8299 for the area from North Carolina to Florida. In the event of a strike or sighting of a dead, injured or entangled whale, the following information should be provided:

- location, date, and time of the accident or sighting of a carcass or an entangled whale,
- speed and course of the vessel,
- vessel specifications such as size and propulsion,
- water depth,
- environmental conditions such as visibility, wind speed and direction,
- description of the impact,
- fate of the animal, and
- species and size, if known.

**Recommended Two-Way Routes to Avoid Whales:** To reduce the possibility of vessel strikes with right whales, Two-Way Routes were developed for vessels entering and transiting through Cape Cod Bay and arriving and departing the ports of Brunswick, GA, Fernandina Beach, FL and Jacksonville, FL. The routes were developed from an analysis of historical right whale sightings and are designed to reduce the likelihood of adverse interactions between large vessels and right whales. The routes are found on the latest NOAA Nautical Charts. In July 2007, the northern leg of the Boston Traffic Separation Scheme (TSS) was shifted to direct ship traffic away from an area of high whale density. Use of the modified TSS is expected to considerably reduce the risk of striking a whale.

**Mandatory Ship Reporting Systems (MSR) WHALES-NORTH and WHALESSOUTH**

Mandatory Ship Reporting (MSR) systems require all vessels, 300 gross tons or greater, to report to the U.S. Coast Guard upon entering two designated reporting areas off the east coast of the United States. (See **33 CFR 169**, chapter 2, for limits and regulations.) Sovereign immune vessels are exempt from the requirement to report, but are encouraged to participate.

The two reporting systems will operate independently of each other. The system in the northeastern United States will operate year round and the system in the southeastern United States will operate each year from November 15 through April 15. Reporting ships are only required to make reports when entering a reporting area during a single voyage (that is, a voyage in which a ship is in the area). Ships are not required to report when leaving a port in the reporting area nor when exiting the system.

Mariners should check all MSR messages carefully before transmittal to ensure the message includes the correct address and format. Additional greeting or comments in the message will preclude message receipt by the MSR system. Failure to receive a timely return message from the MSR system that provides locations of recent right whale sightings and precautionary guidance should be reported to the local Marine Safety Office of the U.S. Coast Guard.

**Northeastern reporting system/Southeastern reporting system** (See **33 CFR 169.105 and 169.115**, chapter 2, for limits.)

Vessels shall make reports in accordance with the format in IMO Resolution A.858 (20) in accordance with the International Convention for the Safety of Life at Sea 1974 (SOLAS 74). (See 33 CFR 169.135 and 169.140, chapter 2, for additional information.) Vessels should report via INMARSAT C or via alternate satellite communications to one of the following addresses:

Email: RightWhale.MSR@noaa.gov or Telex: 48156090.

Vessels not equipped with INMARSAT C or Telex should submit reports to the U.S. Coast Guard's Communication Area Master Station Atlantic (CAMSLANT) via HF voice frequencies on 2182 kHz, 4125 kHz, 6215 kHz, 8291 kHz, 12290 kHz, and 16420 kHz or by calling 1-800-742-8519x0. Vessels equipped only with VHF-FM voice communications should submit reports to the nearest U.S. Coast Guard activity or group.

Example Reports:

**WHALESNORTH**

WHALESNORTH//  
 M/487654321//  
 A/CALYPSO/NRUS//  
 B/031401Z APR//  
 E/345//  
 F/15.5//  
 H/031410Z APR/4104N/06918W//  
 I/BOSTON/032345Z APR//  
 L/WP/4104N/06918W/15.5//  
 L/WP/4210N/06952W/15.5//  
 L/WP/4230N/07006W/15.5//

**WHALESSOUTH**

WHALESSOUTH//

**COAST PILOT 4 (Continued)**

M/412345678//  
 A/BEAGLE/NVES//  
 B/270810Z MAR//  
 E/250//  
 F/17.0//  
 H/270810Z MAR/3030N/08052W//  
 I/MAYPORT/271215Z MAR//  
 L/RL/17.0//

(CL 212/09; DD 12622) 29/09

**COAST PILOT 4 40 Ed 2008 Change No. 18**

Page 279—Paragraph 229, line 4; read:

lighted buoys.  
 (CL 676/09; NOS 11524) 29/09

Page 410—Paragraph 366; strike out.

(CL 831/83; CL 344/88; NOS 11472) 29/09

Page 426—Paragraph 614, lines 4 to 10; read:

has a fixed span with a clearance of 67 feet. Overhead power cables ....  
 (CL 754/09) 29/09

**COAST PILOT 5 37 Ed 2009 Change No. 5  
LAST NM 28/09**

Page 301—Paragraph 261, lines 5 to 12; read:

Government. Pilotage is available from Pensacola Bay Pilots, Inc., Post Office Box 2037, Pensacola, FL 32513, telephone 850-434-8163. Pilots board vessels seaward of Pensacola Bay Entrance Lighted Gong Buoy 1, day or night. The black hull and white superstructure 41-foot pilot boat has the word PILOT in blue letters on the hull. The pilot boat monitors VHF-FM channels 14 and 16 from 1 hour prior to the expected arrival of a vessel; works channel 10. Contact ...  
 (Internet/09; NOS/09) 29/09

Page 304—Paragraph 298, lines 15 to 20; read:

approach to the pass. In April 2009, the controlling depth was 7.6 feet in the entrance channel to the intersection of the east and west channels, thence 9 feet in both the east and the west channels, thence 8.2 feet in the crossover channel. In February 2009, ...  
 (DDs 14273-76) 29/09

Page 310—Paragraph 46, lines 6 to 9; read:

at miles 1.6 and 2.5 respectively. In April 2009, the controlling depth was 5.0 feet to Daybeacon 30, thence 3.5 feet to the head of the project, thence 6.3 feet in the former turning basin and 9.4 feet in the latter turning basin.  
 (DDs 14238-46) 29/09

Page 310—Paragraph 47; read:

**South Fork Channel** leads S from about 1 mile above the mouth of Bon Secour River for about 1.1 miles to shallow **Oyster Bay**. A fixed highway bridge crossing South Fork Channel limits navigation into Oyster Bay to skiffs only. In November 2008, the controlling depth in the channel was 7.4 feet.

(DDs 14278-81) 29/09

Page 311—Paragraph 58, lines 13 to 14; read:

February 2009, the controlling depth in the channel was 3.8 feet (5.4 feet at midchannel) with 4.3 feet in the turning basin. An overhead ...

(DDs 14265-66) 29/09

Page 319—Paragraph 165, lines 8 to 9; read:

bridge. In March 2009, the controlling depth in the channel was 4.4 feet (5.5 feet at midchannel) to the highway bridge; thence in October 2008, 5.0 ...

(DDs 14208-12) 29/09


Page 334—Paragraph 342, lines 9 to 14; read:

December 2008-January 2009, the controlling depth was 5.9 feet to the turning basin just inside the mouth, thence 6.4 to 8.0 feet in the turning basin, thence 1.5 feet to the head of the project. Diesel fuel, water, and ice are available at the fuel ...

(CL 499/09; DDs 13895-904) 29/09




COAST PILOT 2



COAST PILOT 2



COAST PILOT 4



COAST PILOT 4