



Chart 51081 (Plan B)

(A)

NM 34/09





Chart 51081 (Plan B)

(B)

NM 34/09



SECTION I

NM 34/09

Chart 11346

NM 34/09

BELLE PASS AND BAYOU LAFOURCHE CHANNEL							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO NOV 2008							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
BELLE PASS REACH	30.0	28.0	27.0	11-08	300	1.1	26.0
PORT FOURCHON REACH	22.0	24.0	23.0	11-08	300	3.0	24.0
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							

Chart 11373

NM 34/09

HORN ISLAND PASS PASCAGOULA HARBOR AND BAYOU CASOTTE CHANNEL DEPTHS							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF APR 2009 AND SURVEYS TO MAY 2009							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
PASCAGOULA BAR CHANNEL	41.9	44.9	43.0	2-09	450	3.3	44.0
HORN ISLAND PASS CHANNEL	42.6	43.8	28.3	1-09	600	1.2	44.0
LOWER PASCAGOULA CHANNEL	35.7	42.0	39.6	12-08	350	3.7	42.0
UPPER PASCAGOULA CHANNEL	36.0	36.5	37.3	3-09	350	5.6	38.0
TURNING BASIN	37.8	37.5	35.1	3-09	900	0.3	38.0
BAYOU CASOTTE CHANNEL	36.5	40.7	33.8	5-09	350	3.7	42.0
TURNING BASIN	42.9	38.4	38.8	5-09	850	0.3	42.0
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							

Chart 11374 (Side B)

NM 34/09

HORN ISLAND PASS PASCAGOULA HARBOR AND BAYOU CASOTTE CHANNEL DEPTHS							
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF APR 2009 AND SURVEYS TO MAY 2009							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
PASCAGOULA BAR CHANNEL	41.9	44.9	43.0	2-09	450	3.3	44.0
HORN ISLAND PASS CHANNEL	42.6	43.8	28.3	1-09	600	1.2	44.0
LOWER PASCAGOULA CHANNEL	35.7	42.0	39.6	12-08	350	3.7	42.0
UPPER PASCAGOULA CHANNEL	36.0	36.5	37.3	3-09	350	5.6	38.0
TURNING BASIN	37.8	37.5	35.1	3-09	900	0.3	38.0
BAYOU CASOTTE CHANNEL	36.5	40.7	33.8	5-09	350	3.7	42.0
TURNING BASIN	42.9	38.4	38.8	5-09	850	0.3	42.0
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION							

SECTION I

NM 34/09

Chart 11375

NM 34/09

HORN ISLAND PASS PASCAGOULA HARBOR AND BAYOU CASOTTE CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF APR 2009 AND SURVEYS TO MAY 2009							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
PASCAGOULA BAR CHANNEL	41.9	44.9	43.0	2-09	450	3.3	44.0
HORN ISLAND PASS CHANNEL	42.6	43.8	28.3	1-09	600	1.2	44.0
LOWER PASCAGOULA CHANNEL	35.7	42.0	39.6	12-08	350	3.7	42.0
UPPER PASCAGOULA CHANNEL	36.0	36.5	37.3	3-09	350	5.6	38.0
TURNING BASIN	37.8	37.5	35.1	3-09	900	0.3	38.0
BAYOU CASOTTE CHANNEL	36.5	40.7	33.8	5-09	350	3.7	42.0
TURNING BASIN	42.9	38.4	38.8	5-09	850	0.3	42.0

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 11466

NM 34/09

LAKE WORTH INLET CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF SEP 2006 AND SURVEYS OF FEB AND MAR 2009							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
ENTRANCE CHANNEL	32.1	A28.2	31.0	2, 3-09	400	1.00	35
LAKE WORTH INNER CHANNEL	32.2	35.2	34.0	2, 3-09	300-500	.49	33

A. EXCEPT FOR A DANGEROUS WRECK AT APPROXIMATE POSITION 26°46'20.24"N, 80°02'12.64"W  
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 13224

NM 34/09

PROVIDENCE RIVER CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF DEC 2007 AND SURVEYS TO OCT 2007								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
ENTRANCE CHANNEL	38.5	40.3	40.2	37.9	2,10-07	600-1700	5.4	40
RUMSTICK NECK REACH	40.5	40.7	40.0	40.1	2,10-07	600	2.2	40
CONIMICUT PT. REACH	40.9	40.9	42.0	41.2	2,10-07	600	1.0	40
BULLOCK PT. REACH	39.0	40.8	41.6	40.1	2,10-07	600	2.1	40
SABIN PT. REACH	37.8	40.9	40.5	37.5	2,10-07	600	1.0	40
FULLER ROCK REACH	38.5	40.0	39.7	38.1	2,10-07	600-1000	1.0	40
FOX POINT REACH	34.4A	39.4A	39.5A	24.8	2,10-07	600-1700	1.5	40

A. EXCEPT FOR SHOALING TO 25.4 FEET IN THE LAST 400 FEET OF CHANNEL  
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION