

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*621	URI Lighted Research Buoy SAMP P O F	41 15 30 N 71 05 30 W	FI Y 6s				Private aid. 38/09
626	URI Lighted Research Buoy SAMP P O S	41 02 30 N 71 30 00 W	FI Y 6s				Private aid. 38/09
	*	*	*				
*627	University of Maine Lighted Research Buoy A	41 07 00 N 71 31 00 W	FI Y 4s				Private aid. 38/09
*628	University of Maine Lighted Research Buoy B	41 04 00 N 71 07 00 W	FI Y 4s				Private aid. 38/09
10923	Logan Airport Security Zone Buoy 29	42 21 19 N 71 01 28 W			2	White and orange.	Marked RESTRICTED AREA. Private aid. 38/09
10927	Fan Pier North Hazard Lighted Buoy	42 21 20 N 71 02 41 W	FI W 4s				Marks north end of mooring field. Private aid. 38/09
		*					
12435	- Daybeacon 25	42 09 38 N 70 43 58 W					Private aid. 38/09
		*					
12436	North River Buoy 27	42 09 41 N 70 43 07 W				Green can.	Private aid. 38/09
		*					
12438	North River Buoy 29	42 09 43 N 70 43 16 W				Green can.	Private aid. 38/09
		*					
16000	Buzzards Bay Lighted Buoy 1	41 25 50 N 71 02 16 W	FI G 2.5s		3	Green.	 * 38/09
16005	Buzzards Bay Lighted Bell Buoy 2	41 26 08 N 71 00 39 W	FI R 2.5s		3	Red.	 * 38/09
16025	Buzzards Bay Lighted Bell Buoy 4 West side of shoal.	41 27 02 N 70 59 14 W	Q R		3	Red.	 * 38/09
16672	Little Bay Buoy 3						Remove from list. * 38/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
37261	- Channel Lighted Buoy 1	40 38 52 N 74 04 20 W	FI G 4s		3	Green.	
		*					38/09
37263	- Channel Lighted Buoy 3	40 38 58 N 74 04 38 W	Q G		3	Green.	
		*					38/09
37270	- Channel Lighted Buoy 5	40 38 59 N 74 04 55 W	FI G 2.5s		3	Green.	
		*					38/09
*37746	WHOI Research Lighted Buoy TC	41 05 16 N 73 53 14 W	FI Y 4s				Private aid.
							38/09
*37806	WHOI Research Lighted Buoy HC	41 11 36 N 73 56 16 W	FI Y 4s				Private aid.
							38/09
*37807	WHOI Research Lighted Buoy HS	42 12 14 N 73 56 15 W	FI Y 4s				Private aid.
							38/09
Greens Cove Channel							
<i>Aids maintained from Apr. 1 to Dec. 1.</i>							
37910	- Buoy 1	41 14 52 N 73 57 25 W				Green can.	Private aid.
		*					38/09
37915	- Buoy 2	41 14 51 N 73 57 24 W				Red nun.	Private aid.
		*					38/09
37920	- Buoy 3	41 14 53 N 73 57 23 W				Green can.	Private aid.
		*					38/09
37925	- Buoy 4	41 14 52 N 73 57 21 W				Red nun.	Private aid.
		*					38/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*2073	Roosevelt Inlet Buoy 4	38 47 26 N 75 09 37 W				Red nun.	
							38/09
*4406	Indian River Inlet Buoy 12A	38 36 26 N 75 05 12 W				Red nun.	
							38/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5376	- Warning Daybeacon C						<i>Remove from list.</i>
							* 38/09
8935	- SOUTH RANGE FRONT LIGHT	39 22 12 N 76 04 59 W	F W (Day) F W (Night)	100 103		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible 14.0° either side of rangeline. Night range emergency light, of lower intensity will be displayed when main light is inoperative and only visible 4.0° either side of rangeline.
				*			* 38/09
10015 36865	St. Julian Creek Lighted Marker A						<i>Remove from list.</i>
							* 38/09
28070	- Channel Buoy 21	35 46 29 N 75 32 37 W				Green can.	
		*					38/09
28099	Oregon Inlet Channel Buoy 30A	35 45 53 N 75 34 21 W				Red nun.	
		*					38/09
28137	<i>Oregon Inlet Channel Lighted Buoy 39</i>	35 46 19 N 75 35 02 W	FIG 4s		3	Green.	
		*					38/09
*28387	Croatan Sound Oyster Sanctuary Buoy A					White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid.
							38/09
*28387.1	Croatan Sound Oyster Sanctuary Buoy B	35 48 12 N 75 38 20 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid.
							38/09
*28387.2	Croatan Sound Oyster Sanctuary Buoy C	35 48 12 N 75 38 27 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid.
							38/09
*28387.3	Croatan Sound Oyster Sanctuary Buoy D	35 48 17 N 75 38 27 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid.
							38/09
*29089	Ocracoke Oyster Sanctuary Buoy A	35 10 49 N 75 59 38 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid.
							38/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*29089.1	Ocracoke Oyster Sanctuary Buoy B	35 10 38 N 75 59 38 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*29089.2	Ocracoke Oyster Sanctuary Buoy C	35 10 38 N 75 59 51 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*29089.3	Ocracoke Oyster Sanctuary Buoy D	35 10 49 N 75 59 51 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
31045	- Buoy 10	33 54 57 N 78 14 16 W *				Red nun.	 38/09
*31979	Crab Hole Oyster Sanctuary Buoy A	35 43 41 N 75 40 30 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*31979.1	Crab Hole Oyster Sanctuary Buoy B	35 43 30 N 75 40 30 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*31979.2	Crab Hole Oyster Sanctuary Buoy C	35 43 30 N 75 40 45 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*31979.3	Crab Hole Oyster Sanctuary Buoy D	35 43 41 N 75 40 45 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32136	Gibbs Shoal Oyster Sanctuary Buoy A	35 27 19 N 75 55 58 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32136.1	Gibbs Shoal Oyster Sanctuary Buoy B	35 27 08 N 75 55 58 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32136.2	Gibbs Shoal Oyster Sanctuary Buoy C	35 27 08 N 75 56 11 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32136.3	Gibbs Shoal Oyster Sanctuary Buoy D	35 27 19 N 75 56 11 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*32303	Clam Shoal Oyster Sanctuary Buoy A	35 17 29 N 75 37 11 W				White buoy with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32303.1	Clam Shoal Oyster Sanctuary Buoy B	35 17 11 N 75 37 11 W				White buoy with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32303.2	Clam Shoal Oyster Sanctuary Buoy C	35 17 11 N 75 37 28 W				White buoy with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32303.3	Clam Shoal Oyster Sanctuary Buoy D	35 17 29 N 75 37 28 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
32430	West Bluff Oyster Sanctuary Buoy A	35 18 18 N 76 10 05 W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid.
	*	*				*	* 38/09
*32430.1	West Bluff Oyster Sanctuary Buoy B	35 18 09 N 76 10 05 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32430.2	West Bluff Oyster Sanctuary Buoy C	35 18 09 N 76 10 17 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32430.3	West Bluff Oyster Sanctuary Buoy D	35 18 18 N 76 10 17 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32503	Middle Bay Oyster Sanctuary Buoy A	35 14 09 N 76 30 11 W				White buoy with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32503.1	Middle Bay Oyster Sanctuary Buoy B	35 14 07 N 76 30 11 W				White buoy with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32503.2	Middle Bay Oyster Sanctuary Buoy C	35 14 07 N 76 30 20 W				White buoy with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32503.3	Middle Bay Oyster Sanctuary Buoy D	35 14 09 N 76 30 20 W				White buoy with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*32783	Deep Bay Oyster Sanctuary Buoy A	35 22 55 N 76 22 10 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32783.1	Deep Bay Oyster Sanctuary Buoy B	35 22 46 N 76 22 10 W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32783.2	Deep Bay Oyster Sanctuary Buoy C	35 22 46 N 76 22 20 W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*32783.3	Deep Bay Oyster Sanctuary Buoy D	35 22 55 N 76 22 20 W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*33537	West Bay Oyster Sanctuary Buoy A	34 58 51 N 76 21 22 W				White buoy with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*33537.1	West Bay Oyster Sanctuary Buoy B	34 58 46 N 76 21 22 W				White buoy with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*33537.2	West Bay Oyster Sanctuary Buoy C	34 58 46 N 76 21 28 W				White buoy with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*33537.3	West Bay Oyster Sanctuary Buoy D	34 58 51 N 76 21 28 W				White buoy with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*33629	Turnagain Bay Oyster Sanctuary Buoy A	35 00 28 N 76 31 57 W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*33629.1	Turnagain Bay Oyster Sanctuary Buoy B	35 00 24 N 76 31 57 W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*33629.2	Turnagain Bay Oyster Sanctuary Buoy C	35 00 24 N 76 32 03 W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09
*33629.3	Turnagain Bay Oyster Sanctuary Buoy D	35 00 28 N 76 32 03 W				White can with orange diamond worded DANGER SUBMERGED ROCKS.	Private aid. 38/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34540	- LIGHT 27	34 50 39 N 76 22 01 W	FI G 4s	15	4	SG on slatted pile structure.	
		*					38/09
38652	- Buoy 2	34 42 34 N 76 43 20 W				Red nun.	
		*					38/09
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2655	- South Channel Lighted Buoy 4		FI R 4s		4	Red.	
					*		38/09
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2565	- Carrabelle River Buoy 36	29 51 19 N 84 41 22 W				Red nun.	
		*					38/09
2620	- Carrabelle River Buoy 53	26 51 28 N 84 40 37 W				Green can.	
		*					38/09
2655	- Carrabelle River Buoy 63	29 51 57 N 84 40 29 W				Green can.	
		*					38/09
	*Add Heading: *Bayou Texar						
4330	BAYOU TEXAR LIGHT 2	30 24 48 N 87 11 24 W	FI R 2.5s	17	3	TR on pile.	Ra ref.
							38/09
4625	- Blackwater Channel Buoy 35	30 35 18 N 87 00 50 W				Green can.	
	*	*				*	38/09
19900	- Daybeacon 2						Remove from list.
							* 38/09
19905	- Daybeacon 3						Remove from list.
							* 38/09
19910	- Daybeacon 4						Remove from list.
							* 38/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19915	- Daybeacon 5						Remove from list. * 38/09
19920	- Daybeacon 6						Remove from list. * 38/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22935	- CHANNEL LIGHT 14	56 36 40 N 132 58 15 W	FI R 2.5s	15	3	TR on steel pile structure.	* 38/09
22955	- CHANNEL LIGHT 16	56 37 24 N 132 57 31 W	FI R 2.5s	15	3	TR on steel pile structure.	* 38/09
22960	- CHANNEL LIGHT 17	56 37 41 N 132 57 17 W	FI G 2.5s	15	3	SG on steel pile structure.	* 38/09
23290	THE EYE OPENER LIGHT	56 23 09 N 133 16 36 W	FI W 2.5s	34	7	NR on skeleton tower on brown cylindrical base.	* 38/09
24295	- LIGHT 2	58 04 14 N 136 25 58 W	FI R 4s	55	4	TR on small house.	Obscured from 316° to 147°. * 38/09

CROSS SOUND TO YAKUTAT BAY (Chart 16760)

Lituya Bay

25405	- ENTRANCE CHANNEL RANGE FRONT LIGHT	58 37 36 N 137 39 29 W	Q W	22		KRW on skeleton tower.	Obscured from 048° to 348°; higher intensity on rangeline. * 38/09
-------	---	---------------------------	-----	----	--	------------------------	---

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST.LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11765	Fourteen Foot Shoal Light	45 40 48 N 84 26 06 W	Oc W 4s	51 16	13	White conical tower, square structure on concrete crib.	Operates year round. HORN: 1 blast ev 15s (2s bl). * 38/09
14135	- Junction Lighted Buoy LR	46 29 26 N 84 18 07 W	FI (2+1) R 6s		4	Red with green band.	Replaced by nun from Dec. 7 to Apr. 14. * 38/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14705	Big Bay Point Light	46 50 30 N 87 40 48 W	FI W 6s	89 27	9	Red square tower on dwelling.	
					*		38/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.