

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
200	Whaleback Light	43 03 32 N 70 41 47 W	FI (2) W 10s 0.1s fl 8.4s ec. 0.1s fl 1.4s ec.	59	11	Gray conical tower. 59	HORN: 2 blasts ev 30s (2s bl- 2s si-2s bl-24s si). Fog signal is radio activated, during times of reduced visibility, turn marine radio to channel 79. Key microphone 5 times consecutively, to activate fog signal for 45 minutes.
			*		*	*	* 44/09
2170	- Buoy 3	44 15 39 N 68 14 35 W				Green can.	
		*					44/09
7815	- Lighted Buoy 1		FI G 2.5s		4	Green.	Replaced by can when endangered by ice.
					*		44/09
7825	- Lighted Buoy 5		FI G 4s		4	Green.	Replaced by can when endangered by ice.
					*		44/09
7855	- Lighted Buoy 5		FI G 2.5s		4	Green.	
					*		44/09
18145	Hog Island Shoal Light	41 37 56 N 71 16 24 W	Iso W 6s	54	12	White conical tower on black cylindrical pier. 60	Higher intensity beam up and down channel. HORN: 2 blasts ev 30s (2s bl- 2s si-2s bl-24s si).
						*	* 44/09
23485	- Channel Buoy 9	41 15 48 N 72 31 35 W				Green can.	
		*					44/09
31045	- Lighted Buoy 19	40 36 02 N 73 31 20 W	FI G 4s		2	Green.	
		*					44/09
33650	- Buoy Z6	40 37 51 N 73 29 42 W				Red nun.	Private aid.
		*					44/09
33660	- Buoy Z8	40 37 59 N 73 29 40 W				Red nun.	Private aid.
		*					44/09
33700	- Daybeacon Z17						<i>Remove from list.</i>
							* 44/09
33705	- Daybeacon Z18						<i>Remove from list.</i>
							* 44/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35165	- Lighted Gong Buoy 13	40 28 52 N 74 00 40 W	Q G		3	Green.	Replaced by LIB of reduced intensity when endangered by ice.
		*					44/09
*37861	George's Island Channel Buoy 1	41 14 03 N 73 56 31 W					Private aid.
							44/09
*37861.1	George's Island Channel Buoy 2	41 14 03 N 73 56 29 W					Private aid.
							44/09
*37861.2	George's Island Channel Buoy 3	41 14 04 N 73 56 31 W					Private aid.
							44/09
*37861.3	George's Island Channel Buoy 4	41 14 04 N 73 56 29 W					Private aid.
							44/09
*37861.4	George's Island Channel Buoy 5	41 14 06 N 73 56 31 W					Private aid.
							44/09
*37861.5	George's Island Channel Buoy 6	41 14 06 N 73 56 29 W					Private aid.
							44/09
*38546	New Athens Intake Hazard Buoy	42 14 28 N 73 50 23 W					Private aid.
							44/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	*Delete Heading: *Assawoman Bay						
4948	- Buoy 2						Remove from list.
							* 44/09
4948.1	- Buoy 3						Remove from list.
							* 44/09
4948.2	- Buoy 4						Remove from list.
							* 44/09
4948.3	- Buoy 5						Remove from list.
							* 44/09
4948.4	- Buoy 6						Remove from list.
							* 44/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7200	- Lighted Buoy 33 75 feet outside channel limit.		FI G 6s		5	Green.	
						*	44/09
7225	- Lighted Buoy 37 75 feet outside channel limit.		FI G 2.5s		7	Green.	
						*	44/09
Naval Boat Channel							
10615	- LIGHT 2	36 57 51 N 76 19 37 W	FI R 4s	15	4	TR on pile.	Light equipment removed when endangered by ice.
		*					44/09
10650	- LIGHT 9	36 57 23 N 76 18 39 W	Q G	15	3	SG on pile.	
		*					44/09
11000	- ENTRANCE LIGHT 1	36 59 57 N 76 18 55 W	FI G 2.5s	15	3	SG on pile.	
		*					44/09
11010	- Daybeacon 4	37 00 26 N 76 18 54 W				TR on pile.	
		*					44/09
11015	- Daybeacon 5	37 00 44 N 76 19 08 W				SG on pile.	
		*					44/09
11107	Nansemond River Channel Buoy 21B						Remove from list.
							* 44/09
11108	Nansemond River Channel Daybeacon 21A	36 50 12 N 76 33 29 W				TR on pile.	
	*	*				*	44/09
11110	- Channel Daybeacon 22	36 50 17 N 76 33 01 W				TR on pile.	
		*					44/09
11111	Nansemond River Channel Buoy 22A						Remove from list.
							* 44/09
11112	Nansemond River Channel Buoy 22B						Remove from list.
							* 44/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28139	Oregon Inlet Channel Buoy 40	35 46 17 N 75 35 00 W				Red nun.	
		*					44/09
39210	- BOGUE SOUND- NEW RIVER LIGHT 58	34 37 57 N 77 12 18 W	Q R	15	3	TR-TY on pile.	
	*		*	*	*		44/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*1958	Coast Guard Mooring Buoy	33 13 54 N 79 11 30 W					White can with Blue Strip Labeled CG.
							44/09
*6727	Coast Guard Mooring Buoy	30 42 58 N 81 28 49 W					White can with Blue Strip Labeled CG.
							44/09
28825	- Entrance Daybeacon 9	28 55 30 N 82 43 18 W				SG on pile.	
		*					44/09
28840	- Entrance Daybeacon 11	28 55 31 N 82 42 49 W				SG on pile.	
		*					44/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
465 12635	<i>Southwest Pass Entrance Lighted Whistle Buoy SW</i>	28 52 39 N 89 25 55 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* 44/09
1065 21310	<i>Sabine Bank Channel Lighted Buoy SB</i>	29 25 00 N 93 40 00 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* 44/09
3410	- RANGE REAR LIGHT 161 yards, 239.9° from front light.	30 10 09 N 85 45 26 W	Oc G 4s	36		KRW on skeleton tower on block. Visible only on the rangeline.	* 44/09
5010	- Lighted Buoy 9		Q G		3	Green.	* 44/09
5245	- LIGHT 46 250 feet outside channel limit.		Q R	17	3	TR on pile.	Ra ref. * 44/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6935	- D RANGE REAR LIGHT 506 yards, 175° from front light.		Iso W 6s	60		KRW on skeleton tower.	Visible 2° each side of rangeline.
	*						44/09
7360	- A RANGE REAR LIGHT 935 yards, 000.2° from front light.	30 20 36 N 88 30 47 W	Iso W 6s (Day) Iso G 6s (Night)	80 83		Skeleton tower on piles.	Visible on range line only.
	*						44/09
8430	- <i>Lighted Buoy 10</i> 150 feet outside channel limit.	30 07 54 N 88 56 24 W	FI R 2.5s		3	Red.	
						*	44/09
8440	- <i>Lighted Buoy 12</i>		FI (2) R 5s		3	Red.	
						*	44/09
12635 465	- <i>Entrance Lighted Whistle Buoy SW</i>	28 52 39 N 89 25 55 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* 44/09
CALCASIEU PASS TO SABINE PASS (Chart 11341)							
Sabine Bank Channel							
21310 1065	- <i>Lighted Buoy SB</i>	29 25 01 N 93 40 01 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* 44/09
	*						44/09
25700	DOW CHEMICAL A-5 DOCK LIGHT						<i>Remove from list.</i> * 44/09
25705	DOW CHEMICAL A-22 EAST DOCK LIGHT						<i>Remove from list.</i> * 44/09
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8120	- NOYO RIVER LIGHT 10	39 25 37 N 123 48 20 W	FI R 2.5s	15	5	TR on pile.	
				*			44/09
8150	- ENTRANCE LIGHT 3	40 46 07 N 124 14 19 W	FI G 2.5s	37	4	SG on pile, NL worded NORTH.	
						*	44/09
15610	- SOUTH REACH RANGE A FRONT LIGHT	46 55 13 N 124 02 59 W	FI R 2.5s	21		KRB on pile structure.	Higher intensity beam on rangeline. Ra ref. * 44/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18065	- Lighted Buoy 8	47 35 36 N 122 32 33 W	FI R 2.5s		6	Red.	
					*		44/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.