

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
498.1	WHOI Neptune Research Lighted Buoy AB-11						Remove from list.
							* 52/09
498.2	WHOI Neptune Research Lighted Buoy AB-12						Remove from list.
							* 52/09
498.3	WHOI Neptune Research Lighted Buoy AB-13						Remove from list.
							* 52/09
498.4	WHOI Neptune Research Lighted Buoy AB-14						Remove from list.
							* 52/09
498.5	WHOI Neptune Research Lighted Buoy AB-15						Remove from list.
							* 52/09
498.6	WHOI Neptune Research Lighted Buoy AB-16						Remove from list.
							* 52/09
*17645.1	Sakonnet River Buoy 15A	41 38 10 N 71 12 50 W				Green can.	52/09
*17645.2	Sakonnet River Buoy 15B	41 38 14 N 71 12 50 W				Green can	52/09
*17645.3	Sakonnet River Buoy 15C	41 38 21 N 71 12 49 W				Green can	52/09
*17650.2	Sakonnet River Buoy 16A	41 38 10 N 71 12 49 W				Red nun	52/09
*17650.3	Sakonnet River Buoy 16B	41 38 14 N 71 12 48 W				Red nun	52/09
*17650.4	Sakonnet River Buoy 16C	41 38 21 N 71 12 47 W				Red nun	52/09
20419	Watch Hill Speed Buoy	41 18 56 N 71 51 40 W				White and orange can.	Private aid.
		*					52/09
27235	- Lighted Buoy 6		FIR 2.5s		3	Red.	
						*	52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30900	- Lighted Whistle Buoy JI	40 33 36 N 73 34 58 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
					*		52/09
35550	-Leonardo Security Zone Lighted Buoy U	40 26 35 N 74 02 48 W				White with orange bands, can.	Private aid
	*	*					52/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
580	NAVY AIR COMBAT MANEUVERING RANGE TOWER LIGHT C	35 57 00 N 75 15 57 W	FI Y 2.5s	71		Yellow skeleton tower.	Aid maintained by USN.
		*					52/09
	Deepwater Range						
2900	Pennsville Dike Danger Buoy PDA	39 39 45 N 75 31 42 W				White with orange bands worded DANGER DIKE; can.	Maintained from May 15 to Nov. 1.
						*	52/09
2905	Pennsville Dike Danger Buoy PDB	39 40 11 N 75 31 12 W				White and orange bands worded DANGER DIKE; can.	Maintained from May 15 to Nov. 1.
						*	52/09
*3090.1	Dupont-Edgemore Warning Buoy D	39 45 11 N 75 29 24 W				White with orange band worded SUBMERGED PIPE; can.	Private aid.
							52/09
3580	Petty Island Lower End Buoy P Marks west end of shoal.					Red and green band; nun.	
						*	52/09
10157	Crab Creek Entrance Buoy 2CC (City of VA Beach)						Remove from list.
							* 52/09
10157.02	Crab Creek Buoy 4 (City of VA Beach)						Remove from list.
							* 52/09
10157.03	- Buoy 5	36 54 21 N 76 05 36 W				Green can.	Private aid.
		*					52/09
10157.04	- Buoy 6						Remove from list.
							* 52/09
10157.12	- Buoy 12	36 54 16 N 76 05 44 W				Red nun.	Private aid.
		*					52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10157.13	- Buoy 13	36 54 16 N 76 05 45 W				Green can.	Private aid.
		*					52/09
11480	- Daybeacon 4	37 04 01 N 76 32 09 W				TR on pile.	
		*					52/09
18603	- NOAA Lighted Data Buoy UP	38 47 16 N 77 02 08 W	FI Y 4s			Yellow.	Aid Maintained by National Oceanic and Atmospheric Administration.
	*	*	*			*	* 52/09
*19697	NOAA Lighted Data Buoy AN	38 57 49 N 76 26 48 W	FI Y 4s			Yellow	Aid maintained by NOAA.
							52/09
*19700	NAVAL ANCHORAGE LIGHT A.	38 58 01 N 76 27 09 W	FI Y 2.5s	15	5	NY on multi-pile structure.	
							52/09
19730	- Channel Lighted Buoy 5	38 58 18 N 76 27 43 W	FI G 4s			4 Green.	Replaced by can when endangered by ice.
	*	*	*			*	* 52/09
19740	- Channel Lighted Buoy 6	38 58 29 N 76 27 47 W	FI R 2.5s			3 Red.	Replaced by nun when endangered by ice.
	*	*	*			*	* 52/09
19762	NAVAL ANCHORAGE LIGHT A						Remove from list.
							* 52/09
Shallowbag Bay							
28552	- WARNING LIGHT A	35 54 23 N 75 39 31 W	FI W 4s	10		NW on pile worded SUBMERGED PIPES.	Private aid.
						*	52/09
31979	Crab Hole Oyster Sanctuary Buoy A	35 43 41 N 75 40 30 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS; can.	Private aid.
						*	52/09
31979.1	Crab Hole Oyster Sanctuary Buoy B	35 43 30 N 75 40 30 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS; can.	Private aid.
						*	52/09
31979.2	Crab Hole Oyster Sanctuary Buoy C	35 43 30 N 75 40 45 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS; can.	Private aid.
						*	52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
31979.3	Crab Hole Oyster Sanctuary Buoy D	35 43 41 N 75 40 45 W				White can with orange diamond, worded DANGER SUBMERGED ROCKS; can.	Private aid. * 52/09
*31979.4	Crab Hole Oyster Sanctuary Buoy E	35 43 36 N 75 40 30 W				White with orange diamond worded DANGER SUBMERGED ROCKS; can.	Private aid. 52/09
*31979.5	Crab Hole Oyster Sanctuary Buoy F	35 43 30 N 75 40 38 W				White with orange diamond worded DANGER SUBMERGED ROCKS; can.	Private aid. 52/09
*31979.6	Crab Hole Oyster Sanctuary Buoy G	35 43 36 N 75 40 45 W				White with orange diamond worded DANGER SUBMERGED ROCKS; can.	Private aid. 52/09
*31979.7	Crab Hole Oyster Sanctuary Buoy H	35 43 41 N 75 40 38 W				White with orange diamond worded DANGER SUBMERGED ROCKS; can.	Private aid. 52/09
32136	Gibbs Shoal Oyster Sanctuary Buoy A	35 27 19 N 75 55 58 W				White with orange diamond, worded DANGER SUBMERGED ROCKS; can.	Private aid. * 52/09
32136.1	Gibbs Shoal Oyster Sanctuary Buoy B	35 27 14 N 75 55 58 W				White with orange diamond, worded DANGER SUBMERGED ROCKS; can.	Private aid. * 52/09
32136.2	Gibbs Shoal Oyster Sanctuary Buoy C	35 27 08 N 75 55 58 W				White with orange diamond, worded DANGER SUBMERGED ROCKS; can.	Private aid. * 52/09
32136.3	Gibbs Shoal Oyster Sanctuary Buoy D	35 27 08 N 75 56 05 W				White with orange diamond, worded DANGER SUBMERGED ROCKS; can.	Private aid. * 52/09
*32136.4	Gibbs Shoal Oyster Sanctuary Buoy G	35 27 14 N 75 56 11 W				White with orange diamond worded DANGER SUBMERGED ROCKS; can.	Private aid. 52/09
*32136.5	Gibbs Shoal Oyster Sanctuary Buoy F	35 27 14 N 75 55 11 W				White with orange diamond worded DANGER SUBMERGED ROCKS; can.	Private aid. 52/09
*32136.6	Gibbs Shoal Oyster Sanctuary Buoy G	35 27 19 N 75 55 11 W				White with orange diamond worded DANGER SUBMERGED ROCKS; can.	Private aid. 52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*32136.7	Gibbs Shoal Oyster Sanctuary Buoy H	35 27 19 N 75 56 05 W				White with orange diamond worded DANGER SUBMERGED ROCKS; can.	Private aid. 52/09
*32137	Long Shoal Lighted Wreck Buoy WR2	35 28 58 N 75 45 11 W	Q R		3	Red.	52/09
37195	- LIGHT 11	36 41 44 N 76 04 08 W	FI G 4s	15	4	SG-SY on pile.	52/09
		*					52/09
37310	- LIGHT 18	36 40 46 N 76 04 08 W	FI R 4s	15	3	TR-TY on pile.	52/09
		*					52/09
37340	- LIGHT 29	36 39 19 N 76 03 32 W	FI G 4s	15	4	SG-SY on pile.	52/09
		*					52/09
37395	- Daybeacon 42	36 36 49 N 76 03 05 W				TR-TY on pile.	52/09
		*					52/09
37430	- Daybeacon 51	36 35 14 N 76 02 50 W				SG-SY on pile.	52/09
		*					52/09
37440	- LIGHT 55	36 34 32 N 76 02 25 W	FI G 4s	15	4	SG-SY on pile.	Light equipment removed from Dec. 1 to Mar. 15. 52/09
		*					52/09
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33405	- LIGHT 5	19 54 44 N 75 11 45 W	FI G 2.5s	15	3	SG on pile.	52/09
			*		*		52/09
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
105	ST. GEORGE LIGHTHOUSE	29 39 47 N 84 51 46 W	FI W 6s	76		White conical tower.	Visible 244° to 061°. Non- operational May 1 to October 31 annually. Private aid. * 52/09
*3474.37	Pretty Bayou Channel South Daybeacon 1	30 11 53 N 85 42 18 W				SG on pile.	Private aid. 52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3474.38	Pretty Bayou Channel South Daybeacon 2	30 11 54 N 85 42 18 W				TR on pile.	Private aid. 52/09
*3474.39	Pretty Bayou Channel South Daybeacon 3	30 11 53 N 85 42 21 W				SG on pile.	Private aid. 52/09
*Add Heading: *Harbor Towne Channel							
*3474.41	Pretty Bayou Channel South Daybeacon 4	30 11 54 N 85 42 22 W				TR on pile.	Private aid. 52/09
*3474.42	Pretty Bayou Channel South Daybeacon 5	30 11 52 N 85 42 23 W				SG on pile.	Private aid. 52/09
25190	- Daybeacon A						Remove from list. * 52/09
25215	- Daybeacon 15						Remove from list. * 52/09
25220	- East Channel Daybeacon 1						Remove from list. * 52/09
25230	- Daybeacon 18						Remove from list. * 52/09
27489.1	Ingleside Exclusion Area Lighted Buoy B						Remove from list. * 52/09
27490	- LIGHT 36	27 49 01 N 97 12 47 W	F I R 4s	17	3	TR on pile.	Ra ref. 52/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
SAN DIEGO TO SANTA ROSA ISLAND (Chart 18740)							
1	Dart Tsunami Warning Lighted Buoy Station 46412	32 27 26 N 120 33 38 W	F I (4) Y 20s				Aid maintained by National Oceanic and Atmosphere Administration. * 52/09
105	HUNTINGTON BEACH PIER LIGHT	33 39 12 N 118 00 24 W	F I W 4s	31		At end of concrete pier	Private aid. * 52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
182	<i>Chevron Marker Lighted Buoy HO</i>	34 20 29 N 119 31 55 W	FI W 4s			White and orange.	Private aid. * 52/09
Scripps Institute							
192	<i>Santa Barbara Channel Lighted Marker Buoy HE</i>	34 20 35 N 119 31 11 W	FI W 4s			White and orange.	Private aid. * 52/09
193	<i>Santa Barbara Channel Lighted Marker Buoy HI</i>	34 23 20 N 119 35 46 W	FI W 4s			White and orange.	Private aid. * 52/09
194	<i>Santa Barbara Channel Lighted Marker Buoy HA</i>	34 23 00 N 119 34 04 W	FI W 4s			White and orange.	Private aid. * 52/09
282	<i>Scripps Lighted Research Buoy Station 157</i>	36 20 16 N 122 06 05 W	F(5)Y 20s			Yellow.	Private aid. * 52/09
SAN DIEGO BAY (Chart 18773)							
San Diego Bay							
1500	- Entrance Range Front Light	32 42 18 N 117 14 00 W	Q G	22	15	KRW on white column.	Visible 1.5° each side of rangeline. HORN (1s bl-10s si). * 52/09
1720	Navy Mooring Buoy	32 43 16 N 117 11 22 W				White and blue bands.	Navy Maintained. Private aid. * 52/09
Chula Vista Channel							
2159	- SHOAL MARKER LIGHT A	32 38 43 N 117 07 19 W	FI W 2.5s	11		Diamond-shaped dayboard labeled DANGER SHOAL on pile.	Private aid. * 52/09
2159.1	- SHOAL MARKER LIGHT B	32 38 44 N 117 07 14 W	FI W 4s	11		Diamond-shaped dayboard labeled DANGER SHOAL on pile.	Private aid. * 52/09
2265	CHULA VISTA BASIN NORTH LIGHT	32 37 36 N 117 06 12 W	FI G 4s	19		On post.	Private aid. * 52/09
2270	CHULA VISTA BASIN SOUTH LIGHT		FI R 4s	18		On post.	Private aid. * 52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2560	-Wilson Cove Fog Signal	33 00 26 N 118 33 38 W					HORN: 1 blast ev 15s (2s bl).
	*						52/09
2780	- RANGE FRONT LIGHT	33 44 12 N 118 05 32 W	Q G	45		KRW on skeleton tower.	Visible 4° each side of rangeline. Lighted throughout 24 hours. Light operates continuously.
							* 52/09
2785	- RANGE REAR LIGHT 200 yards, 036.8° from front light.	33 44 17 N 118 05 27 W	Iso G 6s	57		KRW on skeleton tower.	Visible 4° each side of rangeline. Lighted throughout 24 hours. Light operates continuously.
							* 52/09
2870.1	<i>Long Beach Harbor Manson Lighted Mooring Buoy M-4</i>	33 44 50 N 118 10 01 W	FI W 2s			White with blue band.	Private aid.
						*	52/09
LOS ANGELES AND LONG BEACH HARBORS (Chart 18751)							
Long Beach Harbor							
Shoreline Marina							
2885	- JETTY LIGHT	33 45 38 N 118 10 51 W	Q W			On post.	Private aid.
						*	52/09
2895	SHORELINE MARINA BREAKWATER LIGHT WEST	33 45 23 N 118 10 59 W	FI R 4s	4		On post.	Private aid.
						*	52/09
2900	- ENTRANCE LIGHT EAST	33 45 31 N 118 10 58 W	Q R			On post.	Private aid.
						*	52/09
2905	- ENTRANCE LIGHT WEST	33 45 29 N 118 11 01 W	FI G 4s			On post.	Private aid.
						*	52/09
Downtown Marina							
2910	- MOLE LIGHT	33 45 29 N 118 11 28 W	FI W 4s			On post.	Private aid.
						*	52/09
3009.2	- PIER J BREAKWATER REAR RANGE LIGHT 140 yards, 270° from front light.		Iso G 6s	74		On tower.	Lighted 24 hours. Private aid. Private aid.
	*						52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3016	- RANGE FRONT LIGHT	33 44 05 N 118 11 05 W	Q R	27		KRW on pile.	Visible 1.5° each side of the rangeline. Lighted throughout 24 hours. * 52/09
3017	- RANGE REAR LIGHT 580 yards, 355° from front light.	33 44 22 N 118 11 07 W	Iso R 6s	56		KRW on pile.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours. * 52/09
3050	- SOUTH DIRECTIONAL LIGHT	33 44 59 N 118 12 48 W		120		On 3 leg tower, Visible white light in center of the outbound channel (less than 0.1°)	Alternating red/white when left of outbound channel (156.5° - 156.0°) Fixed red light when left of outbound channel (154.0° - 156.0°): Flashing Red light when left of outbound channel (154.0° - 154.5°). Alternating green/white light when right of outbound channel (156.5° - 157.0°), Fixed Green light when right of outbound channel (157.0° - 158.5°), Flashing Green light when right of outbound channel (158.5° - 159.0°). Private aid. * 52/09
3055	- NORTH DIRECTIONAL LIGHT	33 46 20 N 118 13 30 W		105		On 3 leg tower, Visible white light in center of the inbound channel (less than 0.1°)	Alternating red/white when right of inbound channel (336.5° - 337.5°) Fixed red light when right of inbound channel (337.5° - 338.5°): Flashing Red light when right of inbound channel (338.5° - 339.0°). Alternating green/white left when right of inbound channel (335.5° - 336.5°), Fixed Green light when left of inbound channel (334.5° - 335.5°), Flashing Green light when left of inbound channel (334.0° - 334.5T). Private aid. * 52/09
3122	- RANGE FRONT LIGHT	33 43 09 N 118 16 17 W	F Y	45		On skeleton tower.	Visible 4° each side of the rangeline. Lighted throughout 24 hours. * 52/09
3123	- RANGE REAR LIGHT 92 yards, 296° from front light.	33 43 10 N 118 16 20 W	Iso Y 6s	60		On skeleton tower.	Visible 4° each side of the rangeline. Lighted throughout 24 hours. * 52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3187.1	- LIGHT D	33 42 34 N 118 16 11 W	Oc W 3s	25	4	NW on post.	Private aid. * 52/09
3605	- RANGE FRONT LIGHT	34 09 08 N 119 12 20 W	Q R	61		KRW on pile.	Visible 4° on each side of the rangeline. Lighted throughout 24 hours. * 52/09
3610	- RANGE REAR LIGHT 245 yards, 037° from front light.	34 09 13 N 119 12 15 W	Iso R 6s	86		KRW on pile.	Visible 4° on each side of the rangeline. Lighted throughout 24 hours. * 52/09
3975.1	<i>Monterey Harbor Mooring Area Lighted Marker Buoy "W"</i>	36 36 20 N 121 53 18 W	FI Y 4s			Yellow can.	Private aid. * 52/09
3975.2	<i>Monterey Harbor Mooring Area Lighted Marker Buoy "X"</i>	36 36 20 N 121 53 13 W	FI Y 4s			Yellow can.	Private aid. * 52/09
3975.3	<i>Monterey Harbor Mooring Area Lighted Marker Buoy "Y"</i>	36 36 12 N 121 53 20 W	FI Y 4s			Yellow can.	Private aid. * 52/09
3975.4	<i>Monterey Harbor Mooring Area Lighted Marker Buoy "Z"</i>	36 36 11 N 121 53 13 W	FI Y 4s			Yellow can.	Private aid. * 52/09
Oakland Outer Harbor							
4610	- RANGE B FRONT LIGHT	37 48 57 N 122 19 29 W	Q R	25		KRW on pile.	Visible 4° each side of the rangeline. * 52/09
4615	- RANGE B REAR LIGHT	37 49 03 N 122 19 19 W	Iso R 6s	36		KRW on pile.	Visible 4° each side of the rangeline. * 52/09
4617	- CENTERLINE RANGE FRONT LIGHT	37 48 58 N 122 19 33 W	Q Y	25		KBW on pile.	Visible 4° each side of the rangeline. * 52/09
4618	- CENTERLINE RANGE REAR LIGHT 267 yards, 056.5° from front light.	37 49 02 N 122 19 25 W	Iso Y 6s	42	Y	KBW on pile.	Visible 4° each side of the rangeline. * 52/09
4620	- RANGE A FRONT LIGHT	37 48 56 N 122 19 41 W	Q G	25		KRW on white pile.	Visible 4° each side of the rangeline. * 52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4625	- RANGE A REAR LIGHT In 10 feet, 335 yards, 059° from front light.	37 49 01 N 122 19 30 W	Iso G 6s	35		KRW on white pile.	Visible 4° each side of the rangeline. * 52/09
4670	<i>Anchorage & Lighted Mooring Buoy</i>	37 47 25 N 122 20 35 W	FI W 4s			White with blue band. *	Private aid. 52/09
4926	PIER 94/96 SOUTH CHANNEL RANGE FRONT LIGHT	37 44 33 N 122 22 15 W	Iso Y 6s	52		KRW on post.	Private aid. * 52/09
5535	- LIGHT 5	37 55 54 N 122 28 44 W	FI G 2.5s	9		SG on pile.	Private aid. Ra ref. * 52/09
5545	SF BAY CORTE MADERA CHANNEL LIGHT 8	37 56 05 N 122 29 02 W	FI R 4s	9		TR on pile.	Private aid. Ra ref. * 52/09
5570	- LIGHT 13	37 56 25 N 122 30 02 W	FI G 2.5s	9		SG on pile.	Private aid. Ra ref. * 52/09
5670	RICHMOND HARBOR APPROACH RANGE FRONT LIGHT	37 54 02 N 122 23 29 W	Q W	20		KRW on pile structure.	Visible all around with higher intensity on rangeline. * 52/09
5740	POINT POTRERO REACH RANGE FRONT LIGHT	37 54 09 N 122 21 37 W	Q R	22	14	KRW on pile.	Visible 1.5° each side of rangeline. * 52/09
5741	POINT POTRERO REACH RANGE REAR LIGHT 343 yards, 099.3° from front light.	37 54 07 N 122 21 25 W	Iso R 6s	46	14	KRW on pile.	Visible 1.5° each side of rangeline. * 52/09
San Rafael Creek							
5830	- RANGE FRONT LIGHT	37 58 15 N 122 29 48 W	Q R	15		KRW on pile.	Visible all around with higher intensity on rangeline. * 52/09
5835	- RANGE REAR LIGHT 360 yards, 293° from front light.	37 58 19 N 122 30 00 W	Oc R 4s	25		KRW on pile.	Visible all around with higher intensity on rangeline. * 52/09
5950	Rodeo Pacific Refining Warf signal *						Private aid. HORN: 1 blast ev 20s (2s bl). 52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5955	RODEO PACIFIC REFINING EAST LIGHT	38 03 16 N 122 16 20 W	F W	31	On post.		Private aid. * 52/09
5960	OLEUM WHARF WEST LIGHTS (4)	38 03 24 N 122 15 48 W	F R	12	On end of wharf.		Private aids. BELL: 1 stroke ev 5s. * 52/09
5965	OLEUM WHARF EAST LIGHTS (4)		F R	12	On end of wharf.		Private aids. HORN: 1 blast ev 18s (2s bl). * 52/09
6087	PETALUMA RIVER OUTFALL LIGHT	38 12 32 N 122 34 55 W	FI W 2s	13	On pile.		Two lights 15 feet apart. Private aid. * 52/09
6185	- RANGE FRONT LIGHT 14	38 12 20 N 122 18 25 W	Q W	12	KRW and TR on pile.		Visible all around; higher intensity on rangeline. Ra ref. * 52/09
6190	- RANGE REAR LIGHT 100 yards, 183° from front light.	38 12 16 N 122 18 26 W	Iso W 6s	17	KRW on pile.		Visible all around; higher intensity on rangeline. Ra ref. * 52/09
SUSUIN BAY (Chart 18656)							
Carquinez Strait							
6211	SHORE OIL WHARF EAST LIGHT	38 03 32 N 122 14 28 W	Q W	10	On wharf.		Private aid. * 52/09
6212	SHORE OIL WHARF WEST LIGHT	38 03 32 N 122 14 30 W	Q W	10	On wharf.		Private aid. * 52/09
6375	POINT EDITH CROSSING SOUTH RANGE FRONT LIGHT	38 02 56 N 122 05 23 W	Q W	24	KRW on pile.		Visible all around; higher intensity on rangeline. Ra ref. * 52/09
6380	POINT EDITH CROSSING SOUTH RANGE REAR LIGHT 439 yards, 236.7° from front light. Rangeline is 25 feet south of channel centerline.	38 02 48 N 122 05 36 W	Iso W 6s	32	KRW on pile.		Visible all around; higher intensity on rangeline. Ra ref. * 52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7410	-Sacramento River Deep Water Ship Channel Light 49A	38 14 00 N 121 40 30 W	FI G 4s		3	SG on pile.	Ra ref.
	*		*		*		52/09
8140	- APPROACH RANGE FRONT LIGHT	40 45 54 N 124 13 35 W	Q W	35		KRW on tower.	Visible 4° each side of the rangeline. Light and horn operate throughout 24 hours. HORN: 2 blasts ev 20s (2s bl- 2s si-2s bl-14s si).
							* 52/09
8145	- APPROACH RANGE REAR LIGHT 167 yards, 105° from front light.	40 45 51 N 124 13 47 W	Oc W 4s	55	12	KRW on pile. On same structure as Humboldt Bay Light.	Range lights are synchronized. Visible 4° each side of rangeline. Lighted throughout 24 hours.
							* 52/09
8165	- ENTRANCE RANGE FRONT LIGHT	40 45 05 N 124 13 35 W	Q G	20		KRW on pile.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
							* 52/09
8170	- ENTRANCE RANGE REAR LIGHT 268 yards, 141.5° from front light.	40 44 59 N 124 13 28 W	Oc G 4s	38		KRW on pile.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
							* 52/09
9920	- South Jetty Bell Buoy 2SJ	46 14 02 N 124 05 45 W				Red.	
							* 52/09
22705	SOUTH CRAIG POINT LIGHT	56 23 24 N 132 37 20 W	FI W 2.5s	24	5	NR on pile.	Obscured from 006° to 178°.
		*					52/09
22830	MIDWAY ROCK LIGHT MR	56 31 48 N 132 57 55 W	FI (2+1) R 6s	16	4	JR on skeleton tower.	
		*					52/09
*27401	FALSE PASS BREAKWATER LIGHT 2	54 51 55 N 163 24 30 W	FI R 4s	57	6	TR on skeleton tower.	
							52/09
*27401.5	FALSE PASS BREAKWATER LIGHT 1	54 51 52 N 163 24 29 W	FI G 2.5s	35	6	SG on spindle.	
							52/09
28155	- LIGHT						<i>Remove from list.</i>
							* 52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28165	- ENTRANCE DIRECTIONAL LIGHT	19 33 44 N 155 57 43 W	Q W (R & G sectors)	25	G 5 R 5 W 7	On post. On same structure as Keauhou Bay Light.	White 1° each side of channel centerline (bearing 069°). Red when right of white beam (068°-064°). Green when left of white beam (070°-074°) when entering from seaward.
			*				52/09
ISLAND OF HAWAII (Chart 19320)							
28180	KAILUA BAY ENTRANCE DIRECTIONAL LIGHT	19 38 19 N 155 59 49 W	FI W 4s (R & G sectors)	31	W 7 R 5 G 5	NB on post.	Centerline (bearing 023°). White visible 3° each side of centerline. Green visible from (026°-060°). Red visible from (310°-020°).
			*				52/09
28185	Kailua Light	19 38 16 N 156 00 03 W	FI W 6s	32	13	White pyramidal concrete tower.	Obscured from 120° to 263°.
			*				52/09
28205	- CHANNEL LIGHT 4	19 40 09 N 156 01 36 W	FI R 4s	25	5	TR on post.	
						*	52/09

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
St. Lawrence Seaway							
1020	Catamaran Shoal Buoy 135 Marks northwest side of shoal.	44 36 55 N 75 37 19 W	FI G 4s			Green can.	S.L.S.D.C.
			*				52/09
1485	- Buoy 216A	44 16 34 N 76 01 51 W	FI R 4s			Red nun.	Maintained from Apr. 1 to Dec. 15. S.L.S.D.C.
			*				52/09
GRINDSTONE ISLAND TO/Á CARLETON ISLAND (Chart 1438)(C)							
St. Lawrence Seaway							
1565	- Buoy 228 Marks shoal.	44 14 32 N 76 07 04 W	FI R 4s			Red nun.	S.L.S.D.C.
			*				52/09

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.