

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13870	- Buoy 2	41 39 11 N 69 59 29 W				Red nun.	
		*					3/10
13890	Stage Harbor Buoy 7	41 39 24 N 69 59 03 W				Green can.	
		*					3/10
27800	- Lighted Buoy 4		F I R 2s			Red.	Private aid.
			*				3/10
27810	- Lighted Buoy 6		F I R 2s			Red.	Private aid.
			*				3/10
27820	- Lighted Buoy 8		F I R 2s			Red.	Private aid.
			*				3/10
27830	- Lighted Buoy 10		F I R 2s			Red.	Private aid.
			*				3/10
27835	- Lighted Buoy 12		F I R 2s			Red.	Private aid.
			*				3/10
27845	- Lighted Buoy 14		F I R 2s			Red.	Private aid.
			*				3/10
27855	- Lighted Buoy 16		F I R 2s			Red.	Private aid.
			*				3/10
27865	- Lighted Buoy 18		F I R 2s			Red.	Private aid.
			*				3/10
27870	- Buoy 19		F I G 2s			Green can.	Private aid.
			*				3/10
27875	- Lighted Buoy 20		F I R 2s			Red.	Private aid.
			*				3/10
27885	- Lighted Buoy 22		F I R 2s			Red.	Private aid.
			*				3/10
27895	- Lighted Buoy 24		F I R 2s			Red.	Private aid.
			*				3/10
27905	- Lighted Buoy 26		F I R 2s			Red.	Private aid.
			*				3/10
27915	- Lighted Buoy 28		F I R 2s			Red.	Private aid.
			*				3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27925	- Lighted Buoy 30		F I R 2s			Red.	Private aid.
			*				3/10
27929	THREE MILE HARBOR LIGHT 32	41 00 30 N 72 11 10 W	F I R 2s			Red.	Private aid.
	*		*				3/10
27935	- Lighted Buoy 34		F I R 2s			Red.	Private aid.
			*				3/10
27945	- Lighted Buoy 36	41 00 11 N 72 11 04 W	F I R 2s			Red.	Private aid.
			*				3/10
27950	- Buoy 37		F I G 2s			Green can.	Private aid.
			*				3/10
27955	- Lighted Buoy 38		F I R 2s			Red.	Private aid.
			*				3/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17930	- Buoy 5					Green can.	Maintained from Mar. 15 to Dec 1.
							* 3/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1290	Mac One Fish Haven South Buoy H						<i>Remove from list.</i>
							* 3/10
1295	Mac One Fish Haven North Buoy G						<i>Remove from list.</i>
							* 3/10
17963	Lee County Artificial Reef Buoy ER						<i>Remove from list.</i>
							* 3/10
17963.1	Lee County Artificial Reef Buoy DK						<i>Remove from list.</i>
							* 3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17963.3	Lee County Artificial Reef Buoy GH						Remove from list. * 3/10
17963.5	Lee County Artificial Reef Buoy MA						Remove from list. * 3/10
18455	- Daybeacon 15						Remove from list. * 3/10
18735	- Daybeacon 66						Remove from list. * 3/10
19165	- Daybeacon 15						Remove from list. * 3/10
19545	- Daybeacon 36						Remove from list. * 3/10
19655	- Daybeacon 61						Remove from list. * 3/10
19665	- Daybeacon 63A						Remove from list. * 3/10
19893	Lee County Artificial Reef Buoy HR						Remove from list. * 3/10
20000.3	Lee County Artificial Reef Buoy MR						Remove from list. * 3/10
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7580	- RANGE REAR LIGHT 1,788 yards, 132.8° from front light.						Remove from list. * 3/10
26000	- Lighted Bell Buoy 8 250 feet outside channel limit.	28 24 54 N 96 18 48 W	Q R		3	Red.	 * 3/10
28150	- ENTRANCE RANGE FRONT LIGHT	26 03 57 N 97 10 16 W	Q G (NIGHT) Q G (NIGHT)	37 39		KRW on skeleton tower on piles.	Higher intensity 2° each side of rangeline. Visible all around. * 3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9645	YAQUINA BAY LIGHT 10	44 37 34 N 124 02 56 W	FI R 6s	15	5		TR on dolphin. * 3/10
9650	<i>Yaquina Bay Channel Lighted Buoy 11</i>						<i>Remove from list.</i> * 3/10
9770	-Yaquina River Buoy 45	44 35 36 N 123 56 15 W				Green can.	 * 3/10
	Desdemona Sands						
9975	- CHANNEL LEADING LIGHT	46 16 10 N 124 02 21 W	FI W 4s	31	6	Black and White vertical stripes on pile structure. *	3/10
10401	- LIGHT 43	46 12 19 N 123 25 29 W	FI G 2.5s	20	4	SG on dolphin.	 * 3/10
	Wauna						
10430	- RANGE FRONT LIGHT	46 08 38 N 123 22 55 W	Q R	29		KRB on skeleton tower.	Visible 14° each side of rangeline. * 3/10
10510	- DIKE LIGHT 66	46 08 26 N 123 18 48 W	Q R	15	4	TR on multi-pile. *	3/10
10590	- DIKE LIGHT 78	46 09 59 N 123 13 30 W	FI R 4s	17	4	TR on multi-pile. *	Higher intensity beam down channel. 3/10
10660	STELLA RANGE FRONT LIGHT	46 11 17 N 123 07 27 W	FI G 2.5s	20		KRB on Skeleton tower on pile structure. *	Visible all around; higher intensity on rangeline. 3/10
10780	- RANGE FRONT LIGHT	46 07 28 N 122 58 49 W	F R	38		KWR on monopole.	Visible 1.75° each side of rangeline. Private aid. * 3/10
10785	- RANGE REAR LIGHT 393 yards, 117.5° from front light.	46 07 23 N 122 58 34 W	F R	76		KWR on monopole.	Visible 1.75° each side of rangeline. Private aid. * 3/10
11027	<i>Columbia City Lighted Buoy 75A</i>	45 53 44 N 122 48 12 W	FI G 2.5s		3	Green.	Maintained from Aug 15 to Oct 01. * 3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11303	MARINE PARK OUTFALL LIGHT	45 36 34 N 122 37 10 W	FI Y 10s			NY on pile.	Private aid. * 3/10
11304	North Portland Harbor Marine Park Outfall Daybeacon.	45 36 37 N 122 37 09 W				NY On pile.	Private aid. * 3/10
11610	-Cape Horn Buoy 68 *	45 33 55 N 122 11 52 W				Red nun.	3/10
11675	-Multnomah Falls Buoy 79 *	45 34 59 N 122 07 31 W				Green can.	3/10
12860	McNary Research Lighted Float	46 56 15 N 119 17 08 W	FI Y 6s			On float.	Private aid. * 3/10
14375	- Buoy 19	48 40 52 N 118 01 46 W				Green can.	 * 3/10
14575	-Youngs Bay Buoy 4 *	46 10 16 N 123 51 50 W				Red nun.	3/10
14580	-YOUNGS BAY LIGHT 6 *	46 10 03 N 123 51 28 W	FI R 2.5s	16	5	TR on pile structure.	3/10
Lewis and Clark River							
14585	-Lewis and Clark River Daybeacon 2 *	46 10 04 N 123 51 46 W				TR on pile.	3/10
14590	-Lewis and Clark River Daybeacon 4 *	46 09 55 N 123 51 33 W				TR on pile.	3/10
14595	-Lewis and Clark River Buoy 5 *	46 09 49 N 123 51 24 W				Green can.	3/10
14605	-Lewis and Clark River Buoy 7 *	46 09 39 N 123 51 19 W				Green can.	3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Johns Landing Pier							
14960	-JOHNS LANDING PIER LIGHT 2	45 29 06 N 122 40 18 W	Q R	10		On pier.	Private aid.
	*						3/10
14965	-JOHNS LANDING PIER LIGHT 1	45 29 06 N 122 40 18 W	Q G	10		On pier.	Private aid.
	*						3/10
14970	-JOHNS LANDING PIER LIGHT 4	45 29 06 N 122 40 18 W	Q R	10		On pier.	Private aid.
	*						3/10
14975	-JOHNS LANDING PIER LIGHT 3	45 29 06 N 122 40 18 W	Q G	10		On pier.	Private aid.
	*						3/10
Willamette River							
14980	Stevens Point Buoy "2"	45 28 38 N 122 40 05 W				Red nun.	
						*	3/10
15260	-WILLAPA RIVER LIGHT 7	46 41 44 N 123 56 17 W	FIG 4s	15	4	SG on pile.	
	*						3/10
15270	-WILLAPA RIVER LIGHT 10	46 41 48 N 123 55 04 W	FIR 6s	15	4	TR on pile.	
	*						3/10
15295	-WILLAPA RIVER LIGHT 19	46 42 12 N 123 53 17 W	FIG 6s	15	4	SG on dolphin.	Higher intensity beam up and down channel.
	*						3/10
15345	-WILLAPA RIVER LIGHT 40	46 41 11 N 123 49 11 W	FIR 4s		3	TR on pile.	
	*						3/10
15360	- Willapa River Daybeacon 44	46 40 11 N 123 48 53 W				TR on pile structure.	
	*						3/10
15365	-WILLAPA RIVER LIGHT 51 80 feet outside channel limit.	46 39 55 N 123 47 59 W	FIG 4s	15	4	SG on dolphin.	
	*						3/10
15375	-WILLAPA RIVER LIGHT 55	46 40 35 N 123 47 05 W	FIG 4s	16	4	SG on skeleton tower.	
	*						3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15380	-WILLAPA RIVER LIGHT 56 70 feet outside channel limit.		Q R	15	2	TR on dolphin.	
	*						3/10
15385	-WILLAPA RIVER LIGHT 59	46 40 46 N 123 45 58 W	FIG 2.5s	15	3	SG on pile structure.	
	*						3/10
15591	-Grays Harbor South Jetty Sound Signal	46 54 21 N 124 08 58 W					Maintained from Jun. 1 to Oct. 1. HORN: 1 blast ev 15s (2s bl).
	*						3/10
	South Bay Channel						
16030	-South Bay Channel Daybeacon 1	46 54 25 N 124 05 40 W				SG on pile.	Ra ref.
	*						3/10
16035	- South Bay Channel Daybeacon 4	46 53 55 N 124 05 07 W				TR on pile.	Ra ref.
	*						3/10
16040	-South Bay Channel Daybeacon 5	46 53 35 N 124 04 43 W				SG on pile.	Ra ref.
	*						3/10
16045	-South Bay Channel Daybeacon 6	46 53 08 N 124 05 00 W				TR on pile.	
	*						3/10
16050	-South Bay Channel Daybeacon 8	46 52 48 N 124 05 01 W				TR on pile.	
	*						3/10
16055	-South Bay Channel Daybeacon 10	46 52 31 N 124 04 52 W				TR on pile.	
	*						3/10
16060	-South Bay Channel Daybeacon 12	46 52 17 N 124 04 45 W				TR on pile.	
	*						3/10
16065	-South Bay Channel Daybeacon 14	46 52 06 N 124 04 38 W				TR on pile.	
	*						3/10
16070	-South Bay Channel Daybeacon 16	46 51 58 N 124 04 25 W				TR on pile.	
	*						3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16086	- ENTRANCE LIGHT 2A	47 54 21 N 124 38 38 W	FI R4s	20	3	Red pile structure.	Due to weather conditions, the daymarks have been permanently removed from this aid. * * 3/10
16175	<i>Port San Juan Lighted Whistle Buoy YK (C)</i>	48 32 04 N 124 29 06 W	Mo (A) W			Red and white vertical stripes, marked YK.	Aid maintained by CA. * * 3/10
STRAIT OF JUAN DE FUCA (Eastern Part) (Chart 18465)							
Strait of Juan De Fuca							
16210	WHIFFIN SPIT LIGHT (C)	48 21 30 N 123 42 41 W	Q W	22	7		White circular tower with green band at top. HORN: 1 blast ev 30s (3s bl). Operated only on request to Vancouver Coast Guard Radio. * * 3/10
16221	<i>Race Rocks South Cautionary Lighted Buoy VF(C)</i>	48 14 04 N 123 31 59 W	FI Y 4s			Yellow.	Aid maintained by CA. Ra ref. * 3/10
16222	<i>-Strait of Juan De Fuca Traffic Separation Lane Lighted Buoy PA</i>	48 12 54 N 123 28 41 W	FI Y 2.5s		6	Yellow.	 * 3/10
16223	<i>Race Rocks East Cautionary Lighted Buoy VG(C)</i>	48 16 04 N 123 27 50 W	FI Y 4s			Yellow.	Aid maintained by CA. * 3/10
16225	RACE ROCKS LIGHT (C)	48 17 53 N 123 31 53 W	FI W 10s	118		White and black horizontally banded circular tower.	Emergency light. Aid maintained by CA. HORN: 3 blast ev 60s (2s bl-3s si-2s bl-3s si-2s bl-48s si). * 3/10
16235	<i>Victoria Harbor Cautionary Lighted Buoy VH(C)</i>	48 22 31 N 123 23 34 W	FI Y 4s		5	Yellow.	RACON: F (•• - •). Aid maintained by CA. * 3/10
16245	FISGARD SECTOR LIGHT (C)	48 25 49 N 123 26 51 W	Iso W 2s (R sector)	71		White circular tower.	Red sector from 195° to 332°, white from 332° to 195°. Floodlit below balcony. * 3/10
16250	OGDEN POINT BREAKWATER LIGHT (C)	48 24 49 N 123 23 38 W	Q R	40		White tower with red band around bottom.	Aid maintained by CA. * 3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Ediz Hook							
16280	- Light	48 08 25 N 123 24 08 W	FIG (2) W 10s 0.1s G fl 2.4s ec. 0.1s W fl 2.4s ec. 0.1s W fl 4.9s ec.	50	18 G 16	On Skeleton tower. 50	HORN: 1 blast ev 30s (3s bl). HORN is activated by keying the mic 5 times on VHF-FM Channel 79A (156.975 mhz). Horn will operate for 30 minutes.
			*			*	3/10
16340	<i>Rosario Strait Traffic Separation Lane Entrance Lighted Buoy R</i>	48 16 25 N 123 06 35 W	FI Y 2.5s		6	Yellow.	
	*						3/10
16345	<i>Puget Sound Traffic Separation Lane Entrance Lighted Buoy S</i>	48 12 21 N 123 06 35 W	FI Y 2.5s		6	Yellow.	
	*						3/10
16370	<i>Rosario Strait Traffic Separation Lane Entrance Lighted Buoy RA</i>	48 19 45 N 122 58 39 W	FI Y 2.5s		6	Yellow.	RACON: N (- •)
	*						3/10
16405	<i>Puget Sound Traffic Separation Lane Entrance Lighted Buoy SA</i>	48 11 27 N 122 49 48 W	FI Y 2.5s		6	Yellow.	RACON: M (- -).
	*						3/10
16530	<i>Puget Sound Traffic Separation Lane Lighted Buoy SD</i>	47 57 52 N 122 34 47 W	FI Y 2.5s		6	Yellow.	
	*						3/10
16540	<i>Puget Sound Traffic Separation Lane Lighted Buoy SE</i>	47 55 24 N 122 29 34 W	FI Y 2.5s		6	Yellow.	RACON: T(-).
	*						3/10
Puget Sound							
16550	Point No Point Light	47 54 44 N 122 31 37 W	FI (3) W 10s 0.1s fl 1.9s ec. 0.1s fl 1.9s ec. 0.1s fl 5.9s ec.	27	14	White octagonal tower on fog signal building. 30	HORN: 1 blast ev 20s (2s bl).
						*	3/10
Cultus Bay							
16583	CULTUS BAY ENTRANCE LIGHT 1	47 54 25 N 122 24 08 W	FI G 4s			SG on pile.	Private aid.
						*	3/10
16585	CULTUS BAY ENTRANCE LIGHT 2	47 54 28 N 122 24 05 W	FI R 4s			TR on pile.	Private aid.
						*	3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16587	- Daybeacon 5	47 54 31 N 122 24 01 W				SG on pile.	Private aid. * 3/10
16590	- Daybeacon 6	47 54 34 N 122 24 01 W				TR on pile.	Private aid. * 3/10
16595	- Daybeacon 7	47 54 37 N 122 23 58 W				SG on pile.	Private aid. * 3/10
16598	- Daybeacon 8	47 54 40 N 122 23 56 W				TR on pile.	Private aid. * 3/10
16600	- Daybeacon 9	47 54 44 N 122 23 55 W				SG on pile.	Private aid. * 3/10
16605	- Daybeacon 10	47 54 45 N 122 23 52 W				TR on pile.	Private aid. * 3/10
16610	- Daybeacon 11	47 54 47 N 122 23 52 W				SG on pile.	Private aid. * 3/10
16620	- Daybeacon 13	47 54 51 N 122 23 49 W				SG on pile.	Private aid. * 3/10
16625	- Daybeacon 14	47 54 51 N 122 23 49 W				TR on pile.	Private aid. * 3/10
16630	- Daybeacon 15	47 54 56 N 122 23 47 W				SG on pile.	Private aid. * 3/10
16633	- Daybeacon 16	47 54 56 N 122 23 46 W				TR on pile.	Private aid. * 3/10
16635	- Daybeacon 17	47 55 02 N 122 23 45 W				SG on pile.	Private aid. * 3/10
16640	- Daybeacon 18	47 55 01 N 122 23 44 W				TR on pile.	Private aid. * 3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16645	- CHANNEL LIGHT 19	47 55 09 N 122 23 41 W	FI G 2s			SG on pile.	Private aid. * 3/10
16650	CULTUS BAY CHANNEL LIGHT 20	47 55 09 N 122 23 39 W	FI R 2s			TR on pile.	Private aid. * 3/10
16655	- Daybeacon 21	47 55 11 N 122 23 37 W				SG on pile.	Private aid. * 3/10
16660	- Daybeacon 22	47 55 11 N 122 23 33 W				TR on pile.	Private aid. * 3/10
16665	- Daybeacon 23	47 55 11 N 122 23 32 W				SG on pile.	Private aid. * 3/10
16745	<i>Puget Sound Traffic Separation Lane Lighted Buoy SF</i> *	47 45 54 N 122 26 15 W	FI Y 2.5s		6	Yellow.	RACON: G (– – •). 3/10
16780	<i>ACOE Shilshole Bay North Lighted Mooring Buoy</i>	47 41 05 N 122 24 34 W	FI W 4s			White and blue band.	Maintained by U.S. Army Corps of Engineers. * 3/10
16795	<i>ACOE Shilshole Bay South Lighted Mooring Buoy</i>	47 40 17 N 122 25 22 W	FI W 4s			White and blue band.	Maintained by U.S. Army Corps of Engineers. * 3/10
16815	<i>Puget Sound Traffic Lane Separation Lighted Buoy SG</i> *	47 39 41 N 122 27 52 W	FI Y 2.5s		6	Yellow.	RACON: N (– •). 3/10
16855	COLMAN FERRY TERMINAL LIGHTS (2)	47 36 12 N 122 20 24 W	FR	19 19		On dolphin.	Private aid. HORN: 2 blasts ev 15s (1s bl- 1s si-3s bl-10s si). Fog light, 36 feet above water, F W exhibited when fog signal is in operation. * 3/10
PUGET SOUND - Seattle to Olympia (Chart 18448)							
East Passage							
16920	<i>Puget Sound Traffic Separation Lane Lighted Buoy T</i> *	47 34 33 N 122 27 04 W	FI Y 2.5s		6	Yellow.	3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
East Passage							
16970	Fauntleroy Cove Sound Signal	47 31 24 N 122 23 42 W					Private aid. SIREN: 1 blast ev 24s (4s bl).
	*						3/10
16975	<i>Puget Sound Traffic Separation Lane Lighted Buoy TA</i>	47 26 52 N 122 24 16 W	FI Y 2.5s		6	Yellow.	
	*						3/10
17075	<i>Puget Sound Traffic Separation Lane Lighted Buoy TB</i>	47 23 06 N 122 21 12 W	FI Y 2.5s		6	Yellow.	
	*						3/10
17085	<i>Puget Sound Traffic Separation Lane Lighted Buoy TC</i>	47 19 29 N 122 27 23 W	FI Y 2.5s		6	Yellow.	
	*						3/10
17090	Browns Point Light	47 18 22 N 122 26 35 W	FI W 5s	38	12	White concrete house. 35	Light obscured from 217° to 002°.
						*	3/10
17215	Point Defiance Light	47 19 00 N 122 32 53 W	FI W 6s	21	9	NG on pile structure.	HORN: 1 blast ev 15s (2s bl). Horn is activated by keying mic five (5) times on VH-FM Channel 79A (156.975MHz). The fog signal will operate for 45 minutes.
							* 3/10
Nisqually Reach							
17345	Tolmie Beach State Park Buoy Park buoy marks fish haven.	47 07 30 N 122 46 12 W				Orange and white bands.	Private aid.
	*						3/10
17815	<i>Bangor Security Barrier Float Lights (103)</i>	47 45 03 N 122 44 03 W	Q Y			Gray floating barrier.	Navy maintained. Floating steel barrier system marked by lights. 103 Q Y
	*						3/10
17890	- NAVY WARNING LIGHTS (2)	47 45 41 N 122 51 02 W	Q Y			On building.	FI R 5s lights will be displayed when the area is closed to navigation during naval operations. Q Y lights will be displayed when the area requires caution. When lights are not operational area is clear to transit. U.S. Navy Maintained.
							* 3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18020	- MARINA LIGHTS (2)	47 37 02 N 122 30 45 W	F R		4	On pile.	Private aids. * 3/10
18022	Regulatory Buoy A	47 37 12 N 122 31 03 W				White can with orange markings.	Maintained from May 1 to Sep. 15. Private aid. * 3/10
18023	- Regulatory Buoy B	47 37 13 N 122 31 10 W				White can with orange markings.	Maintained from May 1 to Sep 15. Private aid. * 3/10
18024	- Regulatory Buoy C	47 37 11 N 122 31 17 W				White can with orange markings	Maintained from May 1 to Sep. 15. Private aid. * 3/10
18025	- Regulatory Buoy D	47 37 09 N 122 31 25 W				White can with orange markings.	Maintained from May 1 to Sep. 15. Private aid. * 3/10
18070	POINT GLOVER LIGHT 9	47 35 25 N 122 33 02 W	Q G	25	4	SG on platform.	HORN: 1 blast ev 30s (3s bl). HORN is activated by keying the mic 5 times on VHF-FM Channel 79A (156.975mhz). HORN will operate for 15 minutes. * 3/10
18089	<i>Bremerton Security Barrier Float Lights (152)</i>	47 33 07 N 122 38 26 W	Q Y			Gray floating barrier.	Navy maintained. Floating steel barrier system marked by lights. 152 Q Y * 3/10
18135	-Buoy 4	47 40 34 N 122 24 48 W				Red nun.	 * 3/10
18145	-Buoy 6	47 40 25 N 122 24 38 W				Red nun.	 * 3/10
18150	-Buoy 7	47 40 26 N 122 24 35 W				Green can.	 * 3/10
18155	-LIGHT 8	47 40 17 N 122 24 31 W	FIR 4s	15	3	TR on dolphin.	 * 3/10
18160	Buoy 10	47 40 05 N 122 24 22 W				Red nun.	 * 3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18215	NATIONAL OCEAN SERVICE DOLPHIN LIGHT	47 38 12 N 122 19 51 W	F Y	15		Dolphin.	Aid maintained by National Ocean Service. * 3/10
18290	NOAA PIER CLEARANCE LIGHTS (2)	47 41 18 N 122 15 30 W	F R	20		On northwest and northeast corners of pier.	Aid maintained by National Oceanic and Atmospheric Administration. * 3/10
18293	GLACIER NORTHWEST BARGE MOORING BUOY A	47 45 06 N 122 15 54 W				White with blue band. *	Private aid. 3/10
18435	LIBBY POINT LIGHT 4	47 12 00 N 122 59 23 W	F I R 4s	18	4	TR on dock. *	3/10
18540	NAVSTA PIER LIGHT A	47 59 29 N 122 13 27 W	F R			On northwest and southwest corner of pier.	Navy maintained. * 3/10
18541	NAVSTA PIER LIGHT B	47 59 41 N 122 13 25 W	F R			On corner of pier.	Navy maintained. * 3/10
Oak Harbor							
18750	CRESCENT HARBOR NAVY PIER LIGHT	48 17 06 N 122 37 05 W	F I Y 6s			On end of pier.	Navy maintained. * 3/10
18803	Swinomish Channel South Entrance Buoy 6	48 21 47 N 122 32 49 W				Red nun. *	3/10
18805	Swinomish Channel South Entrance Buoy 8	48 21 51 N 122 32 31 W				Red nun. *	3/10
18810	Swinomish Channel South Entrance Buoy 12	48 21 53 N 122 32 20 W				Red nun. *	3/10
19250	I. WATERWAY LIGHT 1 *	48 44 58 N 122 30 08 W	F I G 2.5s	15	5	SG on pile.	3/10
19256	I. Waterway Buoy 2 *	48 45 02 N 122 29 57 W				Red nun.	3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19260	I. WATERWAY LIGHT 3	48 45 10 N 122 29 51 W	FI G 4s	16	4	SG on riprap.	
	*						3/10
19262	I & J Street Waterway Buoy 4	48 45 09 N 122 29 47 W				Red nun.	
	*						3/10
19430	Blakely Island Shoal Lighted Isolated Danger Buoy DS	48 34 08 N 122 50 41 W	FI (2) W 5s		6	Black and red bands with two black spherical topmarks.	
	*						3/10
19520	Rosario Strait Traffic Separation Lane Lighted Buoy C	48 40 34 N 122 42 48 W	FI Y 2.5s		6	Yellow.	RACON: N (- •).
	*						3/10
19535	- Traffic Separation Lane Lighted Buoy CA	48 45 18 N 122 46 31 W	FI Y 2.5s		6	Yellow.	RACON: M (- -).
	*						3/10
Fisherman Bay							
19560	- SECTOR LIGHT	48 31 31 N 122 55 08 W	FI W 4s	15	R 6	NR on pile structure.	Red sector from 150° to 076°.
							* 3/10
19625	- MARINA ENTRANCE LIGHT 1	48 32 24 N 123 00 52 W	FI R 2.5s	8	3	TR on pile.	Displays Q Y during seaplane operations.
	*						3/10
San Juan Channel							
19630	Reid Rock Lighted Junction Buoy DR	48 32 56 N 122 59 22 W	FI (2)W 5s		5	Black and red bands.	Rock has depth of 2 1/4 fathoms over it.
	*						3/10
19780	TOM POINT LIGHT (C)	48 39 44 N 123 16 26 W	FI W 4s (G Sector)	21	G 6	White circular tower with green band at top.	Green from 171° to 181°. Ra ref.
						*	3/10
19810	Saturna Island Light (C)	48 46 59 N 123 02 45 W	FI W 15s (NIGHT) (R sector) F R (NIGHT)	121	W 17 R 8	On red skeleton tower.	White light visible from 149° to 060°; red light visible from 156° to 211.5°. Emergency light. Aid maintained by CA.
	*						3/10
19825	PATOS ISLAND LIGHT	48 47 20 N 122 58 17 W	FI W 6s	52	R 6 R 6	White square tower on fog signal house. 38	Red from 011.5° to 059.5°, covers 6 fathom shoal. Red from 097° to 114°, covers Rosenfeld Rock. HORN: 1 blast ev 30s (3s bl).
						*	3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19870	<i>Alden Bank Lighted Junction Bell Buoy B</i>	48 47 03 N 122 48 57 W	FI (2+1) R 6s		3	Red and green bands.	
	*						3/10
19892	PHILLIPS 66 PIER SOUND SIGNAL	48 49 29 N 122 43 10 W				On pier.	HORN: 1 blast ev 30s (3s bl). Private aid.
	*						3/10
19910	<i>Alden Bank Lighted Junction Gong Buoy A</i>	48 50 23 N 122 52 14 W	FI (2+1) R 6s		3	Red and green bands.	
	*						3/10
20370	Active Pass Light (C)	48 52 24 N 123 17 24 W	FI W 10s	57	17	White circular tower. 35	Emergency light.
			*		*		3/10
20395	PREEDY HARBOR LIGHT (C)	48 58 06 N 123 41 00 W	Q R	17	6	White circular tower with red band at top.	Ra ref.
					*		3/10
20410	GRAPPLER ROCK LIGHT (C)	48 56 24 N 123 36 06 W	FI R 4s	20	6	White circular tower, red band at top.	
					*		3/10
20420	WALKER ROCK LIGHT (C)	48 55 24 N 123 29 36 W	FI (3) W 12s 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 6.5s ec.	24	G 7 R 7 W 7	White circular tower.	Ra ref.
			(G, W & R Sectors)	23			Green sector 082° to 088°, white sector 088° to 092°, red sector 092° to 099°.
			*		*		3/10
20450	DANGER REEFS LIGHT (C)	49 03 18 N 123 42 54 W	Q W	22	5	White circular tower.	When passing southward, ships should be given a berth of at least one half mile. Ra ref. When passing southward, lights should be given a berth of at least one half mile. Ra ref.
							*
							3/10
20480	Sand Heads Light (C)	49 06 24 N 123 18 12 W	F FI R 5s	52	16	Fluorescent orange square tower on white rectangular building.	Emergency light.
					*		3/10
20515	CAPE ROGER CURTIS LIGHT (C)	49 20 24 N 123 26 00 W	FI (3) W 12s 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 6.5s ec.	36	5	White circular tower.	
			*		*		3/10
20520	POPHAM ISLAND LIGHT (C)	49 21 48 N 123 29 30 W	FI R 4s	41	4	White tower with red band at top.	
					*		3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
20525	THRASHER ROCK LIGHT (C)	49 09 00 N 123 38 24 W	FI (3) W 12s 0.5s fl 2s ec. 0.5s fl 2s ec. 0.5s fl 6.5s ec.	36	7	White circular tower with green band at top.	RACON: X (- • • -). Ra Ref.
						*	3/10
20535	TUGBOAT ISLAND LIGHT (C)	49 08 54 N 123 41 00 W	FI W 4s	20	5	White circular tower.	
						*	3/10
Chatham Sound							
21770	Lucy Islands Light (C)	54 17 45 N 130 36 32 W	FI R 6s	71	14	White octagonal tower.	Visible from 094.5° to 351.5°. Emergency light.
						*	3/10
21775	<i>Tugwell Reef Lighted Bell Buoy D61</i> (C)	54 18 41 N 130 30 17 W	FI G			Green.	
						*	3/10
21790	<i>Hodgson Reefs Lighted Whistle Buoy D84</i> (C)	54 23 10 N 130 32 35 W	FI R			Red.	
						*	3/10
21810	BIRNIE ISLAND LIGHT (C)	54 35 24 N 130 27 49 W	FI W 4s	28		White mast.	
						*	3/10
21815	POINTER ROCKS LIGHT (C)	54 36 18 N 130 32 15 W	FI W 6s	21		White circular tower.	
						*	3/10
Keauhou Bay							
28165	- ENTRANCE DIRECTIONAL LIGHT	19 33 44 N 155 57 43 W	Q W (R & G sectors)	25	G 5 R 5 W 7	On post.	White 1° each side of channel centerline (bearing 069°). Red when right of white beam (068°-064°). Green when left of white beam (070°-074°) when entering from seaward.
						*	3/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.