

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28575	- Aquaculture Buoy NW	40 57 44 N 72 25 33 W				Yellow sphere.	Maintained from Mar. 1 to Dec. 15. Private aid.
		*					5/10
28580	- Aquaculture Buoy C	40 57 40 N 72 25 29 W				Yellow sphere.	Maintained from Mar. 1 to Dec. 15. Private aid.
		*					5/10
28585	- Aquaculture Buoy SW	40 57 37 N 72 25 32 W				Yellow sphere.	Maintained from Mar. 1 to Dec. 15. Private aid.
		*					5/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3720	TACONY RANGE FRONT LIGHT	40 01 32 N 74 59 54 W	Q W (NIGHT) Q W (DAY)	20 23		On white skeleton tower on small white house.	Lighted throughout 24 hours. DAY: Visible 5.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
			*	*		*	5/10
3725	TACONY RANGE REAR LIGHT 230 yards, 070° from front light.	40 01 35 N 74 59 46 W	Iso W 6s (NIGHT) Iso W 6s (DAY)	43 40		On white skeleton tower on white house.	Lighted throughout 24 hours. DAY: Visible 10° either side of rangeline. NIGHT: Visible all around higher intensity 10° either side of rangeline.
			*	*		*	5/10
Torresdale							
3740	- LOWER RANGE FRONT LIGHT	40 01 07 N 75 00 49 W	Q W (NIGHT) Q W (DAY)	23 26		Skeleton tower.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
			*	*		*	5/10
3745	- LOWER RANGE REAR LIGHT 569 yards, 222.28° from front light.	40 00 54 N 75 01 04 W	Oc W 4s (NIGHT) Oc W 4s (DAY)	45 42		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline. NIGHT: Visible 10° either side of rangeline.
			*	*		*	5/10
4115	KINKORA LOWER RANGE REAR LIGHT 120 yards, 230.3° from front light.		Oc W 4s (NIGHT) Oc W 4s (DAY)	40 37		Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 5.5° either side of rangeline. NIGHT: Visible 14° either side of rangeline.
			*	*		*	5/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*4115.1	KINKORA LOWER RANGE REAR PASSING LIGHT	40 07 06 N 74 47 11 W	FI W 4s	15	4	On same structure as Kinkora Lower Range Rear Light.	Located on corner of platform. 5/10
11380	- ENTRANCE LIGHT 3	37 00 45 N 76 32 20 W	FI G 2.5s	15	3	SG on pile.	
		*					5/10
11425	JONES CREEK LIGHT 4	36 59 55 N 76 34 11 W	FI R 4s	15	3	TR on pile.	
		*					5/10
11615	- Daybeacon 4	37 03 04 N 76 38 29 W				TR on pile.	
		*					5/10
11630	- Daybeacon 7	37 04 00 N 76 39 28 W				SG on pile.	
		*					5/10
11640	- Daybeacon 10	37 05 23 N 76 38 32 W				TR on pile.	
		*					5/10
12325	- CHANNEL LIGHT 76A	37 16 18 N 77 04 24 W	FI R 4s	15	4	TR on multi-pile structure.	Ra ref.
		*					5/10
12340	- LIGHT 77B	37 16 35 N 77 05 03 W	FI G 4s	15	4	SG on pile.	
		*					5/10
Appomattox River							
12535	APPOMATTOX RIVER JUNCTION LIGHT AR	37 19 19 N 77 16 43 W	FI (2+1) G 6s	19	3	JG on pile.	
		*					5/10
*15113	Rappahannock River Mooring Buoy PG	37 37 29 N 76 23 37 W				White with blue band; can.	Private aid. 5/10
21223	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P1						<i>Remove from list.</i> *
							5/10
21223.01	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P4						<i>Remove from list.</i> *
							5/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
21223.02	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P7						<i>Remove from list.</i>
							* 5/10
21223.03	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P13						<i>Remove from list.</i>
							* 5/10
21223.04	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P18						<i>Remove from list.</i>
							* 5/10
21223.05	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P20						<i>Remove from list.</i>
							* 5/10
21223.06	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P22						<i>Remove from list.</i>
							* 5/10
21223.07	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P26						<i>Remove from list.</i>
							* 5/10
21223.08	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P30						<i>Remove from list.</i>
							* 5/10
21223.09	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P36						<i>Remove from list.</i>
							* 5/10
21223.1	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P42						<i>Remove from list.</i>
							* 5/10
21223.11	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P45						<i>Remove from list.</i>
							* 5/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
21223.12	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P47						<i>Remove from list.</i>
							* 5/10
21223.13	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P51						<i>Remove from list.</i>
							* 5/10
21223.14	MASONVILLE CONSTRUCTION AREA TURBIDITY FENCE LIGHT P54						<i>Remove from list.</i>
							* 5/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1006.2	- Buoy B	24 33 59 N 81 22 57 W				Yellow can.	Private aid.
		*					5/10
1006.4	- Buoy C	24 33 51 N 81 23 36 W				Yellow can.	Private aid.
		*					5/10
1006.6	- Buoy D	24 34 14 N 81 23 41 W				Yellow can.	Private aid.
		*					5/10
1023.2	- Buoy B	24 29 33 N 81 39 22 W				Yellow can.	Private aid.
		*					5/10
1958	Coast Guard Mooring Buoy WB	33 13 54 N 79 11 30 W					White can with Blue Strip Labeled CG.
	*						5/10
2795	- UPPER RANGE FRONT LIGHT	32 50 54 N 79 55 42 W	Q W	21		Skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
						*	* 5/10
2800	- UPPER RANGE REAR LIGHT 103 yards, 113° from front light.		Iso W 6s	43		Skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
						*	* 5/10
6727	Coast Guard Mooring Buoy SM	30 42 58 N 81 28 49 W					White can with Blue Strip Labeled CG.
	*						5/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6880 37785	- LOWER RANGE C FRONT LIGHT	30 43 18 N 81 29 12 W	Q R	15	5	KRW-I on dolphin.	Visible 1.5° each side of rangeline. Passing light displays FI G 4s, at a height of 12 ft, nominal range is 4M, visible from 212° to 159°.
			*				* 5/10
6885 37790	- LOWER RANGE C REAR LIGHT 463 yards, 184° from front light.		Iso R 6s	31		KRW on dolphin.	Visible 1.5° each side of rangeline.
							* 5/10
7985	FORRESTER POINT LIGHT 42	29 42 30 N 81 37 54 W	FI R 4s	16	3	TR on pile.	
						*	* 5/10
10380 47500	COAST GUARD STATION BREAKWATER LIGHT PE	26 05 22 N 80 06 48 W	FI W 2.5s	5	3	On breakwater.	
	*						5/10
22753	TAMPA BAY CUT E CHANNEL OUTBOUND RANGE REAR PASSING LIGHTS	27 42 12 N 82 32 32 W	FI W 6s	16	5	On same structure as Cut E Outbound Range Rear Light.	Passing light visible all around. Located on NW and NE corners of lower platform.
						*	5/10
Cut F Channel							
22795	TAMPA BAY CUT F CHANNEL OUTBOUND RANGE FRONT LIGHT	27 44 27 N 82 31 22 W	FI G 2.5s (Day/Night) FI W 2.5s (Passing)	16	5	On same structure as Cut D Inbound Range Front Light.	Day range visible .5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around.
						*	5/10
22803	TAMPA BAY CUT F CHANNEL OUTBOUND RANGE REAR PASSING LIGHTS	27 43 58 N 82 31 21 W	FI W 4s	16	5	On same structure as Cut F Outbound Range Rear Light.	Passing light visible all around. NW & NE corner of the lower platform.
						*	5/10
22810.5	TAMPA BAY CUT F CHANNEL INBOUND RANGE FRONT LIGHT PASSING LIGHT	27 47 44 N 82 31 24 W	Q W	12	5	On same structure as Cut F Channel Inbound Range Front Light.	
						*	5/10
22815.2	TAMPA BAY CUT F INBOUND RANGE REAR PASSING LIGHT	27 48 30 N 82 31 25 W	FI W 4s	16	5	On same structure as Cut F Channel Inbound Range Rear Light.	
		*				*	5/10
24997	COAST GUARD STATION BREAKWATER LIGHT SP	27 45 38 N 82 37 37 W	FI W 2.5s	16	5	NB on structure.	
	*						5/10
33420	ST NICHOLAS POINT CHANNEL LIGHT 8	19 54 45 N 75 12 11 W	FI R 6s	12	4	TR on pile.	
					*		5/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
37785 6880	- LOWER RANGE C FRONT LIGHT	30 43 18 N 81 29 12 W	QR FIG 4s	15		KRW-I on dolphin.	Visible 1.5° each side of rangeline. Passing light displays FL G 4s, at a height of 12ft, nominal range is 4M, visible from 212° to 159°.
							* 5/10
37790 6885	- LOWER RANGE C REAR LIGHT 463 yards, 184° from front light		Iso R 6s	31		KRW on dolphin.	Visible 1.5° each side of rangeline.
							* 5/10
47500 10380	COAST GUARD STATION BREAKWATER LIGHT PE	26 05 22 N 80 06 48 W	FI W 2.5s	5	3	On breakwater.	
	*						5/10
48940	- Daybeacon 6	25 43 09 N 80 13 15 W				TR on pile.	
		*					5/10
50425	- Daybeacon 52A	25 07 15 N 80 26 46 W				TR-TY on pile.	
		*					5/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1165 22570	<i>Galveston Bay Entrance Lighted Buoy GA</i> <i>Buoy GA</i>	29 09 29 N 94 25 54 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
	*		*		*		* 5/10
1167.7 22592	<i>Galveston Bay Entrance Lighted Buoy GB</i>	29 14 44 N 94 32 41 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	
			*		*		* 5/10
3790	<i>Entrance Lighted Buoy 8</i>	30 23 24 N 86 30 45 W	FI R 2.5s			Red nun.	
	*			*	*	*	* 5/10
6292	- <i>Lighted Buoy WR17A</i>						<i>Remove from list.</i>
							* 5/10
18340	- Daybeacon 14	29 36 23 N 91 08 44 W				TR on pile.	Ra ref.
		*					5/10
*20033	ROCKEFELLER REFUGE BREAKWATER DANGER LIGHT A	29 38 24 N 92 47 09 W	FI W 2.5s			NW on pile.	Private aid.
							5/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*20033.1	ROCKEFELLER REFUGE BREAKWATER DANGER LIGHT B	29 38 12 N 92 46 42 W	FI W 2.5s			NW on pile.	Private aid.
							5/10
*20033.2	ROCKEFELLER REFUGE BREAKWATER DANGER LIGHT C	29 38 42 N 92 47 43 W	FI W 2.5s			NW on pile.	Private aid.
							5/10
*20033.3	ROCKEFELLER REFUGE BREAKWATER DANGER LIGHT D	29 37 47 N 92 47 06 W	FI W 2.5s			NW on pile.	Private aid.
							5/10
21901	- LIGHT 62A						<i>Remove from list.</i>
							*
							5/10
22592 1167.7	<i>Galveston Bay Entrance Lighted Buoy GB</i>	29 14 44 N 94 32 41 W	Mo (A) W			6 Red and white stripes with red spherical topmark.	
			*		*		*
							5/10
22655	- Entrance Channel Lighted Bell Buoy 8 150 feet outside channel limit.		QR			3 Red.	
						*	5/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*1.1	-Scripps Waverider Lighted Research Buoy 191	32 31 49 N 117 25 52 W	FI(5)Y 20s			Yellow sphere with whip antenna.	In Mexican waters. Private aid.
							5/10
2052.2	SAN DIEGO BAY SPEED CONTROL LIGHT B	32 38 30 N 117 07 46 W	FI R 4s	11		White sign with orange border on pile.	Private aid.
			*				5/10
4926	PIER 94/96 SOUTH CHANNEL RANGE FRONT LIGHT	37 44 32 N 122 22 15 W	Iso Y 6s	52		KRW on post.	Private aid.
		*					5/10
7090	- LIGHT 33	37 59 41 N 121 24 47 W	FI G 4s	20	4	SG on pile.	
		*					5/10
7155	- LIGHT 45	37 57 27 N 121 21 15 W	FI G 4s	15	4	SG on pile.	
		*					5/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7225	- LIGHT 13	38 04 41 N 121 46 02 W	FI G 2.5s	15	3	SG on pile.	Ra ref.
		*					5/10
16337	<i>NOAA Lighted Buoy 46088</i>	48 20 00 N 123 10 00 W	FI (4)Y 20s		4	Yellow disc-shaped buoy.	Aid maintained by National Oceanic and Atmospheric Administration.
			*				5/10
*17983	Liberty Bay Research Lighted Buoy	47 43 47 N 122 38 45 W	FI Y 4s			Yellow	Private aid.
							5/10
18540	NAVSTA PIER LIGHT A	47 59 29 N 122 13 27 W	F R			On southwest corner of pier.	Navy maintained.
						*	5/10
18541	NAVSTA PIER LIGHT B	47 59 41 N 122 13 25 W	F R			On northwest corner of pier.	Navy maintained.
						*	5/10
19457	<i>Rosario Strait Lighted Buoy 11</i>	48 33 19 N 122 45 44 W	FI G 2.5s		3	Green.	
						*	5/10
San Juan Channel							
19630	<i>Reid Rock Lighted Isolated Danger Buoy DR</i>	48 32 56 N 122 59 22 W	FI (2)W 5s		4	Black and red bands with two spherical topmarks.	Rock has depth of 2 1/4 fathoms over it.
					*	*	5/10
22985	BLIND POINT RANGE REAR LIGHT 281.53 yards, 050.4° from front light.	56 38 40 N 132 55 13 W	F Y	31		KRW on steel pile structure.	Visible 4° each side of rangeline.
							5/10
23390	<i>Calder Rocks Lighted Whistle Buoy 6</i>	56 15 36 N 133 43 23 W	FI R 4s		5	Red.	
							5/10
25120	- CHANNEL RANGE FRONT LIGHT	57 15 11 N 135 34 05 W	Q W	24		KRW on pile.	Visible all around.
							5/10
27542	- RANGE FRONT LIGHT	51 51 09 N 176 39 15 W	Q G	31		KRW on pile structure.	
			*				5/10
27543	- RANGE REAR LIGHT 475 yards, 253° from front light.	51 51 05 N 176 39 38 W	Oc G 4s	91		KRW on pile.	
			*				5/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *South Coast of O'ahu (chart 19362)							
29670	MAH Mooring Buoy	21 19 59 N 158 11 13 W					White with blue band. Private aid.
	*	*	*	*		*	*

5/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.