

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*368	<i>Neptune LNG Deepwater Port Lighted Buoy North A1</i>	42 29 14 N 70 36 33 W	Q Y				Marks floating messenger line. KEEP CLEAR. Private aid. 9/10
*368.1	<i>Neptune LNG Deepwater Port Lighted Buoy North A2</i>	42 29 14 N 70 36 33 W	Q Y				Marks floating messenger line. KEEP CLEAR. Private aid. 9/10
7620	SPRING POINT PIER LIGHT	43 39 19 N 70 13 41 W	F W	26		On pile.	Private aid. 9/10
			*				9/10
7700	STATE PIER LIGHT	43 39 21 N 70 14 45 W	F Y				Private aid. 9/10
		*					9/10
7750	- Buoy 3	43 38 47 N 70 15 11 W				Green can.	Maintained from Apr. 1 to 06/ 10 Oct. 30. Private aid. * 9/10
		*					9/10
13261.3	WHOI TSS Research Lighted Buoy AB-21	42 01 15 N 70 18 17 W				Yellow.	Right Whale monitoring. Private aid. 9/10
		*					9/10
17650.1	Tiverton Basin Speed Buoy A	41 37 34 N 71 12 57 W				White and orange.	Private aid. 9/10
	*						9/10
17654	Tiverton Basin Speed Buoy B	41 38 17 N 71 12 56 W					Private aid. 9/10
	*						9/10
17666.1	Third Beach No Wake Buoy B	41 29 25 N 71 15 24 W				White and orange can.	Private aid. 9/10
	*						9/10
17821.1	- Newport Harbor Speed Buoy A					White and orange can.	Private aid. 9/10
	*						9/10
17821.2	- Newport Harbor Speed Buoy B					White and orange can.	Private aid. 9/10
	*						9/10
17821.3	- Speed Buoy C					White and orange can.	Private aid. 9/10
	*						9/10
17821.4	- Speed Buoy D					White and orange can.	Private aid. 9/10
	*						9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17821.5	- Speed Buoy E					White and orange can.	Private aid.
	*						9/10
17831.1	Newport Harbor Speed Buoy F	41 28 46 N 71 20 01 W				White and orange.	Private aid.
	*						9/10
17842	Newport Harbor Speed Buoy G	41 28 38 N 71 19 24 W				White and orange.	Private aid.
	*						9/10
17842.1	Newport Harbor Speed Buoy H					White and orange.	Private aid.
	*						9/10
17842.2	Newport Harbor Speed Buoy I	41 28 14 N 71 20 10 W				White and orange.	Private aid.
	*						9/10
18191	- No Wake Buoy A					White and orange can.	Private aid.
	*						9/10
18192	- No Wake Buoy B					White and orange can.	Private aid.
	*						9/10
18193	- No Wake Buoy C					White and orange can.	Private aid.
	*						9/10
18731	- No Wake Buoy A					White and orange can.	Private aid.
	*						9/10
18732	- No Wake Buoy B					White and orange can.	Private aid.
	*						9/10
18733	- No Wake Buoy C					White and orange can.	Private aid.
	*						9/10
18734	- No Wake Buoy D					White and orange can.	Private aid.
	*						9/10
18736	- No Wake Buoy E					White and orange can.	Private aid.
	*						9/10
18988	- Speed Buoy A					White and orange can.	Private aid.
	*						9/10
18989	- Speed Buoy B					White and orange can.	Private aid.
	*						9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19078	- Speed Buoy A					White and orange.	Private aid.
	*						9/10
19079	- Speed Buoy B					White and orange.	Private aid.
	*						9/10
19128	Head's Beach Speed Buoy A	41 32 17 N 71 23 15 W				White and orange.	Private aid.
	*						9/10
19136	- Wickford Harbor Breakwater Speed Buoy	41 34 23 N 71 26 17 W				White and orange.	Maintained from May 30 to Sep. 30. Private aid.
	*						9/10
19144	- Wickford Harbor Entrance Speed Buoy	41 34 27 N 71 26 17 W				White and orange can.	Maintained from May 30 to Sep. 30. Private aid.
	*						9/10
19151	- Wickford Harbor Speed Buoy	41 34 26 N 71 26 37 W				White and orange can.	Maintained from May 30 to Sep. 30. Private aid.
	*						9/10
19357	- Speed Buoy A					White and orange can.	Private aid.
	*						9/10
19358	- Speed Buoy B					White and orange can.	Private aid.
	*						9/10
19391	- Brushneck Cove Speed Buoy A					White and orange can.	Private aid.
	*						9/10
19411	- Greenwich Cove Speed Buoy A					White and orange can.	Private aid.
	*						9/10
19412	- Greenwich Cove Speed Buoy B					White and orange can.	Private aid.
	*						9/10
19413	- Greenwich Cove Speed Buoy C					White and orange can.	Private aid.
	*						9/10
19429	- Speed Buoy A					White and orange can.	Private aid.
	*						9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19431	- Speed Buoy B	41 41 06 N 71 26 54 W				White and orange can.	Private aid.
	*						9/10
19432	- Speed Buoy C					White and orange can.	Private aid.
	*						9/10
19433	- Speed Buoy D					White and orange can.	Private aid.
	*						9/10
19434	- Speed Buoy E					White and orange can.	Private aid.
	*						9/10
19437	- Speed Buoy F					White and orange can.	Private aid.
	*						9/10
19438	- Speed Buoy G					White and orange can.	Private aid.
	*						9/10
19439	- Speed Buoy H					White and orange can.	Private aid.
	*						9/10
19439.1	- Speed Buoy I					White and orange can.	Private aid.
	*						9/10
*21743	AVERY POINT LIGHT	41 18 55 N 72 03 49 W	FI G 4s				Private aid.
							9/10
*27671	<i>Plum Island Aquaculture Lighted Buoy A</i>	41 10 25 N 72 11 09 W	FI W 6s				Private aid.
							9/10
*27671.1	<i>Plum Island Aquaculture Lighted Buoy B</i>	41 10 15 N 72 11 09 W	FI W 6s				Private aid.
							9/10
*27671.2	<i>Plum Island Aquaculture Lighted Buoy C</i>	41 10 15 N 72 10 57 W	FI W 6s				Private aid.
							9/10
*27671.3	<i>Plum Island Aquaculture Lighted Buoy D</i>	41 10 25 N 72 10 57 W	FI W 6s				Private aid.
							9/10
29038	Shinnecock Inlet Entrance Buoy 1	40 49 53 N 72 28 38 W				Green can.	
	*						9/10
29039	Shinnecock Inlet Entrance Lighted Buoy 2	40 49 54 N 72 28 27 W	QR		3	Red.	
	*						9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
37103	<i>Bayonne Terminal Channel Lighted Buoy 2</i>	40 39 38 N 74 03 24 W	FI R 4s		3	Red	
		*					9/10
37105	<i>Bayonne Terminal Channel Lighted Bell Buoy 4</i>	40 39 44 N 74 03 39 W	FI R 4s		3	Red.	
		*					9/10
39565	<i>Colchester Shoal Lighted Buoy 35</i> At northwest point of shoal.		FI G 2.5s		3	Green.	Maintained from May 1 to Nov. 1.
					*		9/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3720	TACONY RANGE FRONT LIGHT	40 01 28 N 75 00 11 W	Q W (NIGHT) Q W (DAY)	20 23		On white skeleton tower on small white house.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.
							* 9/10
3745	- LOWER RANGE REAR LIGHT 569 yards, 222.3° from front light.	40 00 54 N 75 01 04 W	Oc W 4s (NIGHT) Oc W 4s (DAY)	45 42		On skeleton tower.	Lighted throughout 24 hours. DAY: Visible 4° either side of rangeline. NIGHT: Visible 10° either side of rangeline.
	*						9/10
7325	STINGRAY POINT LIGHT	37 33 41 N 76 16 12 W	FI W 4s	34	9	NG on skeleton tower on monopile.	
		*					9/10
9400	- WARNING LIGHT	36 59 26 N 76 20 23 W	FI W 4s	15	5	NW on pile worded DANGER OBSTRUCTION.	
		*					9/10
11450	- Channel Daybeacon 18	36 59 50 N 76 36 59 W				TR on pile.	
		*					9/10
11460	- Channel Daybeacon 21	36 59 17 N 76 37 12 W				SG on pile.	
		*					9/10
12570	Sunken Island Junction Daybeacon SI	37 18 56 N 77 20 19 W				JR on pile.	
		*					9/10
12580	- Channel Daybeacon 10	37 18 41 N 77 21 09 W				TR on pile.	
		*					9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12595	- Channel Daybeacon 17	37 17 13 N 77 21 21 W				SG on pile.	
		*					9/10
30017	- Buoy 6A	34 20 27 N 77 40 10 W				Red nun.	
		*					9/10
30025	- Buoy 8	34 20 36 N 77 40 12 W				Red nun.	
		*					9/10
30280	- Buoy 4	34 04 54 N 77 51 55 W				Red nun.	
		*					9/10
30285	- Buoy 5	34 04 52 N 77 52 11 W				Green can.	
		*					9/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1430	REDINGTON SHORES FISHING PIER LIGHTS (2)	27 49 24 N 82 49 54 W	F R	12		On pier.	Private aid.
			*				9/10
3145	BACK RIVER WATER INTAKE STRUCTURE OBSTRUCTION LIGHT	32 58 06 N 79 56 06 W	Q W	16		NW on intake structure; worded DANGER WATER INTAKE.	Private aid.
			*				9/10
3865	- Lighted Buoy 6	32 31 39 N 80 08 04 W	F I R 4s		3	Red.	
		*					9/10
3880	- Inner Buoy 7	32 32 17 N 80 09 22 W				Green can.	Ra ref.
		*					9/10
4380	- LIGHT 2		Q R	15		TR on pile.	Private aid.
			*				9/10
6235	BRUNSWICK POINT CUT RANGE REAR LIGHT 608 yards, 113.3° from front light.		Iso W 6s	48		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours. Lighted throughout 24 hours.
							* 9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6240	TURTLE RIVER LOWER RANGE FRONT LIGHT	31 07 54 N 81 31 42 W	Q W	15		On dolphin.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
			*			*	9/10
6245	TURTLE RIVER LOWER RANGE REAR LIGHT 513 yards, 293.1° from front light.		Iso W 6s	37		On skeleton tower on piles. On same structure as Upper Range Rear Light.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
						*	9/10
10560	MIAMI BEACH MARINA PIER OBSTRUCTION LIGHT	25 46 06 N 80 08 18 W	Q W	12		On pile.	Private aid.
			*				9/10
10565	MIAMI BEACH MARINA BREAKWATER SOUTH LIGHT		Q W	12		On pile.	Private aid.
			*				9/10
10570	MIAMI BEACH MARINA BREAKWATER NORTH LIGHT		Q W	12		On pile.	Private aid.
			*				9/10
16905	- ENTRANCE LIGHT C	25 54 08 N 81 44 18 W	Mo (A) W	8		NR on pile.	Private aid.
			*				9/10
23805	- RANGE FRONT LIGHT	27 51 42 N 82 35 12 W	Q R	25		KRW on tower.	Private aid.
			*				9/10
23810	- RANGE REAR LIGHT 825 yards, 337° from front light.		Iso R 6s	46		KRW on tower.	Private aid.
			*				9/10
31840	- Articulated Light 5		Q G			On mast.	Private aid.
			*				9/10
34885	- Daybeacon 85	32 41 46 N 80 13 08 W				SG-SY on pile.	
		*					9/10
36360	FORT MCALLISTER FISHING PIER LIGHT	31 53 18 N 81 12 18 W	F R	7		On pier.	Private aid.
			*				9/10
Harbour Island Marina							
47620	- LIGHT 1	26 00 12 N 80 07 12 W	Q G	14		SG on pile.	Private aid.
			*				9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
47630	- LIGHT 5		Q G			SG on pile.	Private aid.
			*				9/10
47635	GOLDEN GATES MARINA NORTH OBSTRUCTION LIGHT	25 57 24 N 80 07 30 W	FI W 4s	14		NG on pile.	Private aid.
			*				9/10
47823	- Buoy 6B	25 54 07 N 80 07 53 W				Red nun.	
		*					9/10
48600	MIAMI SEAQUARIUM INTAKE PIPE OBSTRUCTION LIGHT	25 43 48 N 80 10 06 W	Q R	8		NW on pile worded DANGER SUBMERGED PIPELINE.	Private aid.
			*				9/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
500 15320	<i>Barataria Pass Lighted Whistle Buoy BP</i>						<i>Remove from list.</i>
							* 9/10
651.5	<i>Furgo Metocean Lighted Buoy</i>	26 40 07 N 90 28 08 W	FI Y 2.5s			Yellow lighted data buoy.	SIGN: FURGO-WR-250. Private aid.
		*					9/10
815 17895	<i>Atchafalaya Channel Entrance Lighted Bell Buoy A</i>						<i>Remove from list.</i>
							* 9/10
*830.01	<i>Castex-100-1 Lighted Buoy</i>	28 35 28 N 91 47 46 W	FI W 2.5s			White orange bands.	SIGN: CASTEX-EI-224-7 Private aid.
							9/10
3336	- <i>West Lighted Buoy 8</i>	30 09 40 N 85 42 36 W	FI R 4s		3	Red with yellow triangle.	
					*		9/10
3341	- <i>West Lighted Buoy 10</i>	30 10 10 N 85 43 01 W	FI R 4s		3	Red with yellow triangle.	
					*		9/10
10380	- Daybeacon 6						<i>Remove from list.</i>
							* 9/10
17455	- Daybeacon 10	29 10 49 N 90 56 07 W				TR on pile.	Ra ref.
		*					9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17685	GRAND PASS LIGHT 2						<i>Remove from list.</i>
							* 9/10
29781 3336	- West Lighted Buoy 8	30 09 40 N 85 42 36 W	FI R 4s		3	Red with yellow triangle.	
						*	9/10
33445	Bayou Cocodrie Daybeacon 2	29 37 21 N 91 03 08 W				TR-TY on pile.	Ra ref.
		*					9/10
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
85	<i>Scripps Offshore CCE-1 Research Buoy</i>	33 29 00 N 122 32 00 W	FI Y 4s			Yellow disk with skeleton tower.	Private aid.
	*					*	9/10
*199	<i>Scripps SB Channel CCE-2 Research Buoy</i>	34 19 28 N 120 48 55 W	FI (2) W 4s			White and orange striped disc-shaped buoy with aluminum tower.	Private aid.
							9/10
San Francisco Bay							
5400	- North Channel Lighted Buoy 4	37 50 48 N 122 23 48 W	FI R 2.5s		4	Red.	HORN: 1 blast ev 10s (1s bl). Operates continuously.
			*				9/10
5505	- North Channel Lighted Buoy 12	37 54 48 N 122 26 42 W	FI R 2.5s		4	Red.	
			*				9/10
6280	AMORCO WHARF LIGHTS (2)	38 02 06 N 122 07 30 W	F R	26		On posts above dolphins.	Private aids. BELL: 2 strokes ev 15s.
				*		*	9/10
*6281	AMORCO WHARF EAST LIGHTS	38 02 09 N 122 07 20 W	F R	26		On post above dolphins.	Private aid.
							9/10
6965	- RANGE C FRONT LIGHT	38 02 42 N 121 30 09 W	Q W	20		KRW on pile.	Visible all around; higher intensity on rangeline.
		*					9/10
8000	- Channel Daybeacon 48	38 19 34 N 123 02 34 W				TR on pile.	
		*					9/10
8485	- Lighted Danger Buoy Q	39 00 50 N 119 57 33 W	FI W 4s		3	White with orange bands.	
						*	9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16287	-Port Angeles Research Light Buoy	48 07 23 N 123 23 42 W	Q Y			Yellow	Navy maintained Private aid.
		*					9/10
16765	Meadow Point Lighted Buoy 1	47 41 47 N 122 24 35 W	FIG 4s		4	Green.	
					*		9/10
17255	Steilacoom North Mooring Buoy						Remove from list.
							*
							9/10
17735	Port Gamble Range Front Daybeacon	47 52 46 N 122 34 38 W				KRB on skeleton tower.	
	*	*	*	*			*
							9/10
17740	Port Gamble Range Rear Daybeacon 300 yards, 001° from front daybeacon.	47 52 55 N 122 34 38 W		40		KRB on skeleton tower.	
	*		*				*
							9/10
17743	PORT GAMBLE LIGHT 1						Remove from list.
							*
							9/10
*17744	Port Gamble Lighted Buoy 2	47 51 49 N 122 34 42 W	FIR 2.5s		3	Red.	
							9/10
*17747	Port Gamble Lighted Buoy 4	47 51 32 N 122 34 42 W	FIR 4s		3	Red.	
							9/10
17750	PORT GAMBLE LIGHT 5	47 51 33 N 122 34 36 W	FIG 6s	18	5	SG on dolphin.	
	*						9/10
29095	- Entrance Lighted Buoy 2	21 16 34 N 157 50 46 W	FIR 2.5s		4	Red.	
					*		9/10
*29574	Honouliuli Buoy B1	21 17 01 N 158 01 24 W					Private aid.
							9/10
*29575	Honouliuli Buoy D1	21 16 39 N 158 01 32 W					Private aid.
							9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
155	<i>St. Lawrence Seaway Lighted Buoy 26</i>	44 59 10 N 74 47 37 W	FI R 4s				Aid maintained by S.L.S.D.C.
	*			*		*	* 9/10
4100	Forest City Yacht Club 4	41 31 38 N 81 39 40 W				Red nun.	Private aid.
	*	*					* 9/10
6995	Bar Point Pier Light D33 (C)	42 02 24 N 83 08 04 W	FI G 10s	46 14	10	White square tower.	Light obscured from 090° to 191°.
		*			*		9/10
14370	POINTE AUX PINS MAIN LIGHT (C)	46 27 51 N 84 28 22 W	Iso R 4s	27 8	8	On circular tower with red and white bands. 20	Seasonal.
		*	*		*		9/10
LITTLE GIRLS POINT TO SILVER BAY (Chart 14966)							
15585	CORNUCOPIA EAST PIER LIGHT	46 51 35 N 91 06 17 W	FI G 2.5s	29 9	8	SG on post.	Higher intensity beam lakeward.
		*					9/10
16830	Locke Point Buoy 2	48 11 17 N 88 27 11 W				Red nun.	Maintained from May 28 to Oct. 14.
		*					9/10
16850	<i>NOAA Lighted Weather Buoy 45004</i>	47 35 03 N 86 35 12 W	FI (4) Y 20s			Yellow disc-shaped hull with tripod mast.	Replaced by nun from Nov. 1 to Apr. 1.
		*					9/10
16880	<i>NOAA Lighted Weather Buoy 45001</i>	48 03 45 N 87 47 37 W	FI (4) Y 20s			Yellow disc-shaped hull with tripod mast.	Replaced by nun from Nov. 1 to Apr. 1.
		*					9/10
19910	<i>Clemson Shoal Lighted Bell Buoy 4</i>	41 48 24 N 87 32 05 W	FI R 4s		4	Red.	Replaced by nun from Dec. 14 to Mar. 28.
		*					9/10
20330	- <i>Shoals Lighted Buoy 3</i> Marks northeast side of shoal.	42 21 41 N 87 47 53 W	FI G 2.5s		5	Green.	Can; winter marker. Maintained from Mar. 21 to Dec. 1.
		*					9/10
20610	<i>Wind Point North Shoal Lighted Buoy 14</i> Marks southeast side of shoals.	42 47 34 N 87 43 33 W	FI R 4s		4	Red.	Replaced by nun from Dec. 7 to Mar. 21.
		*					9/10
20775	- SOUTH PROJECTION JETTY LIGHT						<i>Remove from list.</i>
							* 9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
20785	- SOUTH PIER LIGHT						<i>Remove from list.</i>
							* 9/10
21320	- Outer Shoal Buoy 1 Marks east side of shoal.	45 13 58 N 86 55 29 W				Green can.	
							* 9/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
 Denotes a new entry when preceding the station number.