

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*368.2	<i>Neptune LNG Deepwater Port Lighted Buoy South B1</i>	42 27 23 N 70 36 06 W	Q Y				Marks floating messenger line. KEEP OUT. Private aid 10/10
*368.3	<i>Neptune LNG Deepwater Port Lighted Buoy South B2</i>	42 27 23 N 70 36 06 W	Q Y				Marks floating messenger line. KEEP CLEAR. Private aid. 10/10
9310	Plum Island Sound Entrance Buoy 4	42 41 30 N 70 44 44 W				Red nun.	Position frequently shifted with changing conditions. 10/10
		*					
34995	<i>Liberty Island Lighted Gong Buoy 33</i>	40 41 02 N 74 02 25 W	FIG 2.5s		3	Green.	 10/10
						*	

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9160	- <i>Lighted Buoy 26</i>	39 31 07 N 75 52 47 W	FIR 4s		4	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15. 10/10
	*						
11690	- <i>Channel Lighted Buoy 22 25 feet outside channel limit.</i>	37 06 20 N 76 37 37 W	FIR 4s		5	Red.	Replaced by nun when endangered by ice. 10/10
						*	
11895	- <i>Channel Lighted Buoy 27</i>	37 09 57 N 76 38 02 W	FIG 4s		5	Green.	 10/10
						*	
11915	- <i>Channel Lighted Buoy 32 50 feet outside channel limit.</i>		FIR 4s		5	Red.	 10/10
						*	
11935	- <i>Channel Lighted Buoy 39 50 feet outside channel limit.</i>		FIG 2.5s		5	Green.	 10/10
						*	
11950	- <i>Channel Lighted Buoy 42 50 feet outside channel limit.</i>		FIR 4s		5	Red.	 10/10
						*	
12110	- <i>Channel Lighted Buoy 54 375 feet outside channel limit.</i>		FIR 4s		5	Red.	 10/10
						*	

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12205	- Lighted Buoy 59		FIG 4s		5	Green.	
					*		10/10
12275	- Wreck Lighted Buoy WR67	37 14 50 N 76 58 45 W	Q G		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
					*		10/10
12375	- Channel Lighted Buoy 86 120 feet outside channel limit.		FIR 4s		5	Red.	Replaced by nun when endangered by ice.
					*		10/10
12380	- Channel Lighted Buoy 87	37 18 40 N 77 06 04 W	FIG 4s		5	Green.	
					*		10/10
12405	- Channel Lighted Buoy 91		FIG 4s		5	Green.	
					*		10/10
12410	- Channel Lighted Buoy 92	37 18 07 N 77 07 50 W	QR		5	Red.	
					*		10/10
12425	- Channel Lighted Buoy 93	37 18 13 N 77 09 20 W	FIG 4s		5	Green.	
					*		10/10
12430	- Channel Lighted Buoy 94	37 18 17 N 77 09 23 W	FIR 4s		5	Red.	
					*		10/10
12450	- Channel Lighted Buoy 100 100 feet outside channel limit.	37 18 40 N 77 11 22 W	FIR 4s		5	Red.	Replaced by nun when endangered by ice.
					*		10/10
12455	- Channel Lighted Buoy 102 85 feet outside channel limit.	37 19 03 N 77 12 01 W	FIR 4s		5	Red.	
					*		10/10
12465	- Channel Lighted Buoy 104 190 feet outside channel limit.		FIR 4s		5	Red.	
					*		10/10
12475	- Channel Lighted Buoy 106 100 feet outside channel limit.		FIR 4s		5	Red.	Replaced by nun when endangered by ice.
					*		10/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12620	- Channel Lighted Buoy 126	37 20 32 N 77 15 59 W	F I R 4s		5	Red.	
						*	10/10
25430	- LIGHT 4	38 42 09 N 76 09 49 W	F I R 2.5s	15	3	TR on pile.	
		*					10/10
31655	- LIGHT 9AS	35 59 04 N 76 35 19 W	F I G 4s	20	5	SG on multi-pile structure.	Higher intensity beam toward 336°.
		*					10/10
32305	Frisco Daybeacon 8	35 15 29 N 75 37 06 W				TR on pile.	
		*					10/10
37590	- LIGHT 111	36 25 02 N 75 57 08 W	Q G	15	3	SG-SY on pile.	
		*					10/10
37780	- Daybeacon 163	36 12 31 N 75 55 24 W				SG-SY on pile.	
		*					10/10
37810	- LIGHT 170	36 09 24 N 75 53 34 W	F I R 4s	15	4	TR-TY on pile.	
		*					10/10
37880	- LIGHT 20	35 49 30 N 76 01 38 W	F I R 4s	15	3	TR-TY on pile.	
		*					10/10
37980	- LIGHT 46	35 40 33 N 76 04 26 W	Q R	15	4	TR-TY on multi-pile structure.	
		*					10/10
39365	- LIGHT 23	34 30 18 N 77 24 45 W	F I G 4s	15	4	SG-SY on pile.	
		*					10/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
32225	- Buoy 6					Red nun.	
						*	10/10
37249 6230	BRUNSWICK POINT CUT RANGE FRONT LIGHT 2	31 06 00 N 81 26 22 W	Q W F I R 4s	25 14	3	TR-TY on skeleton tower on piles.	Visible 1.5° each side of rangeline. Passing light visible all around. Lightout throughout 24 hours.
		*		*			10/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS - LITTLE RIVER, SOUTH CAROLINA TO ECONFINA RIVER, FLORIDA, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
37265	- Northwest Obstruction Daybeacon	31 06 18 N 81 25 34 W				NW on pile worded DANGER SUBMERGED REEF.	Private aid. 10/10
		*					
37496	- Daybeacon A27	30 56 46 N 81 30 03 W				SG-SY on pile.	 10/10
		*					
50635	- Lighted Buoy 2	27 10 00 N 80 10 49 W	FI R 4s		3	Red.	 10/10
		*					
50640	- Buoy 3	27 09 58 N 80 10 50 W				Green can.	 10/10
		*					
50640.5	- Buoy 3A	27 09 58 N 80 10 58 W				Green can with yellow square.	 10/10
		*					
50645	- Buoy 4	27 09 59 N 80 10 58 W				Red nun with yellow triangle.	 10/10
		*					

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3785	Choctawhatchee Bay Entrance Daybeacon 7	20 23 15 N 86 30 42 W				Green can.	 10/10
	*	*				*	
3905	- Entrance Daybeacon 15	30 24 16 N 86 31 11 W		17	4		 10/10
	*	*	*			*	
3915	- Entrance Light 17	30 24 26 N 86 31 18 W	FI G 2.5s	17	4		Ra ref. 10/10
	*		*	*	*	*	*
3970	- Pensacola Bay Entrance Buoy 7	30 18 38 N 87 18 27 W				Green can.	 10/10
		*					
4175	- RANGE FRONT LIGHT	30 24 26 N 87 11 36 W	FI W 2.5s	18	3	On skeleton tower on piles.	DAY: Visible 2° each side of range line. NIGHT: Visible all around, higher intensity 2° each side of range line. 10/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*5201	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 25 22 N 88 05 53 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.01	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 25 05 N 88 05 54 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.02	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 24 48 N 88 05 55 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.03	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 24 31 N 88 05 58 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.04	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 24 14 N 88 06 00 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.05	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 23 56 N 88 06 03 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.06	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 23 39 N 88 06 03 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.07	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 23 22 N 88 06 03 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.08	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 25 22 N 88 05 35 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*5201.09	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 25 05 N 88 05 31 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.11	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 24 47 N 88 05 29 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.12	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 24 30 N 88 05 27 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.13	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 24 12 N 88 05 25 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.14	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 23 55 N 88 05 27 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.15	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 23 37 N 88 05 30 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.16	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 23 20 N 88 05 33 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
*5201.17	ADCNR Mobile Bay West Oyster Reef Boat Exclusion Daybeacon	30 23 03 N 88 05 36 W				NW on pile. BOAT EXCLUSION AREA.	Maintained by Alabama Department of Conservation and Natural Resources. Private aid. 10/10
7895	- LIGHT 27	30 23 17 N 88 51 22 W	Q G	17	3	SG on dolphin.	Ra ref. 10/10
		*					10/10
10795	- LIGHT 53						<i>Remove from list.</i> * 10/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO - ECONFINA RIVER, FLORIDA TO THE RIO GRANDE, TEXAS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10815	- LIGHT 57						Remove from list. * 10/10
10825	- Jetty Cut Daybeacon 1						Remove from list. * 10/10
10830	- Jetty Cut Daybeacon 2						Remove from list. * 10/10
10835	- Jetty Cut Daybeacon 3						Remove from list. * 10/10
10840	- Jetty Cut Daybeacon 4						Remove from list. * 10/10
13015	<i>Jump Shoal Lighted Buoy 10</i> Mile 9.3, marks western edge of shoal.		FI R 4s		4	Red.	* 10/10
13825	GUY MALLORY LIGHT 114 LDB mile 112.9.	29 58 20 N 90 14 44 W	Iso R 6s		5	TR on skeleton tower on piles.	* 10/10
14570	RESCUE LIGHT 190 LDB mile 188.6.	30 12 58 N 91 04 58 W	Iso R 6s		4	TR on pile.	* 10/10
33720	<i>-Mermantau-Gibbstown Lighted Buoy 1</i>	29 55 45 N 92 57 13 W	Q G		4	Green and yellow square.	* 10/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
198	<i>NOAA Environmental Lighted Buoy EB 46054</i>	34 16 28 N 120 27 34 W	FI (4) Y 20s			Yellow disc-shaped buoy.	* 10/10
275	<i>NOAA Environmental Lighted Buoy EB 46028</i>	35 44 29 N 121 53 03 W	FI (4) Y 20s			Yellow disc-shaped buoy.	* 10/10
*505	<i>Scripps Waverider Lighted Research Buoy 168</i>	40 53 18 N 124 21 24 W	FI(5)Y 20s			Yellow sphere with whip antenna. Private aid.	10/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1720	<i>Navy Lighted Mooring Buoy</i>	32 43 16 N 117 11 22 W	FI W 4s			White with blue band.	Navy Maintained. Private aid.
	*		*			*	10/10
2014	<i>San Diego Bay Wreck Buoy WR32A</i>	32 39 31 N 117 07 38 W	Q R				Private aid.
			*			*	10/10
2025	NATIONAL CITY BERTH LIGHT	32 39 25 N 117 07 21 W	F G	10			Private aid.
	*						10/10
2542	<i>Navy Science Range East Lighted Buoy</i>						<i>Remove from list.</i>
							* 10/10
2543	<i>Navy Science Range West Lighted Buoy</i>						<i>Remove from list.</i>
							* 10/10
3770	<i>- Lighted Buoy 5</i>	34 24 24 N 119 41 08 W	FI G 4s		3	Green can.	Buoys maybe frequently relocated due to changing conditions.
		*					10/10
3855	<i>- Lighted Buoy 4</i>	35 21 45 N 120 52 02 W	FI R 2.5s		3	Red.	Buoys maybe frequently relocated due to changing conditions.
		*					10/10
4625	<i>- RANGE A REAR LIGHT 335 yards, 059° from front light.</i>	37 49 01 N 122 19 30 W	Iso G 6s	35		KRW on white pile.	Visible 4° each side of the rangeline.
	*						10/10
12425	<i>- LIGHT 5</i>	45 45 03 N 120 37 40 W	FI G 4s	27	4	SG on skeleton tower. 15	
		*					10/10
13030	<i>- Daybeacon 42</i>	46 11 28 N 119 01 32 W		15		TR on pile.	Ra ref.
		*					10/10
13765	<i>- LIGHT 15</i>	46 39 00 N 117 46 19 W	FI G 4s	16	4	SG on dolphin.	
		*					10/10
13960	<i>- LIGHT 10</i>	46 34 49 N 117 20 06 W	FI R 2.5s	23	3	TR on platform.	
		*					10/10
14220	<i>- LIGHT B</i>	47 56 49 N 118 12 45 W	FI W 6s	16	5	NR on skeleton tower.	
		*					10/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14225	- LIGHT C	47 53 20 N 118 09 50 W	FI W 2.5s	15	6	NR on pile.	
		*					10/10
14250	- LIGHT 5	47 47 37 N 118 02 52 W	FI W 6s	15	5	SG on skeleton tower.	
		*					10/10
14265	- LIGHT L	47 56 12 N 118 21 43 W	FI W 2.5s	8	5	NR on box.	
		*					10/10
14275	- LIGHT M	47 58 01 N 118 20 48 W	FI W 4s	12	5	NR on box.	
		*					10/10
14280	- LIGHT N	48 01 03 N 118 56 10 W	FI W 6s	16	5	NR on box.	
		*					10/10
14285	- LIGHT O	48 02 49 N 118 21 59 W	FI W 2.5s	18	5	NR on box.	
		*					10/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3505	INTERNATIONAL PAPER EAST CRIB LIGHT		Q W	15 5		NG on gray pile.	Maintained from May 1 to Nov. 1. Private aid.
			*				* 10/10
3510	International Paper Obstruction Buoy	42 08 48 N 80 03 30 W				White can with orange bands and diamond worded ROCKS.	Maintained from May 1 to Nov. 1. Private aid.
							* 10/10
Erie Harbor							
3645	- Water Pipe Intake Buoy A					White and orange bands; spar.	Maintained from May 1 to Nov. 1. Private aid.
							* 10/10
3650	- Water Pipe Intake Buoy B					White with orange bands; spar.	Maintained from May 1 to Nov. 1. Private aid.
							* 10/10
3655	- Water Pipe Intake Buoy C					White with orange bands; spar.	Maintained from May 1 to Nov. 1. Private aid.
							* 10/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2009

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6716	Enrico Fermi Nuclear Power Plant Security Zone Buoy A	41 58 26 N 83 15 20 W				White with orange bands.	Private aid.
	*		*				10/10
6716.1	Enrico Fermi Nuclear Power Plant Security Zone Buoy B	41 58 31 N 83 15 00 W				White with orange bands.	Private aid.
			*				10/10
6716.2	Enrico Fermi Nuclear Power Plant Security Zone Buoy C	41 58 28 N 83 14 49 W				White with orange bands.	Private aid.
			*				10/10
6716.3	Enrico Fermi Nuclear Power Plant Security Zone Buoy D	41 58 20 N 83 14 15 W				White with orange bands.	Private aid.
			*				10/10
6716.4	Enrico Fermi Nuclear Power Plant Security Zone Buoy E	41 58 12 N 83 13 42 W				White with orange bands.	Private aid.
			*				10/10
6716.5	Enrico Fermi Nuclear Power Plant Security Zone Buoy F	41 57 46 N 83 13 44 W				White with orange bands.	Private aid.
			*				10/10
6716.6	Enrico Fermi Nuclear Power Plant Security Zone Buoy G	41 57 20 N 83 13 46 W				White with orange bands.	Private aid.
			*				10/10
6716.7	Enrico Fermi Nuclear Power Plant Security Zone Buoy H	41 56 54 N 83 13 48 W				White with orange bands.	Private aid.
			*				10/10
6716.8	Enrico Fermi Nuclear Power Plant Security Zone Buoy I	41 56 54 N 83 14 23 W				White with orange bands.	Private aid.
			*				10/10
6716.9	Enrico Fermi Nuclear Power Plant Security Zone Buoy J	41 56 54 N 83 14 58 W				White with orange bands.	Private aid.
			*				10/10
6717	Enrico Fermi Nuclear Power Plant Security Zone Buoy K	41 56 54 N 83 15 11 W				White with orange bands.	Private aid.
			*				10/10
6717.1	Enrico Fermi Nuclear Power Plant Security Zone Buoy L	41 56 54 N 83 15 12 W					Private aid.
			*				10/10
19290	- NORTH PIERHEAD LIGHT	42 46 24 N 86 12 46 W	FIG 4s	25 8	4	SG on cylindrical tower.	
		*					10/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.