

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
130	<i>Boon Island Ledge Lighted Whistle Buoy 22A</i>	43 07 30 N 70 24 30 W	<b>FI R 4s</b>		4	Red.	
					*		28/10
8525	SPRAGUE FUEL TERMINAL CENTER DOCK LIGHT	43 06 59 N 70 48 37 W	<b>F G</b>	9		On dolphin.	Private aid.
		*					28/10
13700	<i>Nantucket Sound Lighted Whistle Buoy NS</i>	41 27 43 N 70 23 42 W	<b>Mo (A) W</b>		3	Red and white stripes with red spherical topmark.	
					*		28/10
16480	Fiddlers Cove Marina Buoy 5FC	41 39 02 N 70 38 07 W				Green can.	Private aid.
		*					28/10
17652	The Cove Inner No Wake Buoy	41 37 56 N 71 13 38 W				White and orange.	Private aid.
	*	*					28/10
17653	The Cove Outer No Wake Buoy	41 37 50 N 71 13 24 W				White and orange.	Private aid.
	*						28/10
19277	- Quonset Point Terminal Approach Lighted Buoy D	41 34 58 N 71 25 21 W	<b>FI Y 2.5s</b>			Yellow can.	Private aid.
	*	*	*				28/10
19278	- Quonset Point Terminal Approach Lighted Buoy E	41 34 55 N 71 25 35 W	<b>FI Y 2.5s</b>			Yellow can.	Private aid.
	*		*				28/10
19279	-Quonset Point Terminal Approach Lighted Buoy F	41 34 53 N 71 25 48 W	<b>FI Y 2.5s</b>			Yellow can.	Private aid.
	*	*	*				28/10
*29343	<i>GSB Research Lighted Buoy</i>	40 42 00 N 73 04 18 W	<b>FI Y 4s</b>				Private aid.
							28/10
30900	- <i>Lighted Whistle Buoy JI</i>	40 33 37 N 73 35 13 W	<b>Mo (A) W</b>		5	Red and white stripes with red spherical topmark.	
		*					28/10
37680	STATE LINE OVERLOOK RESEARCH LIGHT	40 59 23 N 73 54 07 W	<b>FI Y 4s</b>				Private aid.
	*	*	*	*		*	28/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3650	DELAIR RANGE FRONT LIGHT	40 00 30 N 73 03 17 W	Iso G 2s	25		On skeleton tower on multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 1.5° either side of rangeline. NIGHT: Visible all around higher intensity 1.5° either side of rangeline.  * 28/10
7630	Cove Point Light	38 23 11 N 76 22 54 W	FI W 10s	45	12	White tower. 45	Obscured from 040° to 110°. Lighted throughout 24 hours. Emergency light of reduced intensity.  * 28/10
*7681	NOAA Lighted Data Buoy GR	38 33 23 N 76 24 53 W	FI Y 4s			Yellow.	Aid maintained by National Oceanic and Atmospheric Administration.  28/10
13498	- Lighted Buoy 19		Q G		5	Green.	 * 28/10
13780	- Entrance Daybeacon 1						Remove from list.  * 28/10
21640	Warning Daybeacon A						Remove from list.  * 28/10
24395	- South Basin Daybeacon 3						Remove from list.  * 28/10
39050	Bogue Sound Buoy 45A	34 40 23 N 77 05 56 W				Green can with yellow square.	 * 28/10

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
47823	- Buoy 6B	25 54 07 N 80 07 53 W				Red nun.	 * 28/10

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4835	- Buoy 8	30 16 48 N 87 33 12 W				Red nun.	 * 28/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4840	- Buoy 9	30 16 49 N 87 33 14 W				Green can.	
		*					28/10
4845	- Buoy 10	30 16 56 N 87 33 12 W				Red nun.	
		*					28/10
4850	- Buoy 11	30 16 55 N 87 33 15 W				Green can.	
		*					28/10
18205	- LIGHT 4	29 29 37 N 91 16 06 W	<b>F I R 4s</b>	17	4	TR on pile.	Ra ref.
		*					28/10
21825	- LIGHT 48		<b>F I R 4s</b>	17	3	TR on pile.	
					*		28/10
21875 34040	- LIGHT 52A	29 51 36 N 93 56 13 W	<b>F I R 2.5s</b>	17	4	TR-SY on pile.	Ra ref.
		*					28/10
22800 34410	BOLIVAR-GALVESTON SOUTH FERRY LANDING LIGHTS (4)						<i>Remove from list.</i>
							* 28/10
22820	BOLIVAR FERRY SLIP LIGHT 4						<i>Remove from list.</i>
							* 28/10
22825	GALVESTON-BOLIVAR NORTH FERRY LANDING LIGHTS (4)						<i>Remove from list.</i>
							* 28/10
22830	Bolivar Point Entrance Daybeacon 1						<i>Remove from list.</i>
							* 28/10
22835	Bolivar Point Entrance Daybeacon 2						<i>Remove from list.</i>
							* 28/10
34040 21875	- LIGHT 52A	29 51 36 N 93 56 13 W	<b>F I R 2.5s</b>	17	4	TR-SY on pile.	Ra ref.
		*					28/10
36160	- Daybeacon 15	28 18 53 N 96 40 16 W				SG-SY on pile.	Ra ref.
		*					28/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
45 2296	OCEANSIDE SOUTH JETTY LIGHT 2	33 12 22 N 117 23 59 W	FI R 2.5s	26	5	TR on post.	HORN: 2 blasts ev 20s (2s bl- 2s sl-2s bl-14s sl).  * 28/10
1525	- LIGHT Y	32 40 15 N 117 13 23 W	FI W 4s	18	6	NW labeled DANGER SUBMERGED JETTY on post.  * 28/10	
4320	<b>Alcatraz South Fog Signal</b>						<i>Remove from list.</i>  * 28/10
4680	- LIGHT 10	37 47 27 N 122 18 09 W	FI R 2.5s	15	3	TR on pile.	Ra ref.  * 28/10
7770	BODEGA HEAD LIGHT	38 18 00 N 123 03 14 W	FI W 6s	110	6	NR on pile.	Light obscured from 047° to 205°.  * 28/10
10240	PILLAR ROCK LOWER RANGE REAR LIGHT 1195 yards, 096° from front light.  *	46 15 06 N 123 31 46 W	Iso W 6s	79		KRB on skeleton tower on pile structure.	Visible 4° each side of rangeline.  * 28/10
10275	- UPPER RANGE FRONT LIGHT	46 15 39 N 123 30 56 W	Q R	40		KRB on pile structure.	Visible 4° each side of rangeline.  * 28/10
10280	- UPPER RANGE REAR LIGHT 1,069 yards, 083.8° from front light.  *		Iso R 6s	49		KRB on skeleton tower on pile structure.	Visible 4° each side of rangeline.  28/10
10465	DRISCOLL RANGE FRONT LIGHT	46 09 03 N 123 23 42 W	FI R 2.5s	23		KRB on dolphin.	Visible all around; higher intensity on range line.  * 28/10
10470	DRISCOLL RANGE REAR LIGHT 404 yards, 282.1° from front light.  *		Iso R 6s	49		KRB on skeleton tower.	Visible 10° each side of range line.  28/10
<b>Longview</b>							
10820	COTTONWOOD ISLAND LOWER RANGE FRONT LIGHT	46 04 59 N 122 53 52 W	Q W	39		KRB on pile structure.	Visible 4° each side of rangeline.  * 28/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10825	COTTONWOOD ISLAND LOWER RANGE REAR LIGHT 316 yards, 115.8° from front light.		<b>Iso W 6s</b>	40		KRB on skeleton tower.	Visible 5.5° each side of rangeline.
	*						28/10
10875	- UPPER RANGE FRONT LIGHT	46 03 56 N 122 52 56 W	<b>Q W</b>	26		KRB on skeleton tower.	Visible 10° each side of rangeline.
		*		*			28/10
10880	- UPPER RANGE REAR LIGHT 331 yards, 356.2° from front light.	46 04 05 N 122 52 57 W	<b>Iso W 6s</b>	45		KRB on skeleton tower.	Visible 10° each side of rangeline.
	*						28/10
10955	- BYBEE LEDGE CHANNEL RANGE REAR LIGHT 343 yards, 137.5° from front light.	45 57 21 N 122 48 23 W	<b>Iso W 6s</b>	50		KRB on pile.	Visible 14° each side of rangeline.
	*	*		*			28/10
11620	- RANGE REAR LIGHT 784 yards, 062.2° from front light.	45 34 15 N 122 11 07 W	<b>Iso R 6s</b>	60		KRB on steel tower.	Visible 5.5° each side of rangeline.
	*	*					28/10
14155	- Buoy 5	47 54 42 N 118 43 10 W				Green can.	
		*					28/10
14245	- Buoy 4	47 47 38 N 118 03 31 W				Red nun.	
						*	28/10
14380	- Buoy 20	48 42 06 N 118 01 40 W				Red nun.	
		*					28/10
16096	- Buoy 5	47 54 32 N 124 38 28 W				Green can.	Position shifted with changing conditions. Maintained from May 1 to Oct. 1.
		*					28/10
16097	- Buoy 7	47 54 35 N 124 38 23 W				Green can.	Position shifted with changing conditions. Maintained from May 1 to Oct. 1.
		*					28/10
17470	- LIGHT 3 40 feet outside channel limit.		<b>FIG 4s</b>	15	3	SG on pile.	
				*		*	28/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18055	Orchard Rocks Daybeacon	47 34 39 N 122 31 55 W				NB on pile.	
						*	28/10
19235	WHATCOM WATERWAY PIER LIGHT 2						<i>Remove from list.</i>
							*
							28/10
26140	- Daybeacon 6	59 21 24 N 151 50 11 W				TR on pile.	
							*
							28/10

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6415	WALBRIDGE PARK RANGE REAR LIGHT 70 feet, 000.5° from front light.	41 36 52 N 83 34 50 W	<b>FR</b>	20 6		Square daymark on white pile.	Maintained from May 1 to Nov. 1. Private aid.
							*
							28/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.