

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
589	WHOI RESEARCH LIGHT TOWER	41 19 30 N 70 34 00 W	Fl Y 4s	68	4	Steel tripod with mast	Private aid. HORN .
	*	*					32/10
13235	- Buoy 1	41 55 43 N 70 01 40 W				Green can.	Private aid.
		*					32/10
13240	- Buoy 2	41 55 42 N 70 01 39 W				Red nun.	Private aid.
		*					32/10
13245	- Buoy 3	41 55 44 N 70 01 30 W				Green can.	Private aid.
		*					32/10
13250	- Buoy 4	41 55 43 N 70 01 29 W				Red nun.	Private aid.
		*					32/10
13255	- Buoy 5	41 55 47 N 70 01 27 W				Green can.	Private aid.
		*					32/10
13260	- Buoy 6	41 55 47 N 70 01 26 W				Red nun.	Private aid.
		*					32/10
14281	- Buoy 22A	41 39 45 N 70 11 04 W				Red nun.	Private aid.
		*					32/10
14360	- Buoy 41A	41 41 23 N 70 10 04 W				Green can.	Private aid.
		*					32/10
14420	- Buoy 2	41 40 21 N 70 10 16 W				Red nun.	Private aid.
		*					32/10
*14420.1	- Buoy 2A	41 40 23 N 70 10 13 W					Private aid.
							32/10
*14420.2	- Buoy 2B	41 40 23 N 70 10 07 W					Private aid.
							32/10
*14420.3	- Buoy 2C	41 40 22 N 70 10 05 W					Private aid.
							32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*14420.4	- Buoy 2D	41 40 19 N 70 10 03 W					Private aid. 32/10
*14420.5	- Buoy 3	41 40 22 N 70 10 15 W					Private aid. 32/10
14421	- Buoy 3A	41 40 24 N 70 10 11 W				Green can.	Private aid. 32/10
		*					
14422	- Buoy 3B	41 40 23 N 70 10 04 W				Green can.	Private aid. 32/10
		*					
14423	- Buoy 3C	41 40 23 N 70 10 04 W				Green can.	Private aid. 32/10
		*					
14424	- Buoy 3D	41 40 18 N 70 10 02 W				Green can	Private aid. 32/10
		*					
14425	- Buoy 4	41 40 15 N 70 10 00 W				Red nun.	Private aid. 32/10
		*					
14430	- Buoy 5	41 40 15 N 70 09 59 W				Green can.	Private aid. 32/10
		*					
14435	- Buoy 6	41 40 14 N 70 09 57 W				Red nun.	Private aid. 32/10
		*					
14440	- Buoy 7	41 40 14 N 70 09 57 W				Green can.	Private aid. 32/10
		*					
*15294	- Lighted Buoy MH	41 17 18 N 70 14 09 W	Mo (A) W				Private aid. 32/10
		*					
*15345.5	Tuckernuck Lagoon Buoy 3	41 17 24 N 70 14 33 W					Private aid. 32/10
33062	- Buoy T1						Remove from list. 32/10
							*
33065	- Daybeacon T2					TR on pile.	Private aid. 32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33080	- Daybeacon T8						<i>Remove from list.</i>
							* 32/10
33255	- Daybeacon G21						<i>Remove from list.</i>
							* 32/10
	*Delete Heading and Note: *East Bay Channel						
	<i>*Aids maintained from May 1 to Nov. 1.</i>						
33560	- Buoy Y2						<i>Remove from list.</i>
							* 32/10
33565	- Buoy Y3						<i>Remove from list.</i>
							* 32/10
33570	- Buoy Y4						<i>Remove from list.</i>
							* 32/10
33575	- Buoy Y5						<i>Remove from list.</i>
							* 32/10
33580	- Buoy Y6						<i>Remove from list.</i>
							* 32/10
33585	- Buoy Y7						<i>Remove from list.</i>
							* 32/10
33590	- Daybeacon Y8						<i>Remove from list.</i>
							* 32/10
33595	- Buoy Y9						<i>Remove from list.</i>
							* 32/10
33600	- Buoy Y10						<i>Remove from list.</i>
							* 32/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*14545	- Channel Buoy 5	37 22 14 N 76 15 21 W				Green can.	32/10
*26220	- Buoy 6	38 45 15 N 76 10 24 W				Red nun.	Private aid. 32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28370	- Channel Daybeacon 2	35 47 35 N 75 34 34 W				TR on pile.	
		*					32/10
28385	- CHANNEL LIGHT 7	35 48 37 N 75 35 23 W	FI G 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.
		*					32/10
28770	- CHANNEL LIGHT 21	35 12 40 N 75 43 09 W	Q G	15	3	SG on pile.	
		*					* 32/10
30170	- Lighted Buoy 5	34 10 48 N 77 48 29 W	FI G 2.5s		3	Green.	
		*					32/10
30175	- Lighted Buoy 6	34 10 57 N 77 48 35 W	FI R 2.5s		3	Red.	
		*					32/10
30180	- Buoy 7	34 11 03 N 77 48 51 W				Green can.	
		*					32/10
30185	- Lighted Buoy 8	34 11 07 N 77 48 52 W	Q R		3	Red.	
		*					32/10
30205	- Buoy 10	34 11 16 N 77 48 52 W				Red nun.	
	*	*				*	32/10
31620	- Channel Daybeacon 8	35 55 19 N 76 16 11 W				TR on pile.	
		*					32/10
31625	- CHANNEL LIGHT 10	35 55 25 N 76 15 46 W	FI R 2.5s	15	3	TR on pile.	
		*					32/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7145	<i>St Johns River Lighted Buoy 7</i>	30 23 54 N 81 23 05 W	FI G 4s		4	Green.	
		*					32/10
12320	- Daybeacon 88	24 56 26 N 80 39 55 W				TR on pile.	
		*					32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17490	- LIGHT 6	26 05 34 N 81 47 55 W	F I R 4s	16	3	TR on pile.	
		*					32/10
39525.5	- Buoy 80A	29 43 19 N 81 14 47 W				Red nun.	
	*	*					32/10
39535	- Buoy 81A	29 43 10 N 81 14 46 W				Green can with yellow square.	
	*	*					32/10
39537	- Buoy 81B	29 43 01 N 81 14 49 W				Green can with yellow square.	
	*	*					32/10
*47019	- Buoy 1	26 32 47 N 80 03 00 W				Green can.	Private aid.
							32/10
47020	- Buoy 1A	26 32 47 N 80 03 02 W				Green can.	Private aid.
	*						32/10
*47024	- Buoy 2	26 32 48 N 80 03 00 W				Red nun.	Private aid.
							32/10
47025	- Buoy 2A	26 32 47 N 80 03 03 W				Red nun.	Private aid.
	*						32/10
50390	- Daybeacon 44	25 07 55 N 80 25 22 W				TR-TY on pile.	
		*					32/10
*50641	Rocky Point Access Channel Daybeacon 1	27 09 35 N 80 10 36 W				SG on pile.	Private aid.
							32/10
*50641.1	Rocky Point Access Channel Daybeacon 2	27 09 35 N 80 10 37 W				TR on pile.	Private aid.
							32/10
*50641.2	Rocky Point Access Channel Daybeacon 3	27 09 33 N 80 10 39 W				SG on pile.	Private aid.
							32/10
*50641.3	Rocky Point Access Channel Daybeacon 4	27 09 33 N 80 10 39 W				TR on pile.	Private aid.
							32/10
52340	- Daybeacon 28	26 40 55 N 81 50 03 W				TR-TY on pile.	
		*					32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*17210.01	- Lighted Buoy 5	29 07 07 N 90 34 59 W	FI G 4s		4	Green.	32/10
22735	- Lighted Bell Buoy 16	29 20 40 N 94 46 08 W	Q R		3	Red.	32/10
					*		32/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1567	- SUBMERGED JETTY LIGHT E	32 41 12 N 117 13 39 W	FI W 2.5s	15	4	NW on pile worded: DANGER SUBMERGED JETTY.	* 32/10
		*					32/10
2460	Newport Bay Channel Lighted Buoy 8	33 36 05 N 117 53 14 W	FI R 4s		3		32/10
			*		*		32/10
4250	POINT DIABLO LIGHT	37 49 12 N 122 29 58 W	Iso W 6s	85	9	White square house.	HORN: 1 blast ev 15s (2s bl). Operates continuously. 32/10
		*					32/10
5840	- LIGHT 1	37 57 42 N 122 28 12 W	FI G 2.5s	20	4	SG on pile.	32/10
		*					32/10
7830	- Channel Daybeacon 10	38 18 39 N 123 03 15 W	FI R 2.5s	15	3	TR on pile.	32/10
		*					32/10
26315.4	Kasilof Entrance Channel Buoy 6	60 23 20 N 151 18 49 W				Red nun.	Maintained from May 1 to Nov 1. 32/10
		*					32/10
26315.6	Kasilof Entrance Channel Buoy 8	60 23 29 N 151 18 37 W				Red nun.	Maintained from May 1 to Nov 1. 32/10
		*					32/10
26315.8	Kasilof Entrance Channel Buoy 11	60 23 31 N 151 18 29 W				Green can.	Maintained from May 1 to Nov 1. 32/10
		*					32/10
27360	- Buoy 22	54 59 25 N 163 24 02 W				Red nun.	32/10
		*					32/10
27590	- Buoy 4	55 58 01 N 160 39 36 W			3	Red nun.	Maintained from June 1 to October 1. 32/10
		*					32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27595	- Buoy 5	55 57 55 N 160 38 18 W				Green can.	Maintained from June 1 to October 1.
		*					32/10
	*Delete Note:						
	Kuskokwim Bay						
	<i>*Buoys maintained from June 1 to Oct. 1.</i>						
27835	- Buoy 2	59 18 44 N 162 18 32 W				Red nun.	Maintained from June 1 to October 1.
	*	*					* 32/10
*27836	- Buoy 3	59 32 09 N 162 16 48 W				Green can.	Maintained from June 1 to October 1.
							32/10
*27837	- Buoy 4	59 34 34 N 162 15 40 W				Red nun.	Maintained from June 1 to October 1.
							32/10
*27838	- Buoy 5	59 38 08 N 162 19 25 W				Green can.	Maintained from June 1 to October 1.
							32/10
*27839	- Buoy 6	59 43 32 N 162 17 56 W				Red nun.	Maintained from June 1 to October 1.
							32/10
27840	- Buoy 8	59 46 51 N 162 19 22 W				Red nun.	Maintained from June 1 to October 1.
	*	*					* 32/10
*27841	- Buoy 9	59 49 00 N 162 15 45 W				Green can.	Maintained from June 1 to October 1.
							32/10
*27842	- Buoy 10	59 50 34 N 162 14 20 W				Red nun.	Maintained from June 1 to October 1.
							32/10
*27843	- Buoy 12	59 53 42 N 162 15 22 W				Red nun.	Maintained from June 1 to October 1.
							32/10
*27844	- Buoy 13	59 55 13 N 162 17 49 W				Green can.	Maintained from June 1 to October 1.
							32/10
*27844.5	- Buoy 15	59 58 35 N 162 22 26 W				Green can.	Maintained from June 1 to October 1.
							32/10
*27844.7	- Buoy 16	60 01 40 N 162 25 55 W				Red nun.	Maintained from June 1 to October 1.
							32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*27845.2	- Buoy 18	60 05 24 N 162 28 41 W				Red nun.	Maintained from June 1 to October 1. 32/10
*27845.7	- Buoy 20	60 06 32 N 162 27 42 W				Red nun.	Maintained from June 1 to October 1. 32/10
*27846.2	- Buoy 22	60 09 13 N 162 24 19 W				Red nun.	Maintained from June 1 to October 1. 32/10
*27846.5	- Buoy 23	60 12 16 N 162 20 46 W				Green can.	Maintained from June 1 to October 1. 32/10
*27847	- Buoy 25	60 13 15 N 162 20 55 W				Green can.	Maintained from June 1 to October 1. 32/10
*27847.5	- Buoy 27	60 14 59 N 162 23 32 W				Green can.	Maintained from June 1 to October 1. 32/10
*27848	- Buoy 29	60 16 51 N 162 28 49 W				Green can.	Maintained from June 1 to October 1. 32/10
*27848.2	- Buoy 30	60 19 58 N 162 29 52 W				Red nun.	Maintained from June 1 to October 1. 32/10
*27848.7	- Buoy 32	60 20 35 N 162 29 10 W				Red nun.	Maintained from June 1 to October 1. 32/10
*27849.7	- Buoy 36	60 21 06 N 162 27 47 W				Red nun.	Maintained from June 1 to October 1. 32/10
27850	- Buoy 37	60 21 09 N 162 22 13 W				Green can.	Maintained from June 1 to October 1. * 32/10
	*	*					*
*27850.5	- Buoy 39	60 21 31 N 162 20 51 W				Green can.	Maintained from June 1 to October 1. 32/10
27851	- Buoy 41	60 22 08 N 162 20 06 W				Green can.	Maintained from June 1 to October 1. * 32/10
	*	*				*	*
*27851.2	- Buoy 42	60 23 41 N 162 21 07 W				Red nun.	Maintained from June 1 to October 1. 32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27852	- Buoy 45	60 25 35 N 162 21 41 W				Green can.	Maintained from June 1 to October 1.
	*	*				*	* 32/10
*27852.2	- Buoy 46	60 26 17 N 162 20 27 W				Red nun.	Maintained from June 1 to October 1.
							32/10
27852.5	- Buoy 47	60 27 50 N 162 18 33 W				Green can.	Maintained from June 1 to October 1.
	*	*					* 32/10
27853	- Buoy 49	60 28 26 N 162 17 23 W				Green can.	Maintained from June 1 to October 1.
	*	*				*	* 32/10
*27853.2	- Buoy 50	60 29 57 N 162 17 29 W				Red nun.	Maintained from June 1 to October 1.
							32/10
*27853.5	- Buoy 51	60 29 55 N 162 17 47 W				Green can.	Maintained from June 1 to October 1.
							32/10
*27853.7	- Buoy 52	60 31 02 N 162 17 50 W				Red nun.	Maintained from June 1 to October 1. Position approximate.
							32/10
*27854.5	- Buoy 55	60 31 29 N 162 17 11 W				Green can.	Maintained from June 1 to October 1. Position approximate.
							32/10
*27854.7	- Buoy 56	60 31 46 N 162 16 29 W				Red nun.	Maintained from June 1 to October 1.
							32/10
27855	- Buoy 12						<i>Remove from list.</i>
							* 32/10
*27855.2	- Buoy 58	60 34 00 N 162 13 53 W				Red nun.	Maintained from June 1 to October 1.
							32/10
*27855.7	- Buoy 60	60 35 36 N 162 14 11 W				Red nun.	Maintained from June 1 to October 1.
							32/10
*27856.5	- Buoy 63	60 36 10 N 162 12 46 W				Green can.	Maintained from June 1 to October 1.
							32/10
*27856.7	- Buoy 64	60 37 25 N 162 11 25 W				Red nun.	Maintained from June 1 to October 1.
							32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Kuskokwim River							
27857	- Buoy 66	60 38 13 N 162 10 17 W				Red nun.	Maintained from June 1 to October 1.
	*	*				*	* 32/10
27857.1	- Buoy 15						Remove from list.
							* 32/10
27857.14	- Buoy 18						Remove from list.
							* 32/10
27857.16	- Buoy 20						Remove from list.
							* 32/10
27857.18	- Buoy 21						Remove from list.
							* 32/10
27857.2	- Buoy 23						Remove from list.
							* 32/10
27857.22	- Buoy 25						Remove from list.
							* 32/10
27857.24	- Buoy 26						Remove from list.
							* 32/10
27857.26	- Buoy 28						Remove from list.
							* 32/10
27857.28	- Buoy 30						Remove from list.
							* 32/10
27857.3	- Buoy 31						Remove from list.
							* 32/10
27857.32	- Buoy 33						Remove from list.
							* 32/10
27857.34	- Buoy 35						Remove from list.
							* 32/10
27857.36	- Buoy 36						Remove from list.
							* 32/10
27857.38	- Buoy 37						Remove from list.
							* 32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27857.4	- Buoy 38						Remove from list. * 32/10
27857.42	- Buoy 39						Remove from list. * 32/10
27857.44	- Buoy 41						Remove from list. * 32/10
27857.46	- Buoy 42						Remove from list. * 32/10
27857.48	- Buoy 43						Remove from list. * 32/10
27857.52	- Buoy 45						Remove from list. * 32/10
27857.54	- Buoy 46						Remove from list. * 32/10
27857.56	- Buoy 48						Remove from list. * 32/10
27857.58	- Buoy 50						Remove from list. * 32/10
27857.6	- Buoy 51						Remove from list. * 32/10
27857.62	- Buoy 52						Remove from list. * 32/10
27857.64	- Buoy 54						Remove from list. * 32/10
*27972	NOME HARBOR RANGE FRONT LIGHT	64 30 14 N 165 25 23 W	Iso Y 6s	33		KRW on skeleton tower.	Visible 4° each side of rangeline. 32/10
*27973	NOME HARBOR RANGE REAR LIGHT 167 yards 029.8° from front light	64 30 18 N 165 25 17 W	Q Y	63		KRW on skeleton tower.	Visible 4° each side of rangeline. 32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6565	RANGE REAR LIGHT 2,250 feet, 291.8° from front light.	41 54 05 N 83 22 01 W	F W	80 24		Skeleton tower.	Lighted throughout 24 hours.

*

32/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.