

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*6671	Cribstone Bridge Daybeacon 1	43 44 57 N 69 59 18 W					Private aid.  36/10
*6672	Cribstone Bridge Daybeacon 2	43 44 57 N 69 59 18 W					Private aid.  36/10
9925	- North Channel Obstruction Buoy						<i>Remove from list.</i>  * 36/10
10890	- LIGHT 5	42 20 00 N 71 00 04 W	FIG 2.5s	32	5	SG on pile.	  * 36/10
12405	- Buoy 13	42 09 52 N 70 43 19 W				Green can.	Private aid.  * 36/10
12410	- Buoy 15	42 09 52 N 70 43 27 W				Green can.	Private aid.  * 36/10
12412	North River Buoy 16	42 09 55 N 70 43 29 W				Red nun.	Private aid.  * 36/10
12415	- Buoy 17	42 09 51 N 70 43 45 W				Green can.	Private aid.  * 36/10
12418	North River Buoy 18	42 09 53 N 70 43 42 W				Red nun.	Private aid.  * 36/10
12424	North River Buoy 20	42 09 50 N 70 43 47 W				Red nun.	Private aid.  * 36/10
12425	- Buoy 21	42 09 45 N 70 43 52 W				Green can.	Private aid.  * 36/10
12426	North River Buoy 22	42 09 41 N 70 43 56 W				Red nun.	Private aid.  * 36/10
12430	- Buoy 23	42 09 38 N 70 43 58 W				Green can.	Private aid.  * 36/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12435	- Buoy 25	42 09 41 N 70 44 04 W					Private aid.
	*	*					36/10
12436	North River Buoy 27	42 09 43 N 70 43 07 W				Green can.	Private aid.
		*					36/10
12438	North River Buoy 29	42 09 43 N 70 43 16 W				Green can.	Private aid.
		*					36/10
12440	- Buoy 1	42 09 58 N 70 43 27 W				Green can.	Private aid.
		*					36/10
12445	- Buoy 2	42 10 58 N 70 43 25 W				Red nun.	Private aid.
		*					36/10
12450	- Buoy 3	42 10 29 N 70 44 05 W				Green can.	Private aid.
		*					36/10
12455	- Buoy 4	42 10 00 N 70 43 26 W				Red nun.	Private aid.
		*					36/10
12460	- Buoy 5	42 10 29 N 70 44 08 W				Green can.	Private aid.
		*					36/10
12465	- Buoy 6	42 10 16 N 70 43 56 W				Red nun.	Private aid.
		*					36/10
12470	- Buoy 8	42 10 31 N 70 44 10 W				Red nun.	Private aid.
		*					36/10
12480	- Buoy 10	42 10 35 N 70 44 12 W				Red nun.	Private aid.
		*					36/10
12485	- Buoy 12	42 10 32 N 70 44 20 W				Red nun.	Private aid.
		*					36/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15445	OAK BLUFFS FERRY SLIP LIGHT	41 27 30 N 70 33 16 W	<b>Q W</b>	25		Wharf end dolphin.	Shown only when authority vessels are approaching dock in fog. Maintained from June 15 to Sept. 10. Private aid. SIREN: 1 blast ev 15s (3s bl).
		*					36/10
15741	GREAT HBR FERRY SLIP 10	41 31 20 N 70 40 15 W	<b>F R</b>			Marks ferry slip.	Private aid.
						*	* 36/10
18834.1	<i>Dominion Energy Research Lighted Buoy BP1</i>	41 42 40 N 71 13 17 W	<b>Q Y</b>			White with orange bands.	Private aid.
			*				36/10
18834.2	<i>Dominion Energy Research Lighted Buoy BP2</i>	41 42 17 N 71 12 00 W	<b>Q Y</b>			White with orange bands.	Private aid.
			*				36/10
18834.3	<i>Dominion Energy Research Lighted Buoy BP3</i>	41 42 21 N 71 11 48 W	<b>Q Y</b>			White with orange bands.	Private aid.
			*				36/10
18834.4	<i>Dominion Energy Research Lighted Buoy BP4</i>	41 42 09 N 71 10 42 W	<b>Q Y</b>			White with orange bands.	Private aid.
			*				36/10
18834.5	<i>Dominion Energy Research Lighted Buoy BP5</i>	41 41 35 N 71 12 32 W	<b>Q Y</b>			White with orange bands.	Private aid.
			*				36/10
18834.6	<i>Dominion Energy Research Lighted Buoy BP6</i>	41 40 57 N 71 13 22 W	<b>Q Y</b>			White with orange bands.	Private aid.
			*				36/10
18834.7	<i>Dominion Energy Research Lighted Buoy BP7</i>	41 39 51 N 71 14 05 W	<b>Q Y</b>			White with orange bands.	Private aid.
			*				36/10
18834.8	<i>Dominion Energy Research Lighted Buoy BP8</i>	41 39 42 N 71 12 40 W	<b>Q Y</b>			White with orange bands.	Private aid.
			*				36/10
31080	- Daybeacon 16	40 36 55 N 73 30 16 W				TR on pile.	
	*						36/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8050	- RANGE REAR LIGHT 4907 yards, 359.6° from front light.		<b>FW</b>	105		Square, pyramidal tower lower part white, upper part brown.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.  * 36/10
11903	- Channel Lighted Buoy 29	37 10 49 N 76 37 57 W	<b>QG</b>		4	Green.	  * 36/10
11904	James River Channel Lighted Buoy 29A						Remove from list.  * 36/10
11910	- Channel Buoy 31	37 11 29 N 76 38 11 W				Green can.	  * 36/10
35385	- Daybeacon 98	39 34 47 N 74 13 55 W				TR-TY on pile.	  * 36/10
35525	- Daybeacon 128	39 30 15 N 74 20 35 W				TR-TY on pile.	  * 36/10
35530	- Daybeacon 129	39 30 07 N 74 20 37 W				SG-SY on pile.	  * 36/10
35535	- Lighted Buoy 130 80 feet west of channel limit.						Remove from list.  * 36/10
*35536	- LIGHT 130	39 30 02 N 74 20 48 W	<b>FIR 4s</b>	15	3	TR-TY on pile.	  * 36/10
35537	- Daybeacon 130A	39 29 58 N 74 21 06 W				TR-TY on pile.	  * 36/10
35540	- Daybeacon 131	39 29 54 N 74 21 01 W				SG-SY on pile.	  * 36/10
35540.1	- Daybeacon 131A	39 29 56 N 74 21 19 W				SG-SY on pile..	  * 36/10
35542	FISH ISLAND SHOAL WARNING LIGHT						Remove from list.  * 36/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35545	<i>New Jersey Intracoastal Waterway Lighted Buoy 132</i>						<i>Remove from list.</i>
							* 36/10
*35550	- LIGHT 132	39 29 58 N 74 21 27 W	FI R 2.5s	15	3	TR-TY on pile.	
							36/10
35555	- Daybeacon 135	39 29 55 N 74 22 04 W				SG-SY on pile.	
	*	*				*	36/10
35560	- Daybeacon 136	39 29 58 N 74 22 07 W				TR-TY on pile.	
	*	*				*	* 36/10
35565	- Daybeacon 138	39 29 55 N 74 22 30 W				TR-TY on pile.	
	*	*				*	36/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4720	SAVANNAH RIVER NORTH JETTY LIGHT	32 02 29 N 80 50 57 W	FI W 4s	16	5	NW on pile worded DANGER SUBMERGED JETTY.	
		*			*	*	36/10
4725	SAVANNAH RIVER SOUTH JETTY LIGHT	32 02 05 N 80 51 04 W	FI W 2.5s	16	5	NW on pile worded DANGER SUBMERGED JETTY.	
		*				*	36/10
10935	- Daybeacon 15	25 27 28 N 80 09 42 W				SG on pile.	
		*					36/10
15735	- Buoy 3	25 11 21 N 80 54 57 W				Green can.	
	*	*				*	36/10
15740	- Buoy 4	25 11 40 N 80 55 12 W				Red nun.	
	*	*				*	36/10
15815	- Buoy 32	25 17 14 N 80 59 44 W				Red nun.	
	*	*				*	36/10
45030	- Daybeacon 180	27 29 06 N 80 19 45 W				TR-TY on pile.	
		*					36/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
49505	SAFETY VALVE BANK LIGHT 1 On west edge of coral bank.	25 38 38 N 80 11 38 W	FI G 4s	16	4	SG-SY on pile.	
		*					36/10
49695	SANDS KEY LIGHT 3	25 31 15 N 80 11 35 W	FI G 2.5s	16	4	SG on dolphin.	
		*					36/10
57055	- Daybeacon 27	26 50 22 N 82 16 56 W				SG-SY on pile.	
		*					36/10

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4905	- Daybeacon 11	30 17 11 N 87 31 50 W				SG on pile.	Ra ref.
							* 36/10
11005	- LIGHT 102	29 51 31 N 89 40 48 W	FI R 2.5s	17	3	TR on skeleton tower on piles.	
					*		36/10

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*86	<i>Scripps Offshore GEOCE Research Buoy</i>	33 13 00 N 118 18 00 W	FI (2) Y 4s			Yellow disk with skeleton tower.	Private aid.
							36/10
3820	San Luis Obispo Buoy 2						<i>Remove from list.</i>
							* 36/10
7835	- CHANNEL LIGHT 11	38 18 40 N 123 03 17 W	FI G 2.5s	15	3	SG on pile.	
		*					36/10
11905	- <i>Lighted Buoy 32</i>	45 42 34 N 121 35 53 W	FI R 4s		3	Red.	
					*		36/10
17901	<i>Hood Canal Research Lighted Buoy D</i>	47 48 11 N 122 48 14 W	FI(5)Y 20s		2	Yellow research buoy.	Private aid.
		*					36/10
*26201	HOMER PIONEER SOUTH DOLPHIN LIGHT	59 36 06 N 151 24 30 W	FI R 4s	32		On dolphin.	Private aid.
							36/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*26202	HOMER PIONEER MIDDLE DOLPHIN LIGHT	59 36 07 N 151 24 30 W	FI R 4s	32		On dolphin.	Private aid.  36/10
*26203	HOMER PIONEER NORTH DOLPHIN LIGHT	59 36 08 N 151 24 32 W	FI R 4s	32		On dolphin.	Private aid.  36/10
*26204	HOMER PIONEER DOCK SOUTH LIGHT	59 36 08 N 151 24 33 W	FR	32		On dock.	Private aid.  36/10
26205	HOMER PIONEER DOCK NORTH LIGHT	59 36 11 N 151 24 40 W	FR	32		On dock.	Private aid.
	*	*		*		*	* 36/10
26216	<i>Homer Deepwater South Lighted Mooring Buoy</i>	59 36 15 N 151 24 49 W	FI W 6s			White with blue band.	Private aid.  36/10
	*	*					36/10
26216.5	HOMER DEEPWATER SOUTH DOLPHIN LIGHT	59 36 18 N 151 24 50 W	FI R 6s	12		On dolphin.	Private aid.  36/10
	*						36/10
26217	HOMER DEEPWATER DOCK SOUTH LIGHT	59 36 21 N 151 24 51 W	FR	30		On dock.	Private aid.
	*	*				*	* 36/10
26220	HOMER DEEPWATER DOCK NORTH LIGHT	59 36 24 N 151 24 52 W	FR	30		On dock.	Private aid.
	*	*				*	* 36/10
26223	HOMER DEEPWATER NORTH DOLPHIN LIGHT	59 36 26 N 151 24 53 W	FI R 4s	30		On dolphin.	Private aid.
	*	*		*			36/10
26224	<i>Homer Deepwater North Lighted Mooring Buoy</i>	59 36 29 N 151 24 55 W	FI W 6s			White with blue band.	Private aid.  36/10
	*	*					36/10
*28000.4	POINT HOPE LIGHT	68 19 55 N 166 31 31 W	FI W 6s	74	6	NR on skeleton tower.	  36/10

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.