

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2487	Fir Point Danger Buoy	44 10 51 N 68 25 35 W				White with orange bands.	
		*					49/10
7920	- Buoy 9	43 31 57 N 70 19 23 W				Green can.	
		*					49/10
17935	- Channel Junction Lighted Bell Buoy 13	41 30 41 N 71 20 50 W	FI (2+1) G 6s		3	Green and red bands.	
	*	*	*		*		49/10
19513	- Speed Buoy						<i>Remove from list.</i>
							* 49/10
19653	- Lighted Buoy 2						<i>Remove from list.</i>
							* 49/10
21615	<i>Browns Reef Lighted Bell Buoy 26</i> South of reefs.	41 13 48 N 72 46 15 W	FI R 4s		4	Red.	
						*	49/10
26870	COLD SPRING HARBOR LIGHT On point of shoal.	40 54 51 N 73 29 35 W	F W (R sector)	37	W R	8 6	NR on skeleton tower, on caisson.
						*	49/10
29135	- Channel Lighted Buoy 6	40 37 57 N 73 19 17 W	Q R		2	Red.	Replaced by nun when endangered by ice.
		*					49/10
29140	- Buoy 5	40 37 39 N 73 19 15 W				Green can.	
		*					49/10
31415	- Buoy 8	40 40 01 N 73 18 02 W				Red nun.	Maintained year round.
							* 49/10
*37676	EXXON MOBIL DOCK LIGHT B	40 59 19 N 73 53 14 W	FI W 4s				Private aid.
							49/10
*37677	EXXON MOBIL DOCK LIGHT A	40 59 15 N 73 53 14 W	FI W 4s				Private aid.
							49/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4406	Indian River Inlet Buoy 12A						<i>Remove from list.</i>
							* 49/10
5545	- LIGHT 5	37 53 31 N 75 26 50 W	FI G 4s	15	4	SG on multi-pile structure.	Light equipment removed when endangered by ice.
							* 49/10
19158	UMCES Lighted Data Buoy PX	38 23 19 N 76 31 35 W	FI Y 4s			Yellow.	Private aid. Maintained from May 1 to Nov. 1.
							* 49/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8850	MANHATTEN LIGHT 4	29 08 11 N 81 30 50 W	FI R 4s	16	3	TR on dolphin.	
							* 49/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
160	<i>San Pedro Channel Traffic Lane Lighted Buoy SP</i>	33 37 07 N 118 22 01 W	FI Y 4s		4	Yellow.	
							* 49/10
300 4085	SANTA CRUZ WEST BREAKWATER LIGHT	36 57 39 N 122 00 08 W	Oc G 4s	36	6	White cylindrical structure.	HORN: 1 blast ev 30s (2s bl).
							* 49/10
2828	- Channel Buoy 15	33 43 59 N 118 05 23 W				Green can.	Buoys maybe frequently relocated due to changing conditions.
							* 49/10
3720	- Channel Buoy 9	34 12 55 N 119 16 12 W				Green can.	Buoys maybe frequently relocated due to changing conditions.
							* 49/10
3725	- Channel Buoy 10	34 14 57 N 119 16 06 W				Red nun.	Buoys maybe frequently relocated due to changing conditions.
							* 49/10
3785	- Lighted Buoy 11	34 24 31 N 119 41 17 W	Q G		3	Green can.	Buoys maybe frequently relocated due to changing conditions.
							* 49/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4085 300	- WEST BREAKWATER LIGHT	36 57 39 N 122 00 08 W	Oc G 4s	36	6	White cylindrical structure.	HORN: 1 blast ev 30s (2s bl). Operates from May 01 to Oct 20
		*					49/10
4990	- LIGHT 3						<i>Remove from list.</i>
							* 49/10
11590	TUNNEL POINT LIGHT 64	45 32 34 N 122 16 32 W	FI R 2.5s	30	3	TR on skeleton tower.	
						*	* 49/10
11680	- DIKE LIGHT 82	45 34 55 N 122 06 25 W	FI R 4s	18	3	TR on pile.	
						*	* 49/10
16583	CULTUS BAY ENTRANCE LIGHT 1	47 54 29 N 122 24 08 W	FI G 4s			SG on pile.	Private aid.
		*					49/10
28678	- Lighted Buoy C	21 28 48 N 157 42 49 W	FI Y 4s		3	Yellow.	
						*	49/10
28869	Kaneohe Bay Warning Lighted Buoy A	21 26 33 N 157 47 03 W	FI W 2.5s		5	White with orange bands and orange diamonds.	Marks south boundary of prohibited area.
						*	49/10
*30600	FAD Site "Number 6"	13 42 36 N 145 01 36 W	FI Y 4s			Yellow spherical buoy.	Private aid.
							49/10
*30603	FAD Site "Cocos" - Guam	13 12 00 N 144 41 42 W	FI Y 4s			Yellow spherical buoy.	Private aid.
							49/10
*30606	FAD Site "Umatac"	13 17 00 N 144 37 00 W	FI Y 4s			Yellow spherical buoy.	Private aid.
							49/10
*30609	FAD Site "9 Mile"	13 15 06 N 144 28 42 W	FI Y 4s			Yellow spherical buoy.	Private aid.
							49/10
*30612	FAD Site "FACPI-2" - Guam	13 19 36 N 144 33 18 W	FI Y 4s			Yellow spherical buoy.	Private aid.
							49/10
*30615	FAD Site "FACPI" - Guam	13 20 24 N 144 36 30 W	FI Y 4s			Yellow spherical buoy.	Private aid.
							49/10
*30618	FAD Site "Agat"	13 23 18 N 144 33 54 W	FI Y 4s			Yellow spherical buoy.	Private aid.
							49/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*30621	FAD Site "Number 1" - Guam	13 32 12 N 144 43 06 W	FI Y 4s			Yellow spherical buoy.	Private aid. 49/10
*30624	FAD Site "Number 2" - Guam	13 35 36 N 144 45 36 W	FI Y 4s			Yellow spherical buoy.	Private aid. 49/10
*30627	FAD Site "Ledge" - Guam	13 35 48 N 144 40 24 W	FI Y 4s			Yellow spherical buoy.	Private aid. 49/10
*30631	FAD Site "Number 3"	13 39 54 N 144 46 06 W	FI Y 4s			Yellow spherical buoy.	Private aid. 49/10
*30634	FAD Site "Number 4"	13 43 18 N 144 43 18 W	FI Y 4s			Yellow spherical buoy.	Private aid. 49/10
*30637	FAD Site "Old NOAA" - Guam	13 43 30 N 144 40 48 W	FI Y 4s			Yellow spherical buoy.	Private aid. 49/10
*30640	FAD Site "Number 5"	13 44 42 N 144 48 24 W	FI Y 4s			Yellow spherical buoy.	Private aid. 49/10

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3690	Presque Isle Light	42 09 57 N 80 06 56 W	Iso W 6s	73 22	15		Emergency light of reduced intensity shows FI W 10s. * 49/10
15175	Copper Harbor Light	47 28 28 N 87 51 37 W	FI G 6s	90 27	21	On white skeleton tower near white dwelling. 62	* 49/10
15845	- South Breakwater Outer Light	46 46 49 N 92 05 15 W	F G	44 13	17	White tower on fog signal building. 35	Standby light of reduced intensity. HORN: 2 bl ev 60s (3s bl-3s si-3s bl-51s si). Operates from Apr. 1 to Dec. 1. * 49/10
18340	North Manitou Shoal Light Marks south side of shoal.	45 01 16 N 85 57 26 W	FI R 15s	79 24	23		RACON: N(- *). Standby light of reduced intensity. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). * 49/10

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.