

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
616	URI Temporary Research Lighted Buoy MV						Remove from list.  * 11/11
629	URI Temporary Research Lighted Buoy NWCOX						Remove from list.  * 11/11
2727	TOOTHACHER COVE AQUACULTURE LIGHTS (4)						Remove from list.  * 11/11
15845	- Buoy 3						Remove from list.  * 11/11
15850	- Buoy 2						Remove from list.  * 11/11
*27507	La Guardia Outfall Lighted Hazard Buoy 013	40 46 13 N 73 51 15 W	FI Y 4s				Private aid.  11/11
*27639	La Guardia Outfall Lighted Hazard Buoy 006	40 46 53 N 73 52 57 W	FI Y 4s				Private aid.  11/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
95	Hereford Inlet Lighted Whistle Buoy H	38 59 36 N 74 45 34 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	11/11
1460	CAPE MAY HARBOR RANGE REAR LIGHT 710 yards, 327.4° from front light.	38 57 25 N 74 52 50 W	Iso W 4s	40	w 8	Skeleton tower on multi-pile structure.	Lighted throughout 24 hours. Visible 10° either side of range line.  * 11/11
3015	- Entrance Lighted Buoy 2  *	39 43 01 N 75 30 38 W	FI R 4s		3	Red.	Removed when endangered by ice.  11/11
4757	Ocean City Inlet Lighted Buoy 12	38 19 39 N 75 05 48 W	FI R 2.5s		3	Red  *	11/11
5125	- Channel Lighted Buoy 31	38 12 09 N 75 11 33 W	FI G 4s		3	Green.  *	Replaced by can from Dec. 1 to Mar. 15.  11/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5400	- Lighted Buoy 29	37 55 48 N 75 23 27 W	FI G 4s		3	Green.	Replaced by can when endangered by ice.
					*		11/11
5925	- VIRGINIA INSIDE PASSAGE LIGHT 101	37 39 27 N 75 37 13 W	FI G 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.
					*		11/11
6020	- VIRGINIA INSIDE PASSAGE LIGHT 128	37 35 48 N 75 41 12 W	Q R	15	4	TR on multi-pile structure.	
					*		11/11
6477	Virginia Inside Passage Lighted Wreck Buoy WR240	37 14 33 N 75 54 47 W	Q R		5	Red.	
					*		11/11
6520	- Daybeacon 249	37 11 47 N 75 54 54 W				SG on multi-pile structure.	
	*		*	*	*		* 11/11
6790	North Inlet Lighted Wreck Buoy WR1	37 27 00 N 75 41 32 W	Q G		4	Green.	
	*		*	*		*	* 11/11
6795	NORTH INLET LIGHT 2	37 27 03 N 75 42 40 W	FI R 4s	15	4	TR on multi-pile structure.	Light equipment removed when endangered by ice.
					*		11/11
7835	- Lighted Bell Buoy 92	38 58 56 N 76 23 05 W	FI R 4s		5	Red.	Replaced by LIB of reduced intensity when endangered by ice.
					*		11/11
7960	- Lighted Gong Buoy 93	39 00 03 N 76 22 54 W	FI G 4s		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
					*		11/11
12275	- Wreck Lighted Buoy WR67	37 14 50 N 76 58 45 W	Q G		5	Green.	* 11/11
21460	- RANGE B FRONT LIGHT 8	37 15 44 N 76 01 41 W	Iso R 2s (Night) Iso R 2s (Day)	22 19		On multi-pile structure with TR on upstream side of structure.	Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around.
							* 11/11
21465	- RANGE B REAR LIGHT 580 yards, 018.5° from front light.	37 16 00 N 76 01 34 W	Iso R 6s (Night) Iso R 6s (Day)	37 34		On multi-pile structure.	Lighted throughout 24 hours. DAY: Visible 0.5° either side of rangeline. NIGHT: Visible all around; higher intensity 1.5° either side of rangeline.
							* 11/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28647	- Buoy 3	35 10 42 N 75 46 02 W				Green can.	Ra ref.
		*					11/11
28655	- Lighted Buoy 5	35 10 57 N 75 45 57 W	<b>FI G</b> 4s		3	Green.	
		*					11/11
28660	- Lighted Buoy 6	35 10 55 N 75 45 55 W	<b>FI R</b> 4s		3	Red.	
		*					11/11
28665	- Hatteras Inlet Buoy 7	35 11 49 N 75 45 36 W				Green can.	
		*					11/11
28690	- SOUTH FERRY TERMINAL JUNCTION LIGHT	35 11 45 N 75 45 43 W	<b>FI (2+1) G</b> 6s	15	5	JG on multi-pile structure.	
		*					11/11
28699.1	<i>South Ferry Terminal Lighted Buoy 1SF</i>	35 11 42 N 75 45 51 W	<b>FI G</b> 2.5s		3	Green.	
		*					11/11
28701	- <i>South Ferry Terminal Lighted Buoy 3SF</i>	35 11 39 N 75 46 05 W	<b>FI G</b> 2.5s		3	Green.	
		*					11/11
*28725.2	- Buoy 98	35 11 54 N 75 44 25 W				Green can.	
							11/11
28726	- Hatteras Inlet Buoy 10	35 11 43 N 75 45 36 W				Red nun.	
		*					11/11
37730	- LIGHT 149	36 16 18 N 75 57 00 W	<b>FI G</b> 4s	16	4	SG-SY on multi-pile structure.	
		*					11/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2490	REBELLION REACH RANGE REAR LIGHT 447 yards, 305.8° from front light.	32 47 02 N 79 54 25 W	<b>Iso G</b> 6s	46		On skeleton tower on piles.	Visible 0.5° each side of rangeline. Lighted throughout 24 hours.
	*						11/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2630 34585	- SOUTH CHANNEL RANGE REAR LIGHT 627 yards, 269° from front light.	32 45 32 N 79 55 59 W	<b>Iso G</b> 6s	47		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
	*	*					11/11
3570 34590	- APPROACH RANGE FRONT LIGHT	32 46 26 N 79 57 05 W	<b>Q R</b>	22		KRW-I on dolphin.	Visible 2° each side of range line. Passing light visible all around.
		*		*			11/11
3575 34595	- APPROACH RANGE REAR LIGHT 555 yards, 296° from front light.	26 05 37 N 80 07 57 W	<b>Iso R</b> 6s	40		KRW on white skeleton structure on piles.	Visible 2° each side of rangeline.
	*	*		*			11/11
9543	Ponce de Leon Inlet Buoy 7A	29 04 30 N 80 55 14 W				Green can.	
		*					11/11
9555	- Lighted Buoy 10	29 04 11 N 80 55 16 W	<b>FI R</b> 2.5s		5	Red.	
	*	*		*	*	*	11/11
9950	- Lighted Buoy 12	27 28 00 N 80 18 27 W	<b>FI R</b> 4s		5	Red.	
					*		11/11
10140	St Lucie Inlet Lighted Buoy 8	27 10 03 N 80 09 35 W	<b>Q R</b>		5	Red.	
					*		11/11
10185	LAKE WORTH ENTRANCE RANGE FRONT LIGHT	26 46 22 N 80 02 31 W	<b>FI W</b> 2.5s	19			Visible 5.5° each side of range line.
		*		*			11/11
10190	LAKE WORTH ENTRANCE RANGE REAR LIGHT 439 yard, 271° from front light.	26 46 22 N 80 02 46 W	<b>Iso W</b> 6s	53			Visible 5.5° each side of range line.
	*	*		*			11/11
10320	- ENTRANCE RANGE FRONT LIGHT	26 05 37 N 80 07 26 W	<b>F G</b>	85		KRW on skeleton tower.	Visible 4° each side of rangeline.
		*					11/11
34585 2630	- SOUTH CHANNEL RANGE REAR LIGHT 627 yards, 269° from front light.	32 45 32 N 79 55 59 W	<b>Iso G</b> 6s	47		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
	*	*					11/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COASTS, 2010**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34590 3570	ASHLEY RIVER APPROACH RANGE FRONT LIGHT	32 46 26 N 79 57 05 W	<b>Q R</b>	22	3	KRW-I on dolphin.	Visible 2° each side of range line. Passing light visible all around.
		*		*			11/11
34595 3575	ASHLEY RIVER APPROACH RANGE REAR LIGHT 555 yards, 296° from front light.	26 05 37 N 80 07 57 W	<b>Iso R 6s</b>	40		KRW on white skeleton structure on piles.	Visible 2° each side of rangeline.
	*	*		*			11/11
34860	- LIGHT 80	32 42 05 N 80 12 16 W	<b>FI R 4s</b>	16	3	TR-TY on dolphin.	
		*					11/11
40545	- LIGHT 10						<i>Remove from list.</i>
							* 11/11

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3738	<i>Scripps Waverider Lighted Research Buoy 169</i>						<i>Remove from list.</i>
							* 11/11
3772	- Lighted Buoy 6	34 24 31 N 119 41 10 W	<b>FI R 2.5s</b>		4	Red.	Buoys maybe frequently relocated due to changing conditions.
						*	11/11
3775	- Lighted Buoy 7	34 24 29 N 119 41 13 W	<b>FI G 6s</b>		4	Green.	Buoys maybe frequently relocated due to changing conditions.
						*	11/11
3850	<i>Morro Bay Channel Lighted Buoy 3</i>	35 21 46 N 120 52 08 W	<b>FI G 2.5s</b>		4	Green.	Buoys maybe frequently relocated due to changing conditions.
						*	11/11
3860	- Lighted Buoy 5	35 21 57 N 120 52 00 W	<b>FI G 4s</b>		4	Green.	Buoys maybe frequently relocated due to changing conditions.
						*	11/11
10380	HUNTING ISLAND LIGHT 39	46 13 47 N 123 25 23 W	<b>FI G 2.5s</b>	15	4	SG on dolphin.	
				*			11/11
10770	LORD ISLAND LIGHT 20	46 07 37 N 123 00 00 W	<b>FI R 4s</b>	25	4	TR on platform.	
							* 11/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2010**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11695	- DIKE LIGHT 84	45 35 11 N 122 05 30 W	FI R 2.5s	38	4	TR on pipe.	
				*			11/11
12915	- Daybeacon 22	46 03 45 N 118 56 20 W				TR on pile.	
	*	*				*	11/11
12975	-Daybeacon 27	46 06 23 N 118 57 56 W				SG on pile.	
	*	*				*	11/11
12985	Homly Center Channel Daybeacon 1	46 08 06 N 118 59 00 W				SG on pile.	
	*	*				*	11/11
12991	HOMLY CENTER CHANNEL LIGHT 2	46 09 07 N 118 59 00 W	FI R 4s	17	3	TR on pile.	
	*	*		*		*	11/11
13005	- Daybeacon 36	46 09 11 N 118 59 03 W				TR on pile.	
	*	*				*	11/11
13071	- Daybeacon 56	46 14 16 N 119 12 21 W				TR on pile.	
	*	*				*	11/11
14460	- BAKER BAY WEST CHANNEL LIGHT 12	46 16 56 N 124 02 46 W	Q R	15	3	TR on dolphin.	
					*		11/11

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2010**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12175	Cheboygan Buoy 5	45 41 15 N 84 27 23 W				Green can.	
		*					11/11
16540	NOAA Lighted Weather Buoy 45006	47 20 06 N 89 47 34 W	FI (4) Y 20s			Yellow disc-shaped hull with tripod mast.	Maintained from Apr. 1 to Nov. 1. Aid maintained by NOAA.
							* 11/11
16850	NOAA Lighted Weather Buoy 45004	47 35 07 N 86 35 08 W	FI (4) Y 20s			Yellow disc-shaped hull with tripod mast.	Maintained from Apr. 1 to Nov. 1. Aid maintained by NOAA.
		*					* 11/11
16880	NOAA Lighted Weather Buoy 45001	48 03 42 N 87 47 30 W	FI (4) Y 20s			Yellow disc-shaped hull with tripod mast.	Maintained from Apr. 1 to Nov. 1. Aid maintained by NOAA.
		*					* 11/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2010							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17780	- Lighted Buoy 7	45 45 44 N 85 08 29 W	FI G 4s		5	Green.	Replaced by can from Dec. 14 to Apr. 21.
		*					11/11
18310	NOAA Lighted Weather Buoy 45002	45 20 39 N 86 24 41 W	FI (4) Y 20s			Yellow disc-shaped hull.	Maintained from Apr. 21 to Nov. 1. Aid maintained by NOAA.
							* 11/11
18355	North Manitou Shoal Southwest End Buoy 6	45 00 17 N 86 00 18 W				Red nun.	
		*					11/11
20595	NOAA Lighted Weather Buoy 45007	42 40 25 N 87 01 34 W	FI (4) Y 20s			Yellow disc-shaped hull.	Maintained from Apr. 21 to Nov. 1. Aid maintained by NOAA.
							* 11/11
21565	Squaw Island Shoal Buoy 1 Marks north side of shoal.	45 52 18 N 85 35 01 W				Green can.	
		*					11/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.