

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2105	BEAR ISLAND LIGHT	44 17 00 N 68 16 11 W	FI W 5s	31		White tower. 100	Private aid. 13/11
		*					
19235	- Lighted Buoy 13	41 36 17 N 71 23 48 W	FI G 2.5s		3	Green.	 13/11
						*	
22275	White Rock Lighted Bell Buoy 6	41 18 00 N 72 10 29 W	FI R 4s		3	Red.	 13/11
						*	
23715	- Lighted Bell Buoy 4	41 15 02 N 72 39 13 W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. 13/11
						*	
23910	Pine Orchard Approach Lighted Buoy 4A Southeast of Hookers Rock.	41 14 33 N 72 46 41 W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. 13/11
						*	
26895	- Harbor Channel Lighted Junction Buoy B	40 53 00 N 73 31 13 W	IQ G			Green and red bands.	Replaced by can from Dec. 1 to Mar. 30. Private aid. 13/11
		*					
26900	- Harbor Channel Buoy 2	40 53 04 N 73 31 12 W				Red nun.	Private aid. 13/11
		*					
26905	- Harbor Channel Buoy 3	40 53 00 N 73 31 31 W				Green can.	Private aid. 13/11
		*					
26910	- Harbor Channel Buoy 4	40 53 02 N 73 31 20 W				Red nun.	Private aid. 13/11
		*					
26915	- Harbor Channel Buoy 5	40 53 00 N 73 31 49 W				Green can.	Private aid. 13/11
		*					
26920	- Harbor Channel Buoy 6	40 53 02 N 73 31 39 W				Red nun.	Private aid. 13/11
		*					
26925	- Harbor Channel Buoy 7	40 53 00 N 73 32 16 W				Green can.	Private aid. 13/11
		*					
26930	- Harbor Channel Buoy 8	40 53 02 N 73 31 59 W				Red nun.	Private aid. 13/11
		*					

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
26935	- Harbor Channel Buoy 9	40 52 41 N 73 32 16 W				Green.	Private aid. 13/11
		*					
26940	- Harbor Channel Buoy 10						Remove from list. * 13/11
26945	- Harbor Channel Buoy 11						Remove from list. * 13/11
26950	- Harbor Channel Buoy 12						Remove from list. * 13/11
26955	- Harbor Channel Buoy 13						Remove from list. * 13/11
26960	- Harbor Channel Buoy 15						Remove from list. * 13/11
26965	- Harbor Channel Buoy 17						Remove from list. * 13/11
26970	- Harbor Channel Buoy 19						Remove from list. * 13/11
26975	- Harbor Channel Buoy 21						Remove from list. * 13/11
26980	- Harbor Inner Channel Buoy 1	40 53 00 N 73 31 10 W				Green can.	Private aid. 13/11
		*					
26985	- Harbor Inner Channel Buoy 13	40 52 51 N 73 31 17 W				Green can.	Private aid. 13/11
	*	*					
26990	- Harbor Inner Channel Buoy 14	40 52 52 N 73 31 19 W				Red nun.	Private aid. 13/11
	*	*					
26995	- Harbor Inner Channel Buoy 15	40 52 43 N 73 31 22 W				Green can.	Private aid. 13/11
	*	*					
27000	- Harbor Inner Channel Buoy 16	40 52 43 N 73 31 25 W				Red.	Private aid. 13/11
	*	*					
27005	- Harbor Inner Channel Buoy 17	40 52 42 N 73 31 26 W				Green can.	Private aid. 13/11
	*	*					

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27010	- Harbor Inner Channel Buoy 8						<i>Remove from list.</i>
							* 13/11
27015	- Harbor Inner Channel Buoy 9						<i>Remove from list.</i>
							* 13/11
27020	- Harbor Inner Channel Buoy 19	40 52 42 N 73 31 49 W				Green can.	Private aid.
	*	*					13/11
27025	- Harbor Inner Channel Junction Buoy C	40 52 43 N 73 31 49 W				Red and green bands.	Private aid.
		*					13/11
27030	- Harbor Alternate Channel Junction Buoy A	40 53 00 N 73 31 50 W				Green and red bands.	Private aid.
		*					13/11
27035	- Harbor Alternate Channel Buoy 1A	40 52 51 N 73 31 49 W				Green can.	Private aid.
		*					13/11
27040	- Harbor Alternate Channel Buoy 2A	40 52 51 N 73 31 50 W				Red nun.	Private aid.
		*					13/11
27045	- Harbor Alternate Channel Buoy 4A	40 52 42 N 73 31 50 W				Red nun.	Private aid.
		*					13/11
31561	- Channel Buoy BC1	40 35 42 N 73 44 08 W				Green can.	Private aid.
						*	13/11
31562	- Channel Buoy BC2	40 35 40 N 73 44 07 W				Red nun.	Private aid.
						*	13/11
31563	- Channel Buoy BC3	40 35 45 N 73 44 07 W				Green can.	Private aid.
						*	13/11
31564	- Channel Buoy BC4	40 35 45 N 73 44 07 W				Red nun.	Private aid.
						*	13/11
31564.2	- Channel Buoy BC6	40 36 04 N 73 44 04 W				Red nun.	Private aid.
						*	13/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
31564.3	- Channel Buoy BC7	40 36 07 N 73 44 00 W				Green can.	Private aid. * 13/11
31595	- Buoy A2	40 36 08 N 73 41 11 W				Red nun.	Private aid. * 13/11
31615	- Buoy A7	40 36 15 N 73 41 28 W				Green can.	Private aid. * 13/11
31975	- Lighted Buoy C1	40 35 47 N 73 39 51 W	FI G 4s			Green can.	Private aid. * 13/11
31980	- Lighted Buoy C2	40 35 46 N 73 39 56 W	FI R 4s			Red nun.	Private aid. * 13/11
32715	- Buoy SW13	40 37 24 N 73 34 35 W				Green can.	Private aid. * 13/11
*32852	- Buoy P17	40 36 54 N 73 35 11 W					Private aid. 13/11
*33225	- Buoy G15	40 38 16 N 73 32 45 W				Green can.	Private aid. 13/11
*33510	- Daybeacon X9	40 37 55 N 73 30 38 W					Private aid. 13/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2075	- RANGE FRONT LIGHT	38 47 15 N 75 09 44 W	Q W	29		KRW on skeleton tower.	NIGHT: Visible all around; higher intensity 1.5° either side of range line. * 13/11
3940	DEVLIN LOWER RANGE REAR LIGHT 267 yards, 258.3° from front light.	40 04 32 N 74 54 13 W	Oc R 4s	60		KRG on skeleton tower.	Night: Visible all around, higher intensity 1.5° either side of rangeline. * 13/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4260	BORDENTOWN RANGE REAR LIGHT 266.5 yards, 359° from front light.	40 10 04 N 74 43 20 W	Iso G 6s	43		KRW on skeleton tower with small house on concrete base.	NIGHT: Visible 0.5° either side of raneline.
	*						13/11
8960	- Lighted Buoy 7	39 26 03 N 76 00 33 W	FI G 2.5s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
						*	13/11
9005	- Lighted Buoy 11	39 28 01 N 75 58 15 W	FI G 2.5s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
						*	13/11
9015	- Lighted Buoy 13	39 28 46 N 75 57 16 W	FI G 6s		5	Green.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
					*		13/11
9075	- Lighted Buoy 20	39 30 18 N 75 54 53 W	FI R 2.5s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
					*		13/11
9160	- Lighted Buoy 26	39 31 07 N 75 52 47 W	FI R 4s		5	Red.	Replaced by LIB of reduced intensity from Nov. 27 to Mar. 15.
					*		13/11
11897	- Channel Lighted Buoy 27A						<i>Remove from list.</i>
							* 13/11
12135	SWANN POINT SHOAL CHANNEL RANGE REAR LIGHT 1030 yards, 083° from front light	37 13 22 N 76 47 04 W	Iso R 6s	62		On white tower.	Lighted throughout 24 hours. Visible 0.9° either side of rangeline.
		*					13/11
12215	- Lighted Buoy 61	37 12 54 N 76 52 20 W	FI G 2.5s		5	Green.	
					*		13/11
28067	- Buoy 20	35 46 21 N 75 32 20 W				Red nun.	
		*					13/11
28080	Oregon Inlet Channel Buoy 25	35 46 40 N 75 33 06 W				Green can.	
		*					13/11
32470	LOWER MIDDLE GROUND LIGHT LM	35 14 01 N 76 13 28 W	FI W 2.5s	15	8	NB on multi-pile structure.	Ra ref.
				*	*	*	13/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2580	HOG ISLAND REACH RANGE FRONT LIGHT	32 46 52 N 79 54 58 W	FI W 2.5s	20			Visible 4° each side of rangeline. Lighted throughout 24 hours.
				*			13/11
2585	HOG ISLAND REACH RANGE REAR LIGHT 135 yards, 172.6° from front light.	32 46 48 N 79 54 57 W	Iso W 6s	40			Visible 4° each side of rangeline. Lighted throughout 24 hours.
	*			*			13/11
2665	- DEGAUSSING RANGE EAST PLATFORM LIGHT						<i>Remove from list.</i>
							* 13/11
2670	- DEGAUSSING RANGE WEST PLATFORM LIGHT						<i>Remove from list.</i>
							* 13/11
4845	ELBA ISLAND LIGHT 37	32 04 24 N 80 58 29 W	FI G 4s	16	4	SG on pile.	
		*					13/11
9820	- ENTRANCE RANGE FRONT LIGHT	27 28 03 N 80 18 55 W	Q G	18		KRW on skeleton tower on piles.	Visible 4° each side of range line.
				*			13/11
9825	- ENTRANCE RANGE REAR LIGHT 1,295 yards, 259.2° from front light.	27 28 03 N 80 18 55 W	Iso G 6s	50		KRW on skeleton tower on piles.	Visible 4° each side of range line.
	*	*					13/11
9844	- INNER HARBOR OUTBOUND RANGE REAR LIGHT 265 yards, 061.7° from front light.	27 28 20 N 80 17 42 W	Iso G 6s	38		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
		*		*			13/11
22850	GADSDEN POINT CUT/ HILL CUT C CHANNEL OUTBOUND RANGE FRONT LIGHT	27 48 34 N 82 26 55 W	FI W 2.5s (Night) FI W 2.5s (Day)	22 25		KRW on skeleton tower on piles.	Gadsden Point visible all around with higher intensity on rangeline. Hillsborough Cut C lighted throughout 24 hours. DAY: Visible 0.5° each side of rangeline. NIGHT: Visible 1.5° each side of rangeline.
		*	*	*		*	* 13/11
22855	- RANGE REAR LIGHT 2,337 yards, 068.9° from front light.	27 48 59 N 82 25 42 W	Iso W 6s	75		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
							* 13/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Hillsborough Cut C Channel							
23190	HILLSBOROUGH CUT C CHANNEL OUTBOUND RANGE REAR LIGHT	27 47 14 N 82 27 03 W	Iso W 6s (Night) Iso W 6s (Day)	85 83		On skeleton tower on piles.	NIGHT: Visible 1.5° each side of rangeline. DAY: Visible 0.5° each side of rangeline. Lighted throughout 24 hours. * 13/11
25725	- LIGHT 14	27 57 44 N 82 49 10 W	FI R 2.5s	16	5	TR on pile.	* 13/11
34485	- Daybeacon 110	32 49 40 N 79 44 39 W				TR-TY on pile.	* 13/11
38905.5	- Lighted Buoy 59	29 54 34 N 81 17 40 W	FI G 2.5s		5	Green.	* 13/11
46380	- LIGHT 8	26 56 42 N 80 05 24 W	FI R 4s	16	3	TR-TY on pile.	* 13/11
48910	BISCAYNE BAY DANGER SHOAL LIGHT	25 42 35 N 80 11 59 W	FI W 4s	16	5	NW on pile worded DANGER SHOAL.	* 13/11
51405	- LIGHT 2	26 56 47 N 80 37 22 W	Q R	12	3	TR-TY on pile.	* 13/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*9526	- LIGHT 6	29 56 36 N 89 50 22 W	FI R 2.5s	17	3	TR on pile.	Ra ref. 13/11
12602	- LIGHT 11A	29 06 52 N 89 14 32 W	FI W 2.5s	17	4	NB on pile.	* 13/11
12605	FRANKS CROSSING LIGHT 13	29 07 23 N 89 14 36 W	Iso W 6s	17	5	NB on pile.	Ra ref. 13/11
33445	Bayou Cocodrie Daybeacon 2						Remove from list. * 13/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1497	<i>Point Loma NPS Flux Research Buoy</i>	32 41 30 N 117 16 43 W	FI Y 4s			Yellow	Research buoy with yellow Equipment tower. Private aid.
		*					13/11
1821	- Safety Zone Northwest Buoy	32 43 30 N 117 11 06 W				Yellow can.	
		*					13/11
1821.1	- Safety Zone West Buoy	32 43 30 N 117 11 06 W				Yellow can.	
		*					13/11
8815	- RANGE A FRONT LIGHT	43 21 40 N 124 19 14 W	Q W	24		KRB on pile structure.	Visible 4° each side of rangeline.
				*		*	13/11
8820	- COOS BAY RANGE A REAR LIGHT 328 yards, 223.8° from front light.	43 21 33 N 124 19 23 W	Iso W 6s	37		KRB on tower on pile structure.	Visible 5.5° each side of rangeline.
		*					13/11
10750	BARLOW POINT LIGHT 13	46 08 39 N 123 01 50 W	Q G	10	3	SG on dolphin.	
						*	13/11
11560	GARY ISLAND DIKE LIGHT 52	45 33 37 N 122 20 50 W	FI R 4s	16	3	TR on dolphin.	
						*	13/11
12815	<i>Lake Wallula Lighted Buoy 2</i>	45 56 28 N 119 17 16 W	FI R 4s		3	Red.	
						*	13/11
14528	- Buoy 4	46 16 02 N 123 57 19 W				Red nun.	
		*					13/11
28615	- Lighted Buoy 3	21 04 39 N 157 01 57 W	FI G 4s		4	Green.	
						*	13/11
29745	Nawiliwili Harbor Light	21 57 18 N 159 20 09 W	FI W 15s	110	24	Buff-colored cylindrical concrete tower. 73	Obscured from 065° to 163°. Lighted throughout 24 hours. Emergency light of reduced intensity when main light is extinguished. Operates during periods of darkness only.
							* 13/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2010

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Harbor Beach							
10130	- Light	43 50 44 N 82 37 53 W	FIR 6s	54 16	16	White conical tower. 54	HORN: 1 blast ev 30s (3s bl). Operates from Apr. 1 to Dec. 1.
			*		*	*	13/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.