

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4245	- Anchorage Buoy A						<i>Remove from list.</i> * 21/11
6950	- Lighted Buoy 4 South of ledge.	43 48 19 N 70 06 07 W	FIR 4s		3	Red.	Replaced with nun when endangered by ice. * 21/11
7400	Royal River Channel Lighted Buoy 1	43 47 06 N 70 07 25 W	FIG 4s		3	Green.	Replaced with can when edangered by ice. * 21/11
7886	- Buoy 1	43 31 44 N 70 19 28 W				Green can.	 * 21/11
7892	- Buoy 3	43 31 57 N 70 19 23 W				Green can.	 * 21/11
8475	DEFENSE FUEL PIER SOUTHEAST LIGHT						<i>Remove from list.</i> * 21/11
8480	DEFENSE FUEL PIER NORTHWEST LIGHT						<i>Remove from list.</i> * 21/11
13135	Maraspin Creek Lighted Buoy 1	41 42 44 N 70 18 04 W	FIG 4s			Green.	Maintained from Jun 1 to Nov. 1. Private aid. * 21/11
13135.1	Maraspin Creek Daybeacon 2	41 42 41 N 70 18 04 W				TR	Maintained from Jun. 1 to Nov. 1. Private aid. * 21/11
13135.2	Maraspin Creek Daybeacon 3	41 42 40 N 70 18 03 W				SG	Maintained from Jun. 1 to Nov. 1. Private aid. * 21/11
13135.3	Maraspin Creek Daybeacon 4	41 42 38 N 70 18 05 W				TR	Maintained from Jun. 1 to Nov. 1. Private aid. * 21/11
13135.4	Maraspin Creek Daybeacon 5	41 42 38 N 70 18 04 W				SG	Maintained from Jun. 1 to Nov. 1. Private aid. * 21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13135.5	Maraspin Creek Daybeacon 6	41 42 35 N 70 18 07 W				TR	Maintained from Jun. 1 to Nov. 1. Private aid. * * 21/11
13135.6	Maraspin Creek Daybeacon 7	41 42 35 N 70 18 05 W				SG	Maintained from Jun. 1 to Nov. 1. Private aid. * * 21/11
13135.7	Maraspin Creek Daybeacon 8	41 42 32 N 70 18 06 W				TR	Maintained from Jun. 1 to Nov. 1. Private aid. * * 21/11
13135.8	Maraspin Creek Daybeacon 9	41 42 32 N 70 18 04 W				SG	Maintained from Jun. 1 to Nov. 1. Private aid. * * 21/11
13136	Salten Point Buoy 1	41 42 46 N 70 18 12 W *				Green can.	Private aid. 21/11
13137	Salten Point Buoy 2	41 42 45 N 70 18 18 W *				Red nun.	Private aid. 21/11
13137.5	Salten Point Buoy 4	41 42 44 N 70 18 29 W *				Red nun.	Private aid. 21/11
13138	Salten Point Buoy 5	41 42 42 N 70 18 42 W *				Green can.	Private aid. 21/11
13139	Salten Point Buoy 6	41 42 41 N 70 19 01 W *				Red nun.	Private aid. 21/11
*14541	- Danger Buoy A Marks rocks.	41 37 48 N 70 17 57 W				White can with orange bands, worded ROCKS.	Maintained Jun. 1 to Nov. 1. Private aid. 21/11
*14542	- Danger Buoy B Marks rocks.	41 37 48 N 70 17 54 W				White can with orange bands, worded ROCKS.	Maintained Jun. 1 to Nov. 1. Private aid. 21/11
*14543	- Danger Buoy C Marks rocks.	41 37 44 N 70 17 54 W				White can with orange bands, worded ROCKS.	Maintained Jun. 1 to Nov. 1. Private aid. 21/11
14545	Hyannis Port Buoy 1						<i>Remove from list.</i> * 21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
* Change Note to Read:							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted. Positions of buoys frequently shifted with changing conditions.</i>							
14726	- Buoy 3	41 37 39 N 70 22 03 W				Green can.	Private aid. 21/11
* Change Note to Read:							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted. Positions of buoys frequently shifted with changing conditions.</i>							
14726.91	EAST BAY LIGHT	41 37 23 N 70 21 47 W	Fl G 4s	15		On monopole.	Private aid. 21/11
* Change Note to Read:							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted. Positions of buoys frequently shifted with changing conditions.</i>							
14741	- Buoy 5	41 36 01 N 70 24 06 W				Green can.	Private aid. 21/11
* Change Note to Read:							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted. Positions of buoys frequently shifted with changing conditions.</i>							
14741.23	- Buoy 1	41 36 38 N 70 24 03 W				Green can.	Private aid. 21/11
* Change Note to Read:							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted. Positions of buoys frequently shifted with changing conditions.</i>							
14742	- Buoy 1	41 37 37 N 70 23 43 W				Green can.	Private aid. 21/11
*Change Heading and Note to Read:							
Marston Mills River							
<i>Aids maintained from Jun. 1 to Nov. 1 unless otherwise noted. Positions of buoys frequently shifted with changing conditions.</i>							
14743.1	- Buoy 1	41 38 11 N 70 24 26 W				Green can.	Private aid. 21/11
15520	Robbins Rock Daybeacon D	41 26 35 N 70 35 43 W				White with orange bands worded ROCK.	Private aid. 21/11
*							21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28910	- Lighted Buoy 4 Marks southern end of shoal.	40 55 36 N 72 34 22 W	FI R 4s		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
						*	21/11
28925	- Lighted Buoy 8	40 55 23 N 72 35 15 W	FI R 4s		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
						*	21/11
28930	- Lighted Buoy 9	40 55 39 N 72 36 11 W	FI G 4s		4	Green.	Replaced by can from Nov. 1 to May 1.
						*	21/11
29240	- Lighted Buoy EW	40 38 46 N 73 12 11 W	FI (2+1) G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
						*	21/11
29245	- Lighted Buoy 8	40 39 11 N 73 11 29 W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
						*	21/11
29260	- Lighted Buoy 10	40 39 03 N 73 10 57 W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
						*	21/11
29270	- Lighted Buoy 12	40 38 52 N 73 10 07 W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
						*	21/11
29285	- Lighted Buoy 19	40 39 11 N 73 08 31 W	FI G 2.5s		4	Green.	Replaced by can from Nov. 15 to Apr. 1.
						*	21/11
29295	- Lighted Buoy 21	40 39 56 N 73 08 04 W	FI G 2.5s		4	Green.	Replaced by can from Nov. 15 to Apr. 1.
						*	21/11
29300	- Lighted Buoy 24	40 40 35 N 73 08 05 W	Q R		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
						*	21/11
29335	- Lighted Buoy EN	40 41 43 N 73 06 59 W	FI (2+1) G 6s		4	Green and red bands.	Replaced by can from Nov. 15 to Apr. 1.
						*	21/11
29370	- Lighted Buoy 4	40 40 36 N 73 08 43 W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
						*	21/11
29380	- Lighted Buoy 4	40 39 28 N 73 12 24 W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
						*	21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
29390	- Lighted Buoy 6	40 40 08 N 73 12 47 W	F I R 4s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
					*		21/11
29395	- Lighted Buoy 7	40 40 28 N 73 13 15 W	F I G 4s		4	Green.	Replaced by can from Nov. 15 to Apr. 1.
					*		21/11
29405	- Lighted Buoy 10	40 41 12 N 73 13 54 W	F I R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
					*		21/11
29410	- Lighted Buoy 11	40 41 22 N 73 14 15 W	F I G 4s		4	Green.	Replaced by can from Nov. 15 to Apr. 1.
					*		21/11
29449	- Lighted Buoy 1	40 41 58 N 73 14 14 W	F I G 2.5s		4	Green.	Replaced by can from Nov. 15 to Apr. 1.
					*		21/11
29450	- Lighted Buoy 3	40 41 54 N 73 12 53 W	F I G 4s		4	Green.	Replaced by can from Nov. 15 to Apr. 1.
					*		21/11
29670	Bay Shore Lighted Buoy 2	40 42 31 N 73 14 13 W	F I R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1.
					*		21/11
29740	- Entrance Lighted Buoy 1	40 43 46 N 73 01 03 W	F I G 2.5s		4	Green.	Replaced by can from Nov. 15 to Apr. 15.
					*		21/11
30130	- Lighted Buoy 1	40 43 57 N 72 56 39 W	F I G 2.5s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11
30145	- Lighted Buoy 6	40 44 58 N 72 54 30 W	Q R		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
					*		21/11
30165	- Lighted Buoy 11	40 44 08 N 72 52 32 W	Q G		3	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11
30215	Narrows Bay Lighted Buoy 5	40 44 37 N 72 50 56 W	F I G 4s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11
30220	- Lighted Buoy 6	40 45 03 N 72 50 11 W	F I R 2.5s		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
					*		21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30235	- Lighted Buoy 9	40 45 24 N 72 48 57 W	FIG 2.5s		3	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11
30293	- Lighted Buoy 12	40 46 28 N 72 47 47 W	QR		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
					*		21/11
30295	- Lighted Buoy 15	40 46 37 N 72 46 22 W	FIG 4s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11
30305	- Lighted Buoy 18	40 46 53 N 72 45 37 W	FIR 4s		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
					*		21/11
30325	Moriches Bay Lighted Buoy 23	40 46 55 N 72 44 57 W	FIG 2.5s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11
30330	- Lighted Buoy 24	40 46 58 N 72 44 43 W	FIR 2.5s		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
					*		21/11
30365	- Lighted Buoy 29	40 47 38 N 72 43 14 W	FIG 2.5s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11
30370	- Lighted Buoy 30	40 47 25 N 72 42 46 W	FIR 4s		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
					*		21/11
30375	- Lighted Buoy 31	40 47 43 N 72 41 28 W	FIG 4s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11
30385	- Lighted Buoy 34	40 47 59 N 72 40 12 W	QR		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
					*		21/11
30415	- Lighted Buoy 37	40 47 48 N 72 38 55 W	QG		3	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11
30660	- Lighted Buoy 6	40 49 48 N 72 34 08 W	FIR 2.5s		3	Red.	Replaced by nun from Nov. 1 to Apr. 15.
					*		21/11
30675	- Lighted Buoy 9	40 50 10 N 72 32 56 W	FIG 4s		4	Green.	Replaced by can from Nov. 1 to Apr. 15.
					*		21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30685	<i>Shinnecock Bay Lighted Buoy 13</i>	40 50 39 N 72 31 21 W	FI G 4s		4	Green.	Replaced by nun from Nov. 1 to Apr. 15. 21/11
30690	- <i>Lighted Buoy 12</i>	40 50 53 N 72 32 02 W	FI R 4s		3	Red.	Replaced by nun from Nov. 1 to Apr. 15. 21/11
30820	- <i>Junction Lighted Buoy SI</i>	40 50 41 N 72 29 48 W	FI G (2+1) 6s		4	Green and red bands.	Replaced by can from Nov. 1 to Apr. 15. 21/11
30850	- <i>Lighted Buoy 25</i>	40 51 10 N 72 29 40 W	FI G 4s		4	Green.	Replaced by can from Nov. 1 to Apr. 15. 21/11
31310	- <i>Lighted Buoy 57</i>	40 39 00 N 73 18 54 W	FI G 2.5s		4	Green.	Replaced by can from Nov. 15 to Apr. 1. 21/11
31315	- <i>Lighted Buoy 58</i>	40 38 59 N 73 18 37 W	FI R 4s		3	Red.	Replaced by nun from Dec. 1 to May 1. 21/11
31420	- <i>Lighted Buoy 9</i>	40 40 08 N 73 18 09 W	FI G 2.5s		4	Green.	Replaced by can from Nov. 15 to Apr. 1. 21/11
31487	- <i>Lighted Buoy 90</i>	40 38 22 N 73 14 32 W	FI R 4s		3	Red.	Replaced by can from Nov. 1 to Apr. 15. 21/11
39570	Colchester Shoal Buoy 37 At southeast end of shoal.	44 32 48 N 73 19 58 W				Green can.	Maintained from May 1 to Nov. 1. 21/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*87	<i>Garden State Offshore Energy Lighted Data Buoy GS</i>	39 04 36 N 74 18 36 W	FI Y 2s			Yellow.	Private aid. 21/11
9205	- <i>Lighted Bell Buoy 1TS</i>	36 57 00 N 76 01 25 W	FI G 2.5s		6	Green.	 21/11
9210	- <i>Lighted Buoy 2</i>	36 57 09 N 76 01 21 W	FI R 2.5s		6	Red.	 21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28350	- Lighted Buoy 11	35 47 41 N 75 33 05 W	F I G 4s		4	Green.	
	*			*		*	21/11
30726	Cape Fear River Channel Lighted Buoy 40A	34 04 57 N 77 55 57 W	F I R 2.5s		3	Red.	
		*					21/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1375 22280	EGMONT CHANNEL RANGE FRONT LIGHT	27 36 49 N 82 45 53 W	F G (Night) F W (Day)	30 24		On tower.	Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours.
		*	*	*			* 21/11
1380 22285	EGMONT CHANNEL RANGE REAR LIGHT 2,743 yards, 083° from front light.	27 36 58 N 82 44 22 W	F G (Night) F W (Day)	113 119		On tower.	Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours.
	*	*	*	*			21/11
22280 1375	- RANGE FRONT LIGHT	27 36 49 N 82 45 53 W	F G (Night) F W (Day)	30 24		On tower.	Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours.
		*	*	*			* 21/11
22285 1380	- RANGE REAR LIGHT 2,743 yards, 083° from front light.	27 36 58 N 82 44 22 W	F G (Night) F W (Day)	113 119		On tower.	Day range visible 1° each side of rangeline. Night range visible 0.5° each side of rangeline. Lighted throughout 24 hours.
	*	*	*	*			21/11
22355	- RANGE FRONT LIGHT	27 36 51 N 82 39 56 W	Q W	32		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
				*			* 21/11
22360	- RANGE REAR LIGHT 1,299 yards, 081° from front light.	27 36 57 N 82 39 13 W	Iso W 6s	78	5	KRW on skeleton tower.	Visible 1.5° each side of rangeline. Passing light (F I W 4s) visible all around.
		*		*			* 21/11
22405 60445	- RANGE FRONT LIGHT	27 38 24 N 82 36 47 W	Q R	28		KRW-I on skeleton tower on piles.	Visible 2° each side of rangeline.
		*		*			21/11
22410 60450	- RANGE REAR LIGHT 1,995 yards, 063° from front light.	27 38 51 N 82 35 48 W	Iso R 6s	60		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
	*	*		*			21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23435	HILLSBOROUGH CUT C CHANNEL INBOUND RANGE FRONT LIGHT	27 54 29 N 82 26 18 W	Iso W 2s (Day) Iso G 2s (Night)	59 57		On skeleton tower on piles.	Visible 0.5° each side of rangeline.
		*	*	*			* 21/11
23440	HILLSBOROUGH CUT C CHANNEL INBOUND RANGE REAR LIGHT 1,490 yards, 005° from front light.	27 55 13 N 82 26 13 W	Iso W 6s (Day) Iso G 6s (Night)	124 126		On skeleton tower on piles.	Visible 0.5° each side of rangeline.
	*	*		*			* 21/11
36140	- Daybeacon 60	31 57 19 N 81 03 44 W				TR-TY on pile.	
		*					21/11
37607	- Daybeacon 59A	30 51 02 N 81 28 43 W				SG on pile.	
		*					21/11
60445 22405	- RANGE FRONT LIGHT	27 38 24 N 82 36 47 W	Q R	28		KRW-I on skeleton tower on piles.	Visible 2° each side of rangeline.
		*		*			21/11
60450 22410	- RANGE REAR LIGHT 1,995 yards, 063° from front light.	27 38 51 N 82 35 48 W	Iso R 6s	60		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
	*	*		*			21/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
355	Farallon Light	37 41 57 N 123 00 07 W	FI W 15s	358	14	White conical tower. 41	
					*		* 21/11
19410	LAWSON ROCK LIGHT 2	48 31 51 N 122 47 20 W	FIR 4s	15	4	TR on pile structure.	Ra ref.
				*			21/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3802	Ashtabula River Shoal Buoy 6						<i>Remove from list.</i>
							* 21/11
3804	Ashtabula River Shoal Buoy 8						<i>Remove from list.</i>
							* 21/11
3805	Ashtabula River Shoal Buoy 9						<i>Remove from list.</i>
							* 21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14670	Presque Isle Harbor Breakwater Light	46 34 28 N 87 22 28 W	FI R 4s	56 17	12	White cylindrical tower with red band on octagonal building. 56	HORN: 2 blasts ev 30s (2s bl- 2s si-2s bl-24s si). Operates by keying the microphone five times on VHF-FM Channel 79.
							* 21/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.