

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18012	<i>USN Gould Island Lighted Buoy A</i>						<i>Remove from list.</i>
							* 27/11
18035	- Buoy E	41 33 38 N 71 21 03 W				Yellow.	Private aid.
		*					27/11
18050	- Buoy H	41 34 22 N 71 20 27 W				Yellow.	Private aid.
		*					27/11
18915	- Lighted Buoy 2	41 42 23 N 71 11 04 W	FI R 4s			Red.	Private aid.
	*	*	*			*	27/11
30820	-Junction Lighted Buoy SI	40 50 41 N 72 29 48 W	FI (2+1) G 6s		4	Green and red bands.	Replaced by can when endangered by ice.
							* 27/11
32085	- LIGHT 11	40 35 50 N 73 38 39 W	FI G 4s	16	4	SG on pile.	
					*		27/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9315	- Lighted Buoy 21	37 00 04 N 76 17 02 W	Q G		6	Green.	
					*		27/11
9620	- Channel Lighted Buoy 20	36 53 33 N 76 20 15 W	FI R 4s		6	Red.	
		*			*		27/11
9850	- Channel Lighted Buoy 33	36 51 38 N 76 18 53 W	FI G 4s		6	Green.	
		*			*		27/11
*29133	- Lighted Wreck Buoy WR4A	34 38 05 N 76 32 52 W	Q R		3	Red.	
							27/11
30580	- Lighted Buoy 7S	33 59 52 N 77 57 14 W	Q G		4	Green.	
					*		27/11
30586	- Lighted Buoy 9S	34 00 01 N 77 57 13 W	FI G 2.5s		4	Green.	
					*		27/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30588	- Lighted Buoy 10S	34 00 00 N 77 57 07 W	FI R 2.5s		4	Red.	
						*	27/11
31390 37045	- ENTRANCE LIGHT PR On east part of shoal off point.	36 09 22 N 75 58 39 W	FI W 2.5s	23	12	NB on multi-pile structure.	
		*				*	27/11
37045 31390	PASQUOTANK RIVER ENTRANCE LIGHT PR On east part of shoal off point.	36 09 22 N 75 58 39 W	FI W 2.5s	23	12	NB on multi-pile structure.	
		*				*	27/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2795	CLOUTER CREEK REACH RANGE FRONT LIGHT	32 50 55 N 79 55 39 W	Q W	22		Skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
		*		*			27/11
2800	COUTER CREEK REACH RANGE REAR LIGHT 133 yards, 113° from front light.	32 50 53 N 79 55 35 W	Iso W 6s	38		Skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
	*	*		*			27/11
3325	<i>Wando River Terminal Lighted Buoy 7A</i>	32 50 07 N 79 53 47 W	FI G 4s		3	Green.	Marks Turning Basin.
		*					27/11
3947	- Buoy 3A						<i>Remove from list.</i>
							* 27/11
6435	RACCOON KEY SPIT LIGHT 2	31 00 21 N 81 26 14 W	FI R 2.5s	16	5	TR on pile.	
						*	27/11
35900	- LIGHT 10	32 03 50 N 80 59 42 W	Q R	16	4	TR-TY on dolphin.	
						*	27/11
35915	- LIGHT 15	32 04 15 N 81 00 28 W	FI G 4s	16	5	SG-SY on pile.	
						*	27/11
35965	- LIGHT 19	32 04 24 N 81 00 42 W	FI G 4s	16	5	SG-SY on pile.	
						*	27/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35995	- LIGHT 25	32 03 57 N 81 01 20 W	FI G 4s	12	5	SG-SY on pile.	
					*		27/11
36010	- LIGHT 30	32 03 00 N 81 01 47 W	Q R	12	4	TR-TY on pile.	
					*		27/11
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9035	- LIGHT 18	30 23 24 N 88 53 01 W	FI R 2.5s	17	3	TR on pile.	Ra ref.
		*					27/11
37005	- A RANGE FRONT LIGHT	29 10 25 N 95 06 45 W	Q W	15		KRW-I on pile.	For eastbound traffic. Visible all around; higher intensity on rangeline.
		*		*			27/11
37010	- A RANGE REAR LIGHT 703 yards, 055.4° from front light	29 10 40 N 95 06 21 W	Iso W 6s	32		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on rangeline.
				*			27/11
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*181.2	<i>Scripps Waverider Lighted Research Buoy 182</i>	33 49 17 N 119 42 30 W	FI (5) Y 20s			Yellow sphere with whip antenna.	Private aid.
							27/11
12306	TIDEWATER MOORING BARGE LIGHT A	45 40 10 N 120 50 40 W	FI Y 10s	13		On mooring barge.	Private aid.
		*					27/11
12311	TIDEWATER MOORING BARGE LIGHT B	45 40 08 N 120 50 43 W	FI Y 10s	13		On mooring barge.	Private aid.
		*					27/11
15345	-WILLAPA RIVER LIGHT 40	46 41 11 N 123 49 08 W	FI R 4s	15	3	TR on pile.	
		*		*			27/11
15430	- Daybeacon 12	46 32 46 N 123 59 09 W				TR on pile.	
		*					27/11
15445	NAHCOTTA MOORING BASIN LIGHT 2	46 30 06 N 124 01 26 W	FI R 4s	15	4	TR on pile structure.	Higher intensity beam down channel.
		*					27/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15450	NAHCOTTA MOORING BASIN LIGHT 1	46 30 02 N 124 01 29 W	Q G	15	4	SG on pipe.	
		*					27/11
19065	SHELL OIL COMPANY WHARF LIGHT A	48 30 35 N 122 34 55 W	F Y	25		Mooring platform.	Private aid.
	*	*	*				* 27/11
*19067	SHELL OIL COMPANY WHARF LIGHT B	48 30 33 N 122 34 39 W	F Y			Mooring platform.	Private aid.
							27/11
25465	GRASS ISLAND BAR CHANNEL LIGHT G	60 15 19 N 145 18 03 W	FI W 6s	12	5	NR on skeleton tower.	Maintained from May 1 to Oct. 1.
		*					27/11
25470	PETER DAHL BAR CHANNEL LIGHT P	60 18 24 N 145 32 43 W	FI W 2.5s	12	5	NR on skeleton tower.	Maintained from May 1 to Oct. 1.
		*					27/11
25483	POINT BENTINCK LIGHT	60 23 34 N 146 05 33 W	FI W 4s	47	6	NR on skeleton tower.	
		*					27/11
26253	NOAA Data Lighted Buoy 46108	59 45 36 N 152 05 24 W	FI(4)Y20s			Yellow sphere-shaped buoy, 3-foot diameter.	Aid maintained by NOAA
	*	*				*	27/11
27150	Moss Cape Lighted Buoy 4	55 07 07 N 161 56 15 W	FI R 6s		4	Red.	
		*					27/11
27839	- Buoy 6	59 43 50 N 162 19 46 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11
27840	- Buoy 8	59 46 50 N 162 19 28 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11
27844	- Buoy 13	59 59 40 N 162 21 44 W				Green can.	Maintained from June 1 to October 1.
		*					27/11
27844.5	- Buoy 15	59 59 53 N 162 24 27 W				Green can.	Maintained from June 1 to October 1.
		*					27/11
27845.7	- Buoy 20	60 07 39 N 162 26 50 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27846.5	- Buoy 23	60 11 10 N 162 21 41 W				Green can.	Maintained from June 1 to October 1.
		*					27/11
27847	- Buoy 25	60 13 17 N 162 20 52 W				Green can.	Maintained from June 1 to October 1.
		*					27/11
27847.5	- Buoy 27	60 15 00 N 162 23 14 W				Green can.	Maintained from June 1 to October 1.
		*					27/11
27848	- Buoy 29	60 16 52 N 162 28 33 W				Green can.	Maintained from June 1 to October 1.
		*					27/11
27848.2	- Buoy 30	60 18 43 N 162 30 01 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11
27848.7	- Buoy 32	60 20 00 N 162 30 10 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11
27849.2	- Buoy 34	60 20 53 N 162 28 57 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11
27849.7	- Buoy 36	60 21 09 N 162 27 49 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11
27850.5	- Buoy 39	60 21 30 N 162 20 46 W				Green can.	Maintained from June 1 to October 1.
		*					27/11
27851	- Buoy 41	60 22 11 N 162 19 59 W				Green can.	Maintained from June 1 to October 1.
		*					27/11
27851.2	- Buoy 42	60 23 38 N 162 21 14 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11
27851.7	- Buoy 44	60 24 53 N 162 21 56 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11
27852	- Buoy 45	60 25 31 N 162 21 36 W				Green can.	Maintained from June 1 to October 1.
		*					27/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27852.2	- Buoy 46	60 26 30 N 162 20 21 W				Red nun.	Maintained from June 1 to October 1.
		*					27/11
27852.5	- Buoy 47	60 27 48 N 162 18 28 W				Green can.	Maintained from June 1 to October 1.
		*					27/11
27853	- Buoy 49	60 28 25 N 162 17 22 W				Green can.	Maintained from June 1 to October 1.
		*					27/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4620	- Lighted Buoy 10	41 29 23 N 82 41 50 W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
						*	27/11
4650	- Lighted Buoy 13	41 28 32 N 82 42 06 W	FI G 4s		4	Green.	Replaced by can from Dec. 7 to Apr. 14.
						*	27/11
4655	- Lighted Buoy 14	41 28 33 N 82 42 12 W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
						*	27/11
4660	Sandusky Exit Channel Junction Lighted Buoy E	41 28 23 N 82 42 16 W	FI (2+1) R 6s		4	Red and green bands.	Replaced by nun from Dec. 7 to Apr. 14.
						*	27/11
4670	- Lighted Buoy 16	41 27 53 N 82 42 28 W	FI R 2.5s		4	Red.	Replaced by nun from Dec. 7 to Apr. 14.
						*	27/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.