

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18145	<b>Hog Island Shoal Light</b>	41 37 56 N 71 16 24 W	<b>Iso W 6s</b>	54	12	White conical tower on black cylindrical pier. 60	Higher intensity beam up and down channel. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Activated for 45 minutes by keying the microphone 5 times on VHF-FM channel 83A.
							* 29/11
19101	DUTCH ISLAND LIGHT	41 29 48 N 71 24 15 W	<b>FIR 6s</b>			White square brick tower with black cupola.	Private aid.
						*	29/11
19130	- PLUM BEACH LIGHT	41 31 49 N 71 24 19 W	<b>FI W 5s</b>			Brown over white conical tower.	Private aid.
						*	29/11
19865	<i>Shagwong Reef Lighted Bell Buoy 7SR</i> On north side of reef.	41 07 02 N 71 54 50 W	<b>FIG 2.5s</b>		4	Green.	
							* 29/11
27740	NAPEAGUE HARBOR CLAM RAFT LIGHT						<i>Remove from list.</i>
							* 29/11
28660	<i>Cutchogue Harbor Aquaculture Lighted Buoy</i>						<i>Remove from list.</i>
							* 29/11
29770	<i>Swan River Entrance Lighted Buoy 1</i>	40 44 42 N 72 59 51 W	<b>FIG 4s</b>			Green.	Maintained from May 1 to Nov. 1. Private aid.
							* 29/11
29780	<i>Tuthills Creek Entrance Lighted Buoy 2</i>	40 44 50 N 73 01 15 W	<b>FIR 4s</b>			Red.	Maintained from May 1 to Nov. 1. Private aid.
							* 29/11
29800	<i>Abets Creek Lighted Buoy 1</i> 50 feet, 183° from south end of sunken barge.	40 44 46 N 72 58 41 W	<b>FIG 4s</b>			Green can.	Maintained from May 1 to Nov. 1. Private aid.
							* 29/11
29855	<i>Cherry Grove Entrance Lighted Buoy 1</i>	40 40 02 N 73 05 09 W	<b>FIG 4s</b>			Green.	Private aid.
							* 29/11
29860	<i>Cherry Grove Lighted Buoy 3</i>	40 39 45 N 73 05 19 W	<b>FIG 4s</b>			Green.	Private aid.
							* 29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
29885	- Lighted Buoy 5	40 40 09 N 73 04 13 W	FIG 4s			Green.	Private aid.
		*					29/11
29937	- Water Island Channel Lighted Buoy 1	40 40 54 N 73 01 52 W	FIG 4s			Green can.	Private aid.
		*					29/11
29955	- Entrance Lighted Buoy 1	40 41 22 N 73 00 20 W	FIG 4s			Green.	Private aid.
		*					29/11
29960	- Entrance Lighted Buoy 2	40 41 21 N 73 00 22 W	FIR 4s			Red.	Private aid.
		*					29/11
29965	- Entrance Buoy 3	40 41 18 N 73 00 19 W				Green can.	Private aid.
		*					29/11
29970	- Entrance Buoy 4	40 41 18 N 73 00 21 W				Red nun.	Private aid.
		*					29/11
29975	- Entrance Lighted Buoy 5	40 41 15 N 73 00 17 W	FIG 4s			Green.	Private aid.
		*					29/11
*29980	- Entrance Lighted Buoy 6	40 41 14 N 73 00 18 W	FIR 4s			Red.	Private aid.
							29/11
30175	- Lighted Buoy 2	40 45 21 N 72 55 22 W	FIR 4s			Red.	Private aid.
		*					29/11
30180	Beaverdam Creek Entrance Lighted Buoy 4	40 45 33 N 72 55 17 W	FIR 4s			Red.	Private aid.
		*					29/11
30190	Carmans River Entrance Lighted Buoy 1	40 45 40 N 72 53 27 W	FIG 4s			Black.	Private aid.
		*					29/11
30195	Carmans River Lighted Buoy 3	40 46 04 N 72 53 32 W	FIG 4s			Green.	Private aid.
	*	*	*			*	29/11
36551	- Lighted Buoy 48	40 28 43 N 74 22 34 W	FIR 4s			Red.	Private aid.
		*					29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
36552	- Lighted Buoy 49	40 28 40 N 74 22 37 W	FI G 4s			Green.	Private aid.
		*					29/11
*36559.5	- Lighted Buoy 56	40 29 09 N 74 23 28 W	FI R 4s				Private aid.
							29/11
36561	- Lighted Buoy 57	40 29 07 N 74 23 35 W	FI G 4s			Green.	Private aid.
		*					29/11
38315	<b>Kingston Bridge Sound Signal</b>	41 58 39 N 73 56 40 W					RACON: K(- • -). Private aid. HORN (2): 2 blast ev 30s (2s bl-2s sl-2s bl-24s sl).
		*					* 29/11
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
60 1170	Absecon Inlet Lighted Buoy 1	39 20 48 N 74 24 01 W	FI G 4s		4	Green.	
		*					29/11
1170 60	Absecon Inlet Lighted Buoy 1	39 20 48 N 74 24 01 W	FI G 4s		4	Green.	
		*					29/11
10075 36925	Elizabeth River Southern Branch Buoy 27						Remove from list.
							* 29/11
10420	- Channel Daybeacon 18						Remove from list.
							* 29/11
*10421	- Channel Lighted Wreck Buoy WR18	36 53 37 N 76 01 26 W	Q R		3	Red.	
							29/11
21362	North Locust Point Marine Terminal Pier 7 Warning Buoy A	39 16 24 N 76 35 07 W				White buoy with orange diamond worded DANGER.	Private aid.
						*	29/11
21362.1	North Locust Point Marine Terminal Pier 7 Warning Buoy B	39 16 22 N 76 35 09 W				White buoy with orange diamond worded DANGER.	Private aid.
						*	29/11
21362.2	North Locust Point Marine Terminal Pier 7 Warning Buoy C	39 16 20 N 76 35 10 W				White buoy with orange diamond worded DANGER.	Private aid.
						*	29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23190	- Approach Buoy BT	37 59 55 N 76 05 08 W				Red and white stripes; nun.	
						*	29/11
36925 10075	Elizabeth River Southern Branch Buoy 27						<i>Remove from list.</i>
							* 29/11
*37803	- Buoy 168	36 09 37 N 75 53 32 W				Red nun.	
							29/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7215	MAYPORT CUT RANGE FRONT LIGHT	30 24 13 N 81 25 42 W	<b>Q R</b>	19		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
		*		*			29/11
7220	MAYPORT CUT RANGE REAR LIGHT 170 yards, 023° from front light.	30 24 17 N 81 25 40 W	<b>Iso R 6s</b>	36		KRW on skeleton tower on piles.	Visible 1.5° each side of rangeline.
		*		*			29/11
9005	BERESFORD PENINSULA LIGHT 50	28 58 35 N 81 21 39 W	<b>F I R 4s</b>	17	5	TR on dolphin.	
	*	*	*		*	*	29/11
9710	- Entrance Channel Lighted Buoy 20	28 24 50 N 80 37 22 W	<b>F I R 4s</b>		3	Red.	
		*					29/11
14815	- RANGE FRONT LIGHT	24 32 14 N 81 48 23 W	<b>Q G (Night)</b>	32		KRW on skeleton tower on piles.	Visible 1.5° each side of range line.
			<b>F I R 4s</b>				Passing light obscured from 326° to 026°.
			*				* 29/11
14820	- RANGE REAR LIGHT 1,412 yards, 357° from front light.	24 32 56 N 81 48 26 W	<b>Iso G 6s</b>	89		KRW on skeleton tower on piles.	Visible 1.5° each side of range line.
	*						29/11
14905	KEY WEST HARBOR RANGE REAR LIGHT 774 yards, 025° from front light.	24 35 07 N 81 47 49 W	<b>Iso W 6s</b>	36		KRW on piles.	Visible all around.
	*						29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Cut D Channel</b>							
22700	- INBOUND RANGE FRONT LIGHT	27 44 27 N 82 31 22 W	<b>FI W</b> 2.5s (Day) <b>FI W</b> 2.5s (Night)	23 21		On same structure as Cut F South Range Front Light.	DAY: Visible 0.5° each side of rangeline. NIGHT: Visible 1.5° each side of rangeline. Passing light visible all around.
			<b>FI W</b> 2.5s				Passing light.
		*	*	*			* 29/11
22705	- INBOUND RANGE REAR LIGHT 1,799 yards, 033° from front light.	27 45 12 N 82 30 49 W	<b>Iso W</b> 6s (Day) <b>Iso W</b> 6s (Night)	63 66			DAY: Visible 0.5° each side of rangeline. NIGHT: Visible 1.5° each side of rangeline.
	*		*	*			* 29/11
22708	TAMPA BAY CUT D CHANNEL INBOUND RANGE REAR PASSING LIGHTS	27 45 12 N 82 30 49 W	<b>FI W</b> 6s	16	5	On same structure as Cut D Range Rear Light.	Passing light visible all around. Located on SW corner of the lower platform.
	*						* 29/11
22710	- OUTBOUND RANGE FRONT LIGHT	27 40 57 N 82 33 55 W	<b>Q W</b>	17		On piles.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
	*	*		*			29/11
22715	- OUTBOUND RANGE REAR LIGHT 1,691 yards, 213° from front light.	27 40 15 N 82 34 26 W	<b>Iso W</b> 6s	50		On skeleton structure on piles.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
	*	*		*			29/11
22745	- OUTBOUND RANGE FRONT LIGHT	27 42 46 N 82 32 20 W	<b>FI R</b> 2.5s	21			Visible 0.5° each side of rangeline. Lighted throughout 24 hours. Passing light visible all around.
		*	*	*	*		29/11
22750	- OUTBOUND RANGE REAR LIGHT 1,161 yards, 198° from front light.	27 42 13 N 82 32 32 W	<b>Iso R</b> 6s	51			Visible 0.5° each side of rangeline. Lighted throughout 24 hours.
	*	*		*			29/11
22753	- OUTBOUND RANGE REAR PASSING LIGHTS	27 42 13 N 82 32 32 W	<b>FI R</b> 2.5s	16	4	On same structure as Cut E Outbound Range Rear Light.	Passing light visible all around.
		*	*		*		* 29/11
23010	- RANGE FRONT LIGHT	27 48 49 N 82 26 40 W	<b>Q W</b>	22		KRW on tripod.	Visible all around.
		*		*			29/11
23015	- RANGE REAR LIGHT 2,004 yards, 061° from front light.	27 49 18 N 82 25 41 W	<b>Iso W</b> 6s	50		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
	*	*		*			29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23500	- OUTBOUND RANGE FRONT LIGHT	27 53 55 N 82 26 06 W	<b>Q W</b>	19		On dolphin.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
				*			29/11
23505	- OUTBOUND RANGE REAR LIGHT 635 yards, 154° from front light.	27 53 38 N 82 25 56 W	<b>Iso W 6s</b>	51		On skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
	*			*			29/11
23575	- RANGE FRONT LIGHT	27 53 57 N 82 26 30 W	<b>Q G</b>	18		On skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
		*		*			29/11
23580	- RANGE REAR LIGHT 306 yards, 235° from front light.	27 53 51 N 82 26 38 W	<b>Iso G 6s</b>	36		On skeleton tower on piles.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
	*						29/11
23940	- OUTBOUND RANGE FRONT LIGHT	27 48 33 N 82 34 39 W	<b>FI W 2.5s (Day)</b> <b>FI W 2.5s (Night)</b>	19 16		Skeleton tower on piles.	DAY: Visible 0.5° each side of rangeline. NIGHT: Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
	*	*		*			29/11
23945	- OUTBOUND RANGE REAR LIGHT 1,325 yards, 201° from front light.	27 47 57 N 82 34 56 W	<b>Iso W 6s (Day)</b> <b>Iso W 6s (Night)</b>	52 48		Skeleton tower on piles.	DAY: Visible 0.5° each side of rangeline. NIGHT: Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
	*	*		*			29/11
53965	- LIGHT 73	26 32 27 N 81 56 24 W	<b>Q G</b>	16	4	SG-SY on pile.	
					*		29/11
54630	- LIGHT 89	26 31 41 N 81 59 18 W	<b>FI G 4s</b>	13	5	SG-SY on pile.	
					*		29/11
54750	- LIGHT 93	26 31 40 N 81 59 42 W	<b>FI G 2.5s</b>	16	5	SG-SY on pile.	
					*		29/11

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15650	- Daybeacon 46						<i>Remove from list.</i>
							* 29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*15652	- Daybeacon 46	29 11 53 N 89 21 22 W				Red nun.	
							29/11
21260	- Lighted Buoy 11	29 31 52 N 93 14 17 W	FIG 2.5s		4	Green.	
	*						29/11
21310	- Lighted Buoy 24	29 36 46 N 93 18 29 W	FIR 2.5s		4	Red.	
	*						29/11
21315	- Lighted Buoy 27	29 37 27 N 93 19 22 W	QG		3	Green.	
	*						29/11
21345	- Lighted Buoy 30	29 38 40 N 93 19 23 W	FI (2) R 5s		3	Red.	
	*						29/11
22325	- Lighted Buoy 5 100 feet outside channel limit.	29 28 13 N 93 40 06 W	FIG 2.5s		4	Green.	
	*						29/11
22340	- Lighted Buoy 8 50 feet outside channel limit.	29 28 56 N 93 39 56 W	QR		4	Red.	
	*						29/11
22490	- Lighted Buoy 20 50 feet outside channel limit.	29 39 29 N 93 49 39 W	FIR 2.5s		3	Red.	
	*						29/11
22970 33965	- M UPPER RANGE FRONT LIGHT	29 58 17 N 93 51 10 W	QW	24		On skeleton tower.	For upbound traffic. Visible 2° each side of rangeline. Lighted throughout 24 hours.
				*		*	* 29/11
22975 33970	-M UPPER RANGE REAR LIGHT 775 yards, 018.7° from front light.	29 58 38 N 93 51 01 W	Iso W 6s	40		On skeleton tower on piles. On same structure as Neches River Outer Range R Rear Light.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
				*		*	* 29/11
23710	- Entrance Channel Lighted Buoy 5	29 19 46 N 94 40 16 W	FIG 2.5s		4	Green.	
	*						29/11
23735	- Entrance Channel Lighted Buoy 8	29 20 32 N 94 41 15 W	QR		3	Red.	
	*						29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23795	- Entrance Channel Lighted Buoy 12 100 feet outside channel limit.	29 20 44 N 94 44 47 W	<b>F I R</b> 2.5s		4	Red.	
	*						29/11
23900 34385	- Entrance Lighted Buoy 18	29 21 04 N 94 47 01 W	<b>Q R</b>		4	Red with yellow square.	
	*						29/11
25425	- LIGHT 118 120 feet outside channel limit.	29 44 17 N 95 03 19 W	<b>Q R</b>	17	4	TR on pile.	Ra ref.
		*					29/11
26920	- Lighted Buoy 3	28 54 05 N 95 15 48 W	<b>F I G</b> 4s		4	Green.	Ra ref.
	*						29/11
27135	- Lighted Buoy 1	28 23 38 N 96 17 39 W	<b>F I G</b> 4s		4	Green.	
	*						29/11
27155	- Lighted Buoy 7	28 24 49 N 96 18 54 W	<b>Q G</b>		3	Green.	
	*						29/11
27160	- Lighted Buoy 8 250 feet outside channel limit.	28 24 54 N 96 18 49 W	<b>Q R</b>		3	Red.	
	*						29/11
28155	- Lighted Buoy 6 90 feet outside channel limit.	27 49 31 N 97 01 14 W	<b>F I R</b> 4s		4	Red.	
	*						29/11
29460	- Entrance Channel Lighted Buoy 2	26 04 03 N 97 08 29 W	<b>Q R</b>		4	Red.	
	*						29/11
29475	- Entrance Channel Lighted Buoy 3	26 03 53 N 97 08 29 W	<b>Q G</b>		4	Green.	
	*						29/11
35630 21925	-M UPPER RANGE FRONT LIGHT	29 58 17 N 93 51 10 W	<b>Q W</b>	24		On skeleton tower.	For upbound traffic. Visible 2° each side of rangeline. Lighted throughout 24 hours.
				*		*	* 29/11
35635 21930	- M UPPER RANGE REAR LIGHT 775 yards, 018.7° from front light.	29 58 38 N 93 51 01 W	<b>Iso W</b> 6s	40		On skeleton tower on piles. On same structure as Neches River Outer Range R Rear Light.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
				*		*	* 29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
36055 22815	<i>Houston Ship Channel Entrance Lighted Buoy 18</i>	29 21 04 N 94 47 01 W	<b>Q R</b>		4	Red with yellow square.	
	*						29/11
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
756 16136	<i>Straight of Juan De Fuca Traffic Lane Separation Lighted Buoy JA</i>	48 29 35 N 124 43 35 W	<b>FI Y 2.5s</b>		3	Yellow.	
	*						29/11
6105	- LIGHT 4	38 04 25 N 122 14 39 W	<b>Q R</b>	20	3	TR on pile.	
		*		*			29/11
9790	- <b>Sound Signal</b>	44 48 32 N 124 03 45 W				White square house.	HORN: 1 blast ev 30s (3s bl). Activated for 15 minutes by keying microphone 5 times on VHF-FM Channel 83A.
		*					* 29/11
9930	<i>Peacock Spit Lighted Buoy 7</i>	46 15 09 N 124 05 59 W	<b>Q G</b>		3	Green.	
	*						29/11
15760	- <i>North Channel Lighted Buoy 34</i>	46 57 41 N 123 57 58 W	<b>FIR 4s</b>		4	Red.	
					*		29/11
15770	- <i>North Channel Lighted Buoy 36</i>	46 57 53 N 123 56 24 W	<b>FIR 2.5s</b>		3	Red.	
					*		29/11
16136 756	- <i>Traffic Separation Lane Lighted Buoy JA</i>	48 29 35 N 124 43 35 W	<b>FI Y 2.5s</b>		3	Yellow.	
	*						29/11
19070	TESORO NORTHWEST CO. WHARF LIGHT A	48 30 31 N 122 34 17 W	<b>F Y</b>	18		On pier.	HORN: 1 blast ev 30s (2s bl). Private aid.
		*	*				29/11
19072	TESORO NORTHWEST CO. WHARF LIGHT B	48 30 29 N 122 34 03 W	<b>F Y</b>	16		On pier.	Private aid.
		*	*				29/11
24080	- LIGHT 4	57 46 29 N 135 11 55 W	<b>FIR 6s</b>	30	4	TR on skeleton tower.	
						*	29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*11170.1	U.S. GYPSUM TRAMWAY LIGHT A	44 11 19 N 83 33 19 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11170.2	U.S. GYPSUM TRAMWAY LIGHT B	44 11 18 N 83 33 09 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11170.3	U.S. GYPSUM TRAMWAY LIGHT C	44 11 16 N 83 32 58 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11170.4	U.S. GYPSUM TRAMWAY LIGHT D	44 11 15 N 83 32 49 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11170.5	U.S. GYPSUM TRAMWAY LIGHT E	44 11 14 N 83 32 39 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11170.6	U.S. GYPSUM TRAMWAY LIGHT F	44 11 13 N 83 32 29 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11170.7	U.S. GYPSUM TRAMWAY LIGHT G	44 11 11 N 83 32 19 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11170.8	U.S. GYPSUM TRAMWAY LIGHT H	44 11 10 N 83 32 09 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11170.9	U.S. GYPSUM TRAMWAY LIGHT I	44 11 09 N 83 31 59 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11171	U.S. GYPSUM TRAMWAY LIGHT J	44 11 08 N 83 37 56 W	FI W 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11171.1	U.S. GYPSUM TRAMWAY LIGHT K	44 11 09 N 83 31 56 W	FI W 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11171.2	U.S. GYPSUM TRAMWAY LIGHT L	44 11 08 N 83 31 54 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*11171.3	U.S. GYPSUM TRAMWAY LIGHT M	44 11 09 N 83 31 54 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11171.4	U.S. GYPSUM TRAMWAY LIGHT N	44 11 07 N 83 31 51 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11171.5	U.S. GYPSUM TRAMWAY LIGHT O	44 11 09 N 83 31 51 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*11171.6	U.S. GYPSUM TRAMWAY LIGHT P	44 11 24 N 83 33 15 W	FI Y 4s				Maintained from Apr. 15 to Oct. 15. Private aid.  29/11
*14946	Portage Buoy A	47 06 57 N 88 30 43 W					Maintained from May 14 to Nov. 14.  29/11
*14947	Portage Buoy B	47 06 58 N 88 30 43 W					Maintained from May 14 to Nov. 14.  29/11
*14948	Portage Buoy C	47 06 59 N 88 30 52 W					Maintained from May 14 to Nov. 14.  29/11

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.