

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
31020	CG STATION JONES BEACH BREAKWATER LIGHT 2	40 35 27 N 73 33 19 W	FIR 2.5s	6	3	TR on breakwall.	
					*		44/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6275	- Buoy 198	37 24 00 N 75 49 15 W				Red nun.	
	*					*	44/11
7055	- Lighted Buoy 5 75 feet outside channel limit.	36 58 47 N 76 00 14 W	FIG 2.5s		4	Green.	
	*						44/11
8115	- Lighted Buoy 21	39 08 28 N 76 24 28 W	Q G		5	Green.	Replaced by LIB of reduced intensity when endangered by ice.
					*		44/11
9545	- Channel Lighted Buoy 15	36 54 44 N 76 20 17 W	Q G		6	Green.	
					*		44/11
11043.1	- Oyster Sanctuary Daybeacon STH	37 01 19 N 76 33 23 W				NW on pile.	Private aid.
		*					44/11
15620	Tappahannock Channel Daybeacon 2						Remove from list.
							* 44/11
18355	HALLOWING POINT LIGHT						Remove from list.
							* 44/11
29845.6	Stones Bay Warning Daybeacon F	34 36 27 N 77 26 07 W				NW on pile worded DANGER LIVE FIRING AREA.	
		*					44/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4675	Lazaretto Creek Lighted Buoy WR 3 Marks obstruction.	32 00 33 N 80 53 11 W	FIG 2.5s		5	Green.	
					*		44/11
7885	GREEN COVE SPRINGS LIGHT 20	29 59 49 N 81 39 08 W	FIR 4s	16	5	TR on dolphin.	
					*		44/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
38215	- LIGHT 57	30 29 09 N 81 27 30 W	FI G 4s	12	4	SG-SY on pile.	
		*					44/11
42225	- LIGHT 85	28 18 02 N 80 41 39 W	FI G 4s	12	5	SG-SY on pile.	
					*		44/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*22876	OXBOW CALCINING DOCK LIGHT	29 50 09 N 93 58 00 W	FI R 2.5s			Light marks outermost upstream dock structure.	Private aid.
							44/11
24515	- Buoy 76A 500 feet from the channel centerline.						<i>Remove from list.</i>
							* 44/11
24880	- Daybeacon 1	29 42 26 N 94 59 59 W				SG on pile.	Private aid.
		*					44/11
24885	- Daybeacon 2	29 42 26 N 94 59 58 W				TR on pile.	Private aid.
		*					44/11
24890	- Daybeacon 3	29 42 26 N 94 59 55 W				SG on pile.	Private aid.
		*					44/11
24895	- Daybeacon 4	29 42 24 N 94 59 52 W				TR on pile.	Private aid.
		*					44/11
24900	- Daybeacon 5	29 42 24 N 94 59 49 W				SG on pile.	Private aid.
		*					44/11
24905	- Daybeacon 6	29 42 23 N 94 59 47 W				TR on pile.	Private aid.
		*					44/11
24910	- Daybeacon 7	29 42 22 N 94 59 44 W				SG on pile.	Private aid.
		*					44/11
24915	- Daybeacon 8	29 42 22 N 94 59 44 W				TR on pile.	Private aid.
		*					44/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
24920	- Daybeacon 9	29 42 23 N 94 59 43 W				SG on pile.	Private aid.
		*					44/11
24925	- Daybeacon 10	29 42 22 N 94 59 43 W				TR on pile.	Private aid.
		*					44/11
24930	- Daybeacon 11	29 42 23 N 94 59 41 W				SG on pile.	Private aid.
		*					44/11
24935	- Daybeacon 12	29 42 22 N 94 59 40 W				TR on pile.	Private aid.
		*					44/11
24940	- Daybeacon 13	29 42 24 N 94 59 39 W				SG on pile.	Private aid.
		*					44/11
24945	- Daybeacon 14	29 42 23 N 94 59 38 W				TR on pile.	Private aid.
		*					44/11
24950	- Daybeacon 15	29 42 25 N 94 59 36 W				SG on pile.	Private aid.
		*					44/11
24955	- Daybeacon 16	29 42 25 N 94 59 35 W				TR on pile.	Private aid.
		*					44/11
24960	- Daybeacon 17	29 42 27 N 94 59 34 W				SG on pile.	Private aid.
		*					44/11
24965	- Daybeacon 18	29 42 27 N 94 59 33 W				TR on pile.	Private aid.
		*					44/11
24970	- Daybeacon 19	29 42 29 N 94 59 33 W				SG on pile.	Private aid.
		*					44/11
24975	- Daybeacon 20	29 42 31 N 94 59 32 W				TR on pile.	Private aid.
		*					44/11
24980	- Daybeacon 21	29 42 33 N 94 59 32 W				SG on pile.	Private aid.
		*					44/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
24985	- Daybeacon 22	29 42 34 N 94 59 31 W				TR on pile.	Private aid.
		*					44/11
24990	- Daybeacon 23	29 42 34 N 94 59 31 W				SG on pile.	Private aid.
		*					44/11
24995	- Daybeacon 24	29 42 36 N 94 59 30 W				TR on pile.	Private aid.
		*					44/11
25000	- Daybeacon 25	29 42 37 N 94 59 31 W				SG on pile.	Private aid.
		*					44/11
25005	- Daybeacon 26	29 42 38 N 94 59 30 W				TR on pile.	Private aid.
		*					44/11
25010	- Daybeacon 27	29 42 41 N 94 59 31 W				SG on pile.	Private aid.
		*					44/11
25015	- Daybeacon 28	29 42 41 N 94 59 30 W				TR on pile.	Private aid.
		*					44/11
25020	- Daybeacon 29	29 42 43 N 94 59 31 W				SG on pile.	Private aid.
		*					44/11
25025	- Daybeacon 30	29 42 46 N 94 59 30 W				TR on pile.	Private aid.
		*					44/11
*25027	- Daybeacon 31	29 42 46 N 94 59 31 W				SG on pile.	Private aid.
							44/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
255	<i>San Simeon Lighted Bell Buoy 1</i>						<i>Remove from list.</i>
							* 44/11
287	<i>Monterey Bay (MBARI) Lighted Buoy (M2)</i>						<i>Remove from list.</i>
							* 44/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
SANTA MONICA BAY (Chart 18744)							
*3325	Redondo Harbor Entrance Lighted Bell Buoy RB	33 50 21 N 118 23 47 W	Mo (A) W		5	Red and white stripes.	44/11
4477	Bay Bridge Alternate Channel Lighted Buoy 2						Remove from list. * 44/11
6925	- LIGHT 4	38 03 17 N 121 31 46 W	FI R 4s	19	3	TR on pile.	Ra ref. * 44/11
10425	- LIGHT 49	46 10 33 N 123 25 11 W	FI G 4s	17	4	SG on multi-pile structure.	* 44/11
10510	- DIKE LIGHT 66	46 08 26 N 123 18 49 W	Q R	15	3	TR on multi-pile structure.	* 44/11
10585	- DIKE LIGHT 77	46 10 10 N 123 13 45 W	FI G 2.5s	13	4	SG on multi-pile structure.	* 44/11
15615	- SOUTH REACH RANGE A REAR LIGHT 599 yards, 092.3° from front light.	46 55 12 N 124 02 33 W	Iso R 6s	61		KRB on skeleton tower on multi-pile structure.	Visible 10° each side of rangeline. * 44/11
15665	GRAYS HARBOR SOUTH REACH RANGE AA FRONT LIGHT	46 55 07 N 124 03 39 W	Q R	33		KRB on multi-pile structure.	Visible all around; higher intensity on rangeline. Ra ref. * 44/11
15670	- SOUTH REACH RANGE AA REAR LIGHT 243 yards, 246.7° from front light.	46 55 04 N 124 03 49 W	Iso R 6s	52		KRB on skeleton tower on multi-pile structure.	Visible 14° each side of rangeline. * 44/11
15715	- NORTH CHANNEL RANGE C FRONT LIGHT	46 57 55 N 123 58 24 W	Q W	34		KRB on multi-pile structure.	Visible all around; higher intensity on rangeline. Ra ref. * 44/11
15720	- NORTH CHANNEL RANGE C REAR LIGHT 904 yards, 042.4° from front light.	46 58 15 N 123 57 57 W	Iso W 6s	70		KRB on multi-pile structure.	Visible 10° each side of rangeline. Ra ref. * 44/11
15735	- NORTH CHANNEL RANGE D FRONT LIGHT	46 57 34 N 123 59 28 W	Q W	40		KRB on multi-pile structure.	Visible 4° each side of rangeline. * 44/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15850	- REACH RANGE H FRONT LIGHT	46 57 35 N 123 49 24 W	Q R	31		KRB on multi-pile structure.	Visible 1.5° each side of rangeline.
				*			44/11
15870	- REACH RANGE K FRONT LIGHT	46 57 24 N 123 50 17 W	Q W	29		KRB on multi-pile structure. On same structure as Cow Point Reach Range G Front Light.	Visible all around; higher intensity on rangeline.
				*			44/11
15875	- REACH RANGE K REAR LIGHT 976 yards, 231.7° from front light.	46 57 06 N 123 50 50 W	Iso W 6s	50		KRB on multi-pile structure.	Visible 5.5° each side of range line.
	*			*			44/11
*17207	- Lighted Buoy 2	47 16 28 N 122 22 58 W	FI R 4s			Red.	Private aid.
							44/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
20335	- BREAKWATER LIGHT	42 21 44 N 87 48 39 W	FI (2) R 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec.	32 10	6	White cylindrical tower with red band.	
			*				44/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.