

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
500	Highland Light	42 02 22 N 70 03 39 W	FI W 5s	170	18	White conical tower.	Emergency light of reduced intensity when main light is extinguished. Lighted throughout 24 hours. * 52/11
820	<i>NOAA Data Lighted Buoy ODAS 44005</i>	43 12 13 N 69 07 40 W	FI (4) Y 20s			Yellow boat-shaped buoy.	Marked "NOAA" and "44005". Aid maintained by NOAA. * 52/11
13665	<i>- Lighted Buoy 17 ODAS 44020</i>	41 26 35 N 70 11 12 W	FI G 6s		5	Green.	* 52/11
22175	FORT POINT OUTER LIGHT						<i>Remove from list.</i> * 52/11
22185	FORT POINT MIDDLE LIGHT						<i>Remove from list.</i> * 52/11
22190	FORT POINT INNER LIGHT						<i>Remove from list.</i> * 52/11
*35596.2	ATLANTIC HIGHLANDS LIGHT 2	40 25 04 N 74 01 14 W	FI R 5s			On pile.	Private aid. 52/11
*35596.3	ATLANTIC HIGHLANDS LIGHT 3	40 25 00 N 74 01 23 W	FI G 5s			On pile.	Private aid. 52/11
*35596.4	ATLANTIC HIGHLANDS LIGHT 4	40 25 02 N 74 01 24 W	FI R 5s			On pile.	Private aid. 52/11
*35596.5	<i>Atlantic Highlands Lighted Buoy 5</i>	40 25 02 N 74 01 41 W	FI G 5s			Green.	Private aid. 52/11
*35596.6	<i>Atlantic Highlands Lighted Buoy 6</i>	40 25 03 N 74 01 41 W	FI R 5s			Red.	Private aid. 52/11
*35596.7	ATLANTIC HIGHLANDS LIGHT 7	40 25 02 N 74 01 49 W	FI G 5s			On pile.	Private aid. 52/11
*35597	<i>Atlantic Highlands West Entrance Lighted Buoy 2</i>	40 25 17 N 74 01 59 W	FI R 5s			Red.	Private aid. 52/11
*35597.1	<i>Atlantic Highlands West Entrance Lighted Buoy 4</i>	40 25 15 N 74 01 59 W	FI R 5s			Red.	Private aid. 52/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*35597.2	ATLANTIC HIGHLANDS WEST ENTRANCE LIGHT 6	40 25 15 N 74 02 00 W	F I R 5s			On pile.	Private aid. 52/11
*35597.3	ATLANTIC HIGHLANDS WEST ENTRANCE LIGHT 8	40 25 13 N 74 02 01 W	F I R 5s			On pile.	Private aid. 52/11
*35597.4	ATLANTIC HIGHLANDS WEST ENTRANCE LIGHT 10	40 25 12 N 74 02 03 W	F I R 5s			On pile.	Private aid. 52/11
*35597.5	ATLANTIC HIGHLANDS WEST ENTRANCE LIGHT 11	40 25 12 N 74 02 02 W	F I G 5s			On pile.	Private aid. 52/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
545	<i>False Cape Lighted Buoy 4A</i>	36 35 37 N 75 43 59 W	F I R 2.5s		5	Red.	 * 52/11
618	<i>UNC-Chapel Hill Lighted Data Buoy H</i>	35 47 19 N 75 06 19 W	F I Y 4s			Yellow.	Private aid. * 52/11
638	<i>UNC-Chapel Hill Lighted Data Buoy R</i>	34 46 57 N 75 56 30 W	F I Y 4s			Yellow.	Private aid. * 52/11
6015 6695	- LIGHT 126	37 35 57 N 75 41 03 W	F I R 4s	15	4	TR on multi-pile structure.	 * 52/11
6695 6015	VIRGINIA INSIDE PASSAGE LIGHT 126	37 35 57 N 75 41 03 W	F I R 4s	15	4	TR on multi-pile structure.	 * 52/11
8811	- Channel Buoy 3A	39 20 02 N 76 08 01 W				Green can.	Maintained from Mar. 15 to Dec. 1. * 52/11
8816	- Channel Buoy 4A	39 20 01 N 76 08 01 W				Red nun.	Maintained from Mar. 15 to Dec. 1. * 52/11
10157.08	- Buoy 10	36 54 15 N 76 05 42 W				Red nun.	Private aid. * 52/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10157.1	- Warning Buoy B	36 54 13 N 76 05 43 W				White can with orange diamond.	Private aid.
	*					*	52/11
12875	- Daybeacon 7						<i>Remove from list.</i>
							* 52/11
25835	KNAPPS NARROWS EAST CHANNEL APPROACH LIGHT 2	38 42 07 N 76 19 23 W	FIR 4s	15	3	TR on pile.	
						*	52/11
25840	- HARBOR LIGHT 2	38 42 35 N 76 19 45 W	FIR 2.5s	15	3	TR on pile.	
						*	52/11
28139	Oregon Inlet Channel Buoy 40	35 46 22 N 75 34 59 W				Red nun.	
		*					52/11
29135	- Daybeacon 6						<i>Remove from list.</i>
							* 52/11
34765	- Buoy 8						<i>Remove from list.</i>
							* 52/11
	*Add Heading: Wood Island						
*38968	- Warning Daybeacon A	34 40 59 N 76 57 02 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps.
							52/11
*38968.01	- Warning Daybeacon B	34 40 58 N 76 57 05 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps.
							52/11
*38968.02	- Warning Daybeacon C	34 40 59 N 76 57 12 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps.
							52/11
*38968.03	- Warning Daybeacon D	34 41 02 N 76 57 14 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps.
							52/11
*38968.04	- Warning Daybeacon E	34 41 05 N 76 57 16 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps.
							52/11
*38968.05	- Warning Daybeacon F	34 41 09 N 76 57 19 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps.
							52/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2011							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*38968.06	- Warning Daybeacon G	34 41 12 N 76 57 22 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.07	- Warning Daybeacon H	34 41 16 N 76 57 22 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.08	- Warning Daybeacon J	34 41 19 N 76 57 20 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.09	- Warning Daybeacon K	34 41 22 N 76 57 17 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.11	- Warning Daybeacon M	34 41 25 N 76 57 07 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.12	- Warning Daybeacon N	34 41 23 N 76 57 02 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.13	- Warning Daybeacon P	34 41 20 N 76 56 58 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.14	- Warning Daybeacon Q	34 41 17 N 76 56 56 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.15	- Warning Daybeacon R	34 41 14 N 76 56 53 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.16	- Warning Daybeacon S	34 41 10 N 76 56 52 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.17	- Warning Daybeacon T	34 41 07 N 76 56 52 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.18	- Warning Daybeacon U	34 41 03 N 76 56 53 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11
*38968.19	- Warning Daybeacon V	34 41 01 N 76 56 58 W				NW on pile worded DANGER UNEXPLODED ORDNANCE.	Aid maintained by U.S. Marine Corps. 52/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3225	- LIGHT 109	32 59 40 N 79 54 52 W	FI G 2.5s	16	5	SG on pile.	
						*	52/11
4955	- INBOUND RANGE FRONT LIGHT	32 05 11 N 81 01 29 W	FI G 2.5s	16			Visible 4° each side of rangeline. Lighted throughout 24 hours.
	*		*				* 52/11
4960	- INBOUND RANGE REAR LIGHT 159 yards, 212.6° from front light.	32 05 07 N 81 01 32 W	Iso G 6s	43			Visible 4° each side of rangeline. Lighted throughout 24 hours.
	*		*				* 52/11
6185.5 37257	- Lighted Buoy 20A	31 06 46 N 81 25 34 W	FI R 2.5s		5	Red.	
						*	52/11
7765.2	Goodbys Creek Channel Buoy 3	30 13 01 N 81 37 29 W				Green can.	Private aid.
		*					52/11
14865	- Lighted Buoy 9	24 31 43 N 81 49 00 W	FI G 4s		5	Green.	
						*	52/11
14880	- Lighted Buoy 12	24 31 59 N 81 48 54 W	Q R		4	Red.	
						*	52/11
14895	- Lighted Buoy 15	24 32 55 N 81 48 56 W	FI G 4s		5	Green.	
						*	52/11
14910	- Lighted Buoy 17	24 33 31 N 81 48 54 W	FI G 4s		5	Green.	
						*	52/11
22625	- Lighted Buoy 6C	27 41 37 N 82 33 23 W	Q R		4	Red.	
						*	52/11
34435	- LIGHT 99	32 51 39 N 79 43 10 W	FI G 4s	16	5	SG-SY on pile.	
						*	52/11
34455	- LIGHT 103	32 51 02 N 79 43 46 W	FI G 4s	16	5	SG-SY on pile.	
						*	52/11
34900	- LIGHT 91						Remove from list.
							* 52/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34905	- LIGHT 92	32 41 09 N 80 13 32 W	Q R	16	4	TR-TY on pile.	
	*		*	*	*		52/11
37257 6185.5	St Simons Sound Lighted Buoy 20A	31 06 46 N 81 25 34 W	F I R 2.5s		5	Red.	
					*		52/11
38830	- LIGHT 54	29 56 36 N 81 18 42 W	F I R 4s	12	5	TR-TY on dolphin.	
					*		52/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*10977	FR-LA-71-A	30 11 39 N 89 50 16 W	F I Y 2.5s			Marks northwest corner of reef site.	Private aid. 52/11
*10977.01	FR-LA-71-B	30 11 39 N 89 50 11 W	F I Y 2.5s			Marks northeast corner of reef site.	Private aid. 52/11
*10977.02	FR-LA-71-C	30 11 35 N 89 50 11 W	F I Y 2.5s			Marks southeast corner of reef site.	Private aid. 52/11
*10977.03	FR-LA-71-D	30 11 35 N 89 50 16 W	F I Y 2.5s			Marks southwest corner of reef site.	Private aid. 52/11
17965	CAILLOU BAY LIGHT 4						Remove from list. *
							52/11
25865	- LIGHT 6	29 38 29 N 94 43 28 W	F I R 2.5s	17	3	TR on pile.	Ra ref.
	*						52/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
181.5	Santa Monica Bay UCLA Research Lighted Buoy						Remove from list. *
							52/11
283	Monterey Bay (MBARI) Lighted Buoy (MTM4)						Remove from list. *
							52/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3737	<i>Scripps Waverider Lighted Research Buoy 107</i>						<i>Remove from list.</i>
							* 52/11
3796	<i>Scripps Waverider Lighted Research Buoy 071</i>						<i>Remove from list.</i>
							* 52/11
4070	<i>Monterey Bay (MBARI) Lighted Research Buoy (M0)</i>						<i>Remove from list.</i>
							* 52/11
4335	Point Blunt Light	37 51 12 N 122 25 09 W	FI G 5s	60	13	White square house. 60	HORN: 1 blast ev 15s (2s bl).
			*				52/11
17977	<i>Liberty Bay Marina Lighted No Wake Buoy</i>	47 43 20 N 122 38 47 W	FI W 4s			White can with orange bands and diamond worded NO WAKE.	Private aid.
	*		*				52/11
19220	<i>Post Point Lighted Buoy 2</i>	48 42 49 N 122 31 45 W	FI R 4s		4	Red.	
						*	52/11
19815	<i>- Shoal Isolated Danger Lighted Bell Buoy DB</i>	48 45 53 N 123 00 53 W	FI (2) W 5s		4	Black and red bands with two black spherical topmarks.	
						*	52/11
29651	<i>Barbers Point Harbor Entrance Channel Lighted Buoy 2</i>	21 18 55 N 158 07 41 W	FI R 2.5s		4	Red.	
							* 52/11

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7650	<i>Stony Island Buoy 8</i>						<i>Remove from list.</i>
							* 52/11
12205	Martin Reef Light Marks south side of reef.	45 54 47 N 84 08 55 W	FI R 10s	65 20	13	White square tower on concrete crib. 65	HORN: 1 blast ev 30s (3s bl). Maintained from Apr. 1 to Nov. 1
			*				52/11
13005	<i>- Lighted Buoy 25</i>	46 09 36 N 84 03 43 W	FI G 4s		5	Green.	Replaced by can from Dec. 7 to May 1.
							* 52/11
14025	<i>- LIGHT 88</i>	46 26 49 N 84 16 05 W	FI R 2.5s	34 10	7	TR on post on concrete foundation.	
						*	52/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2011

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14473	<i>Pointe De Chenes Lighted Buoy P34 (C)</i>	46 27 54 N 84 33 29 W	F I R 4s				

*

52/11

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.