

SECTION I

Chart 11373

NM 6/12

HORN ISLAND PASS PASCAGOULA HARBOR AND BAYOU CASOTTE CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS- REPORT OF NOV 2011 AND SURVEYS TO OCT 2011							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
PASCAGOULA BAR CHANNEL	39.6	43.5	41.2	6-11	450	6.28	44.0
HORN ISLAND PASS	43.2A	42.8	42.4	9-11	600	1.4	44.0
PASCAGOULA LOWER SOUND	37.4B	42.0	39.9C	9-11	350	4.3	42.0
PASCAGOULA UPPER SOUND	38.0	38.0	38.0	9-11	350	4.63	38.0
PASCAGOULA RIVER	38.0D	38.0E	38.0F	9-11	350G	2.021	38.0
BAYOU CASOTTE	37.8	41.1H	36.8I	10-11	350	4.57	42.0

A. SHOALING TO 41.4 FT IN BEND WIDENING AREA.
 B. SHOALING TO 35.0 FT IN BEND WIDENING AREA.
 C. SHOALING TO 37.6 FT IN BEND WIDENING AREA.
 D. SHOALING TO 24.1 FT AT CSX RAILROAD BRIDGE.
 E. SHOALING TO 19.5 FT AT CSX RAILROAD BRIDGE.
 F. SHOALING TO 27.4 FT AT CSX RAILROAD BRIDGE.
 G. PASCAGOULA RIVER PROJECT WIDTH VARIES AT SOUTH END OF TERMINAL C TO CSX RAILROAD.
 H. SHOALING TO 38.0 FT AT NORTH END OF PROJECT.
 I. SHOALING TO 36.2 FT AT NORTH END OF PROJECT.

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 11374 (Side B)

NM 6/12

HORN ISLAND PASS PASCAGOULA HARBOR AND BAYOU CASOTTE CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS- REPORT OF NOV 2011 AND SURVEYS TO OCT 2011							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
PASCAGOULA BAR CHANNEL	39.6	43.5	41.2	6-11	450	6.28	44.0
HORN ISLAND PASS	43.2A	42.8	42.4	9-11	600	1.4	44.0
PASCAGOULA LOWER SOUND	37.4B	42.0	39.9C	9-11	350	4.3	42.0
PASCAGOULA UPPER SOUND	38.0	38.0	38.0	9-11	350	4.63	38.0
PASCAGOULA RIVER	38.0D	38.0E	38.0F	9-11	350G	2.021	38.0
BAYOU CASOTTE	37.8	41.1H	36.8I	10-11	350	4.57	42.0

A. SHOALING TO 41.4 FT IN BEND WIDENING AREA.
 B. SHOALING TO 35.0 FT IN BEND WIDENING AREA.
 C. SHOALING TO 37.6 FT IN BEND WIDENING AREA.
 D. SHOALING TO 24.1 FT AT CSX RAILROAD BRIDGE.
 E. SHOALING TO 19.5 FT AT CSX RAILROAD BRIDGE.
 F. SHOALING TO 27.4 FT AT CSX RAILROAD BRIDGE.
 G. PASCAGOULA RIVER PROJECT WIDTH VARIES AT SOUTH END OF TERMINAL C TO CSX RAILROAD.
 H. SHOALING TO 38.0 FT AT NORTH END OF PROJECT.
 I. SHOALING TO 36.2 FT AT NORTH END OF PROJECT.

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

SECTION I

Chart 11375

NM 6/12

HORN ISLAND PASS PASCAGOULA HARBOR AND BAYOU CASOTTE CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS- REPORT OF NOV 2011 AND SURVEYS TO OCT 2011							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
PASCAGOULA BAR CHANNEL	39.6	43.5	41.2	6-11	450	6.28	44.0
HORN ISLAND PASS	43.2A	42.8	42.4	9-11	600	1.4	44.0
PASCAGOULA LOWER SOUND	37.4B	42.0	39.9C	9-11	350	4.3	42.0
PASCAGOULA UPPER SOUND	38.0	38.0	38.0	9-11	350	4.63	38.0
PASCAGOULA RIVER	38.0D	38.0E	38.0F	9-11	350G	2.021	38.0
BAYOU CASOTTE	37.8	41.1H	36.8I	10-11	350	4.57	42.0

A. SHOALING TO 41.4 FT IN BEND WIDENING AREA.
 B. SHOALING TO 35.0 FT IN BEND WIDENING AREA.
 C. SHOALING TO 37.6 FT IN BEND WIDENING AREA.
 D. SHOALING TO 24.1 FT AT CSX RAILROAD BRIDGE.
 E. SHOALING TO 19.5 FT AT CSX RAILROAD BRIDGE.
 F. SHOALING TO 27.4 FT AT CSX RAILROAD BRIDGE.
 G. PASCAGOULA RIVER PROJECT WIDTH VARIES AT SOUTH END OF TERMINAL C TO CSX RAILROAD.
 H. SHOALING TO 38.0 FT AT NORTH END OF PROJECT.
 I. SHOALING TO 36.2 FT AT NORTH END OF PROJECT.

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 14867 (Inset Saginaw River)

NM 6/12

SAGINAW RIVER CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO JULY 2011							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT GREAT LAKES LOW WATER DATUM (LWD)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (STAT. MILES)	DEPTH LWD (FEET)
ENTRANCE CHANNEL	17.4	20.5	17.5	10-03;9-04;11-06;8-10;6-11	350	13.70	27
THENCE TO BUOY 28	20.2	23.9	22.7	6-11	200	0.47	26
THENCE TO ESSEXVILLE TURNING BASIN	24.6	23.3	18.6	5,6-11	200	2.27	25
ESSEXVILLE TURNING BASIN	19.5	20.4	13.7	5-11	630	0.37	25-20
THENCE TO RR BRIDGE AT MILE 4.94	21.0	21.9	20.7	5-11	200	2.05	25
THENCE TO AIRPORT TURNING BASIN	18.8	21.9	18.6	6,11-10, 5-11; 7-11	200	3.90	22
THENCE TO BUOY 64	16.8	20.9	17.4	7-04; 6,8-10; 7-11	200	3.20	22
THENCE TO N 43°28'52.4" W/ 83°54'48.0"	18.4	21.4	19.8	6,8-10;6-11	200	2.75	22
THENCE TO 6TH ST TURNING BASIN	18.1	20.0	16.2	7-09; 6, 8-10, 6-11	200	3.10	22
6TH ST TURNING BASIN	15.0	14.3	12.4	6-11	650	0.20	22
THENCE TO C&O RR BRIDGE	14.2	14.7	12.0	9-04; 8-10	200	0.17	22
THENCE TO CARROL ST.	15.4	15.6	13.0	10-77	200	0.30	16

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 18654

NM 6/12

PINOLE SHOAL CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO AUG 2011							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
CHANNEL ENTRANCE TO LT. 11	27.0	35.0	32.0	8-11	600	5.1	35
THENCE TO 38°03'31"N, 122°17'08"W	28.0	36.0	35.0	8-11	600	2.2	35

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

SECTION I

NM 6/12

Chart 18773

NM 6/12

SAN DIEGO HARBOR CHANNEL DEPTHS								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO JUN 2011								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (FEET)	DEPTH MLLW (FEET)
SAN DIEGO HARBOR								
ENTRANCE CHANNEL	47.0	47.2	46.9	A44.4	6-11	800	12,700	47
NORTH BAY CHANNEL	B42.7	46.9	46.9	42.0	8-09, 6-11	600-800	24,900	47

A. SHOALING TO 36.8 FEET IN THE OUTER 100 FEET OF QUARTER.

B. SHOALING TO 38.0 FEET IN THE OUTER 50 FEET OF QUARTER FROM 32°43'06.0"N, 117°11'32.7"W TO 32°42'38.9"N, 117°10'46.0"W.

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION