

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
715	<i>Nantucket Traffic Lane Lighted Whistle Buoy NB</i>						<i>Remove from list.</i>
							* 28/12
1244	Shorey Cove Coast Guard Mooring Buoy CG	44-35-31.36N 67-31-37.10W				White and blue.	
	*						28/12
15750	TIMBER PIER LIGHT	41-31-28.40N 70-40-23.01W	F R	8			Private aid.
		*					28/12
19285	Despair Island Lighted Buoy 1	41-36-29.15N 71-21-36.06W	FI G 4s		4	Green.	
						*	28/12
21140	<i>Cornfield Lighted Whistle Buoy CF</i>	41-11-17.17N 72-22-16.85W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
						*	28/12
21205 24015	<i>New Haven Harbor Lighted Whistle Buoy NH</i>	41-12-07.47N 72-53-47.13W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
						*	28/12
21685	- Rock Buoy A	40-59-47.34N 72-38-48.36W				Yellow can.	Private aid.
						*	28/12
21690	- Shoal Buoy B	40-59-13.80N 72-38-44.34W				Yellow can.	Private aid.
						*	28/12
23470	- Channel Buoy 6	41-51-39.20N 72-31-36.24W				Red nun.	
		*					28/12
23525	- Daybeacon 2H						<i>Remove from list.</i>
							* 28/12
24015 21205	- <i>Lighted Whistle Buoy NH</i>	41-12-07.47N 72-53-47.13W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
						*	28/12
31790	- Buoy B19	40-36-24.84N 73-40-39.18W				Green can.	Private aid.
		*					28/12
34800	- <i>Lighted Buoy 5</i>	40-29-23.74N 73-55-38.06W	FI G 2.5s		4	Green.	
		*					28/12
36894	Red Hook Pier 44 Obstruction Buoy						<i>Remove from list.</i>
							* 28/12

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5440	- Channel Daybeacon 10						<i>Remove from list.</i>
							* 28/12
*5441	- Channel Buoy 10	37-58-02.51N 75-22-24.35W				Red nun.	
							28/12

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10175	- Daybeacon 11	36-54-15.66N 76-04-57.12W *				SG on pile.	28/12
10385	- LIGHT 13	36-54-12.97N 76-01-55.88W *	FI G 2.5s	15	3	SG on pile.	Light equipment removed when endangered by ice. 28/12
10405	- CHANNEL LIGHT 16	36-54-02.63N 76-02-45.98W *	FI R 6s	15	4	TR on pile.	28/12
*10757	Lafayette River Warning Daybeacon S	36-53-21.29N 76-16-39.32W				NW on pile worded DANGER OYSTER REEF.	Private aid. 28/12
*10758	Lafayette River Warning Daybeacon N	36-53-23.23N 76-16-39.35W				NW on pile worded DANGER OYSTER REEF.	Private aid. 28/12
27220	- LIGHT 13	39-22-34.15N 76-20-06.39W *	FI G 4s	15	4	SG on pile.	28/12
29980	- Buoy 1A						<i>Remove from list.</i> * 28/12
29997	- Buoy 3A						<i>Remove from list.</i> * 28/12
30003	- Buoy 4A						<i>Remove from list.</i> * 28/12
30010	- Lighted Buoy 5	34-20-23.03N 77-39-33.48W *	FI G 4s		4	Green.	28/12
30015	- Buoy 6	34-20-28.52N 77-39-42.03W *				Red nun.	28/12
30017	- Buoy 6A						<i>Remove from list.</i> * 28/12
*30020	- Buoy 7	34-20-24.26N 77-39-57.02W				Green can.	28/12
30026	- Buoy 8A						<i>Remove from list.</i> * 28/12
*30030	- Buoy 9	34-20-27.68N 77-40-12.57W				Green can.	28/12
30036	- Buoy 10A						<i>Remove from list.</i> * 28/12
30039	- Buoy 11A						<i>Remove from list.</i> * 28/12
*30040	- Buoy 12	34-20-44.47N 77-40-09.25W				Red nun.	28/12
*30047	- Buoy 14	34-20-50.90N 77-40-01.90W				Red nun.	28/12
*30048	- Buoy 16	34-20-51.67N 77-39-46.93W				Red nun.	28/12

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*30049	- Buoy 17	34-20-52.99N 77-39-41.74W				Green can.	28/12
40200	- LIGHT 40	33-55-31.96N 78-13-11.15W	FI R 4s	15	3	TR-TY on pile.	28/12
		*					28/12

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
170	<i>Bull Breakers Offshore Drill Mine Field Lighted Buoy 8</i>	32-44-15.06N 79-34-02.26W	FI R 2.5s		5	Red.	28/12
						*	28/12
1990	- CHANNEL LIGHT 18	33-15-07.38N 79-12-38.57W	Q R	16	4	TR on dolphin.	28/12
		*				*	28/12
2325	- Daybeacon 14	33-02-15.16N 79-28-18.86W				TR on pile.	28/12
		*					28/12
2370.6	- Channel Lighted Buoy 6	32-39-22.74N 79-40-01.86W	Q R		4	Red.	28/12
		*					28/12
2740	- Lighted Buoy 46	32-49-09.04N 79-55-28.95W	FI R 4s		5	Red.	28/12
						*	28/12
2750	- DIKE LIGHT 47	32-49-27.71N 79-55-55.53W	FI G 4s	22	5	SG on skeleton tower.	28/12
						*	28/12
2980	- LIGHT 68	32-54-42.51N 79-55-44.68W	FI R 4s	12	5	TR on dolphin.	28/12
						*	28/12
36405	- LIGHT 104B	31-47-35.69N 81-10-58.02W	FI R 4s	10	5	TR-TY on pile.	28/12
	*					*	28/12
36410	- Range A Rear Daybeacon 157 yards, 199.7° from front light.						Remove from list. * 28/12
*43103	- East Danger Daybeacon	28-07-27.12N 80-37-49.41W				NW on pile worded DANGER.	Private aid. 28/12
*43103.1	- West Danger Daybeacon	29-07-27.44N 80-37-51.31W				NW on pile worded DANGER.	Private aid. 28/12

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
309	<i>Arena Offshore-116-20 Lighted Buoy Marks subsea installation.</i>						Remove from list. * 28/12
*12377	Coastal Environments Inc. Bayou Palo Daybeacon 2	29-40-03.98N 89-32-06.99W				TR on pile.	Private aid. 28/12

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*12377.01	Coastal Environments Inc. Lake Fortuna Danger Daybeacons (4)	29-40-09.41N 89-32-08.25W				NW on pile.	Private aid. 28/12
*12377.02	Coastal Environments Inc. Lake Fortuna Danger Daybeacons (3)	29-40-21.62N 89-31-57.10W				NW on pile.	Private aid. 28/12
*12377.03	Coastal Environments Inc. Bayou Nume Daybeacon 1	29-40-26.87N 89-31-51.12W				SG on pile.	Private aid. 28/12
*12377.04	Coastal Environments Inc. Bayou Nume Daybeacon 2	29-40-25.84N 89-31-49.82W				TR on pile.	Private aid. 28/12
*12377.05	Coastal Environments Inc. Lake Fortuna Danger Daybeacons (5)	29-40-26.59N 89-31-40.47W				NW on pile.	Private aid. 28/12
*12377.06	Coastal Environments Inc. Lake Fortuna Danger Daybeacons (4)	29-40-39.03N 89-31-47.09W				NW on pile.	Private aid. 28/12
*12377.07	Coastal Environments Inc. Cat Pass Cut Daybeacon 1	29-40-52.11N 89-31-47.37W				SG on pile.	Private aid. 28/12
*12377.08	Coastal Environments Inc. Lake Eloi Danger Daybeacons (5)	29-45-03.46N 89-26-14.90W				NW on pile.	Private aid. 28/12
*12377.09	Coastal Environments Inc. Lake Eloi South Cut Daybeacon 1	29-45-09.92N 89-26-22.47W				SG on pile.	Private aid. 28/12
*12377.11	Coastal Environments Inc. Lake Eloi South Cut Daybeacon 2	29-45-15.01N 89-26-24.65W				TR on pile.	Private aid. 28/12
*12377.12	Coastal Environments Inc. Lake Eloi Danger Daybeacons (3)	29-45-16.30N 89-26-23.85W				NW on pile.	Private aid. 28/12
*12377.13	Coastal Environments Inc. Lake Eloi Danger Daybeacons (3)	29-45-25.60N 89-26-25.44W				NW on pile.	Private aid. 28/12
*12377.14	Coastal Environments Inc. Lake Eloi Center Cut Daybeacon 1	29-45-28.09N 89-26-27.95W				SG on pile.	Private aid. 28/12
*12377.15	Coastal Environments Inc. Lake Eloi Center Cut Daybeacon 2	29-45-29.63N 89-26-30.23W				TR on pile.	Private aid. 28/12
*12377.16	Coastal Environments Inc. Lake Eloi Danger Daybeacons (5)	29-45-33.58N 89-26-32.94W				NW on pile.	Private aid. 28/12
*12377.17	Coastal Environments Inc. Lake Eloi North Cut Daybeacon 1	29-45-46.44N 89-26-26.61W				SG on pile.	Private aid. 28/12

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12480	- Daybeacon 20 50 feet outside channel limit.	29-18-52.12N 89-26-10.72W				TR on pile.	
		*					28/12
15022	BEAR INDUSTRIES DOLPHIN LIGHTS (2) LDB mile 189.3	30-12-51.34N 91-05-14.52W	FI R 2.5s			Marks upstream and downstream dolphins.	Private aid.
	*						28/12
20915	- LIGHT 1						<i>Remove from list.</i>
							*
							28/12
23940	BOLIVAR ROADS ALTERNATE INBOUND ROUTE RANGE FRONT LIGHT	29-22-53.29N 94-48-46.64W	Q G	27		KGW on skeleton tower on piles.	Visible all around; higher intensity 4° each side of centerline.
		*		*		*	28/12
23945	BOLIVAR ROADS ALTERNATE INBOUND ROUTE RANGE REAR LIGHT 1,246 yards, 301.1° from front light.	29-23-12.42N 94-49-22.82W	Iso G 6s	56		KGW on skeleton tower on platform.	Visible 2° each side of rangeline.
	*	*		*			28/12
24055	LOWER GALVESTON BAY INNER RANGE FRONT LIGHT	29-30-28.78N 94-52-21.86W	FI G 2.5s (Night) FI W 2.5s (Day)	40 43		On pile.	DAY: Visible 2° each side of range line. NIGHT: Visible all around, higher intensity on range line.
		*		*		*	28/12
24060	LOWER GALVESTON BAY INNER RANGE REAR LIGHT 1,999 yards, 336.2° from front light.	29-31-24.10N 94-52-49.26W	Iso G 6s (Night) Iso W 6s (Day)	118 115		On skeleton tower on piles.	Visible 2° each side of range line.
	*	*		*			28/12
24110	- LIGHT 47 235 feet outside channel limit.	29-28-38.48N 94-51-33.43W	FI G 2.5s	17	4	SG on pile.	Ra ref.
		*					28/12
24400	MORGANS POINT APPROACH OUTER RANGE REAR LIGHT 2,361 yards, 161.7° from front light.	29-34-40.31N 94-56-31.16W	Iso G 6s (Night) Iso W 6s (Day)	111 109			Visible 2° each side of rangeline.
		*		*			28/12
25515	- LIGHT 126 167 feet outside channel limit.	29-45-34.61N 95-04-10.67W	Q R	17	4	TR on pile.	Ra ref.
		*					28/12
33115	- Buoy 5A	30-19-55.17N 87-19-13.69W				Green can with yellow square.	
		*					28/12
37820	- LIGHT 50 60 feet outside channel limit.	28-41-43.98N 96-13-34.45W	FI R 2.5s	17	3	TR on pile.	Higher intensity beam for inbound traffic. Ra ref.
		*					28/12

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10915	- UPPER RANGE FRONT LIGHT	45-58-40.72N 122-50-21.94W	Q W	24		KRB on pile structure.	Visible all around; higher intensity on rangeline.
		*		*			28/12

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10920	- UPPER RANGE REAR LIGHT 732 yards, 163.4° from front light.	45-58-19.95N 122-50-13.07W	Iso W 6s	53		KRB on skeleton tower.	Visible 14° each side of rangeline.
	*	*		*			28/12
*10943.1	TEMCO MARINE FACILITY LIGHT A	45-58-57.03N 122-50-00.89W	FI Y 4s			NY on mooring dolphin.	Private aid.
							28/12
*10943.2	TEMCO MARINE FACILITY LIGHT B	45-58-59.27N 122-50-03.28W	FI Y 4s			NY on concrete dock.	Private aid.
							28/12
*10943.3	TEMCO MARINE FACILITY LIGHT C	45-59-01.52N 122-50-05.00W	FI Y 4s			NY on concrete dock.	Private aid.
							28/12
*10943.4	TEMCO MARINE FACILITY LIGHT D	45-59-03.98N 122-50-06.91W	FI Y 4s			NY on mooring dolphin.	Private aid.
							28/12
*10943.5	TEMCO MARINE FACILITY LIGHT E	45-59-06.27N 122-50-08.91W	FI Y 4s			NY on mooring dolphin.	Private aid.
							28/12
*10943.6	TEMCO MARINE FACILITY LIGHT F	45-59-08.48N 122-50-10.34W	FI Y 4s			NY on mooring dolphin.	Private aid.
							28/12
*10943.7	TEMCO MARINE FACILITY LIGHT G	45-59-10.57N 122-50-11.94W	FI Y 4s			NY on mooring dolphin.	Private aid.
							28/12
*10943.8	TEMCO MARINE FACILITY LIGHT H	45-59-13.36N 122-50-14.08W	FI Y 4s			NY on mooring dolphin.	Private aid.
							28/12
11825	STEVENSON LOWER RANGE FRONT LIGHT	45-40-41.99N 121-53-58.47W	Q W	22		KRB on multi-pile structure.	Visible 4° each side of rangeline.
		*		*		*	28/12
11830	STEVENSON LOWER RANGE REAR LIGHT 945 yards, 237.8° from front light.	45-40-27.39N 121-54-31.59W	Iso W 6s	44		KRB on skeleton tower on multi-pile structure.	Visible 4° each side of rangeline.
	*	*		*		*	28/12
11990	BINGEN RANGE FRONT LIGHT	45-41-42.03N 121-26-41.40W	Q R	27	6	KRB on skeleton tower.	Visible 4° each side of rangeline.
		*					28/12
11995	BINGEN RANGE REAR LIGHT 1,590 yards, 123.9° from front light.	45-41-15.77N 121-25-45.61W	Iso R 6s	57	9	KRB on skeleton tower.	Visible 5.5° each side of rangeline.
	*	*		*			28/12
12235	MILLER ISLAND SOUTH CHANNEL RANGE A FRONT LIGHT	45-39-39.51N 120-56-47.52W	Q G	39		KRB on skeleton tower.	Visible all around; higher intensity on rangeline.
		*		*			28/12
12240	MILLER ISLAND SOUTH CHANNEL RANGE A REAR LIGHT 226 yards, 323.4° from front light.	45-39-44.88N 120-56-53.20W	Iso G 6s	52		KRB on skeleton tower.	Visible 4° each side of rangeline.
	*	*		*			28/12
12255	MILLER ISLAND SOUTH CHANNEL RANGE B FRONT LIGHT	45-38-15.16N 120-54-01.50W	Q G	45		KRB on skeleton tower.	Visible 4° each side of rangeline.
		*		*			28/12

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12260	MILLER ISLAND SOUTH CHANNEL RANGE B REAR LIGHT 249 yards, 113.2° from front light.	45-38-12.25N 120-53-51.85W	Iso G 6s	81		KRB on skeleton tower.	Visible 4° each side of rangeline. * * * 28/12
12275	MILLER ISLAND SOUTH CHANNEL RANGE C FRONT LIGHT	45-38-08.43N 120-54-44.40W	Q G	48		KRB on skeleton tower.	Visible 4° each side of rangeline. * * * 28/12
12280	MILLER ISLAND SOUTH CHANNEL RANGE C REAR LIGHT 460 yards, 231° from front light.	45-38-00.00N 120-55-00.00W	Iso G 6s	81		KRB on skeleton tower.	Visible 4° each side of rangeline. * * * 28/12
12285	Hells Gate Range B Front Daybeacon	45-39-47.38N 120-51-24.28W				KGB on skeleton tower.	 * * * 28/12
12290	Hells Gate Range B Rear Daybeacon 465 yards, 092.3° from front daybeacon.	45-39-46.83N 120-51-04.67W				KGB on skeleton tower.	 * * * 28/12
12375	- RANGE FRONT LIGHT	45-42-55.87N 120-42-15.76W	Q G	19		KRB on lock wall.	Visible 5.5° each side of rangeline. * * * 28/12
12380	- RANGE REAR LIGHT 269 yards, 060.7° from front light	45-43-00.00N 120-42-05.85W	Iso G 6s	37		KRB on skeleton tower.	Visible 5.5° each side of rangeline. * * * 28/12

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8885	ST. CLAIR SHORES BREAKWATER LIGHT 2	42-28-22.00N 82-52-43.00W	FI R 4s	16 5	5	TR on pile.	 * 28/12
11240	- Light	44-15-13.41N 83-26-58.35W	Oc W 4s (R sector)	70 21	W 16 R 12		Red from 045° to 135°. HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). 3,150 feet, 232° from light. Operates by keying the microphone five times on VHF channel 83A. * 28/12
11370	- Light	45-03-37.23N 83-25-23.02W	FI R 6s	44 13	12	Red skeleton tower with upper part enclosed.	HORN: 1 blast ev 15s (2s bl). Operates May 1 to Oct. 20, by keying the microphone five times on VHF channel 83A. * 28/12
12770	De Tour Reef Light	45-56-56.79N 83-54-11.25W	FI W 10s (R sector)	74 23	W 18 R 15	84	Red from 079.5° to 189.5°. RACON (X/S): D (- * *). HORN: 2 blasts ev 60s (3s bl-3s si-3s bl-51s si). Operates Apr. 1 to Nov. 1, by keying the microphone five times on VHF channel 83A. * 28/12
17925	- South Pierhead Light	45-19-12.93N 85-15-53.75W	FI R 4s	41 12	10		HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF channel 83A. * 28/12

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18965	- South Pierhead Entrance Light	43-03-24.91N 86-15-21.42W	FI R 10s	42 13	17	Red fog signal building. 42	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying the microphone five times on VHF channel 83A. * 28/12
19285	- SOUTH BREAKWATER LIGHT	42-46-21.10N 86-12-56.90W	FI R 4s	27 8	5	White cylindrical tower with red band. 20	HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF channel 83A. * 28/12
19445	- SOUTH PIERHEAD LIGHT	42-40-36.00N 86-12-59.00W	FI R 4s	30 9	7	Cylindrical structure with red band.	HORN: 1 blast ev 15s (2s bl). Operates by keying the microphone five times on VHF channel 83A. * 28/12
19545	- East Pierhead Light	41-43-44.28N 86-54-41.71W	Oc W 4s	55 17	13	White octagonal tower with red roof attached to fog signal building. 55	HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si). Operates by keying the microphone five times on VHF channel 83A. * 28/12
21480	- WEST BREAKWATER LIGHT 1 *	45-56-43.42N 86-14-55.46W	FI G 4s	26 8	4	SG on post.	 28/12
21485	- WEST PIERHEAD LIGHT 3 *	45-56-52.22N 86-14-47.96W	FI G 2.5s	23 7	4	SG on post.	 28/12
21635	ESCANABA LIGHT Marks shoal.	45-44-47.53N 87-02-13.94W	Iso W 6s	45 14	11	White square tower with green stripe on crib.	HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF channel 83A. * 28/12

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.