

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3870	- Bell Buoy 4 Southeast from rock.						<i>Remove from list.</i>
							* 41/12
16251	Gray Gables Buoy 1	41-44-09.66N 70-37-24.12W				Green can.	Private aid.
		*					41/12
16252	Gray Gables Buoy 2	41-44-09.00N 70-37-24.66W				Red nun.	Private aid.
	*	*					41/12
16516	Squeteague Harbor Buoy 1						<i>Remove from list.</i>
							* 41/12
16517	Squeteague Harbor Buoy 2	41-39-33.30N 70-37-16.92W				Red nun.	Private aid.
		*					41/12
16518	Squeteague Harbor Buoy 3	41-39-38.82N 70-37-13.02W				Green can.	Private aid.
		*					41/12
16604.2	Hen Cove Channel Buoy 2	41-40-49.32N 70-37-22.56W				Red nun.	Private aid.
		*					41/12
16646	Barlows Landing Shoals Danger Buoy	41-41-11.94N 70-37-49.32W				White with orange bands.	Private aid.
		*					41/12
16670.5	Little Bay Buoy 1	41-42-09.78N 70-37-13.92W					Private aid.
		*					41/12
16671	Little Bay Buoy 2	41-42-06.96N 70-37-12.66W				Red nun.	Private aid.
		*					41/12
17421	Buttermilk Bay Buoy 1						<i>Remove from list.</i>
							* 41/12
17421.2	Buttermilk Bay Buoy 2	41-45-08.76N 70-37-29.70W				Red nun.	Private aid.
		*					41/12
17421.4	Buttermilk Bay Buoy 4	41-45-17.94N 70-37-21.42W				Red nun.	Private aid.
		*					41/12
17421.5	Buttermilk Bay Buoy 5	41-45-21.48N 70-37-17.88W				Green can.	Private aid.
		*					41/12
17421.6	Buttermilk Bay Buoy 6						<i>Remove from list.</i>
							* 41/12
17422.2	Little Buttermilk Bay Buoy 2	41-45-45.60N 70-36-48.06W				Red nun.	Private aid.
		*					41/12
17422.3	Little Buttermilk Bay Buoy 3	41-45-51.42N 70-36-44.34W				Green can.	Private aid.
		*					41/12
17422.4	Little Buttermilk Bay Buoy 4	41-45-57.24N 70-36-37.92W				Red nun.	Private aid.
		*					41/12
17422.5	Little Buttermilk Bay Buoy 5	41-45-57.78N 70-36-36.00W				Green can.	Private aid.
		*					41/12

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17422.6	Little Buttermilk Bay Buoy 6	41-45-53.82N 70-36-28.74W *				Red nun.	Private aid.  41/12
17422.7	Little Buttermilk Bay Buoy 7						Remove from list. * 41/12
17422.8	Little Buttermilk Bay Buoy 8						Remove from list. * 41/12
17915.1	Coasters Harbor Navy Channel Buoy 1	41-30-07.68N 71-19-33.48W *					Private aid.  41/12
17915.2	Coasters Harbor Navy Channel Buoy 2	41-30-13.86N 71-19-28.74W *					Private aid.  41/12
20910	- Daybeacon 7 *	41-19-10.50N 72-01-03.42W				SG on pile. *	Private aid.  41/12
20925	- Daybeacon 8 *	41-19-10.56N 72-00-53.40W *				TR on pile.	Private aid.  41/12
21905	GRAVING DOCK 3 SOUTH LIGHT	41-20-50.22N 72-05-02.64W *	Q R	24		Dual light fixture on pier.	Private aid.  41/12
22035	- MIDDLE RANGE FRONT LIGHT	41-23-55.76N 72-05-51.74W *	Q G	15	3		Visible all around; higher intensity on range line. Lighted throughout 24 hours. * 41/12
22036	- MIDDLE RANGE REAR LIGHT 197 yards, 336° from front light. *	41-24-01.10N 72-05-54.90W *	Iso G 6s	29			Visible 1.5° each side of range line. Lighted throughout 24 hours. * 41/12
29765	PATCHOGUE RIVER LIGHT	40-45-50.34N 73-00-56.52W *	FI R 5s	18		On concrete pedestal.	Private aid.  41/12
34795	STATEN ISLAND REAR RANGE LIGHT 10,221 yards, 297° from front light.	40-34-33.88N 74-08-28.50W	F W	234	18	Octagonal brick tower, gray limestone base.	Visible on range line only. Lighted throughout 24 hours. * 41/12
36190	PRINCES BAY RANGE FRONT LIGHT	40-30-27.69N 74-12-44.37W	Q R	75		KRW on white skeleton tower.	Visible all around; higher intensity on range line. * 41/12
36195	PRINCES BAY RANGE REAR LIGHT 63 yards, 266.8° from front light.	40-30-27.58N 74-12-46.80W	Iso G 6s	75		KRW on gray monopole.	Visible all around; higher intensity on range line. * 41/12
36975	- RANGE FRONT LIGHT	40-40-51.76N 74-01-00.00W	Q G	26		KRW on skeleton tower.	Visible on range line only. Visible 1.5° each side of range line. * 41/12
37182	PORT JERSEY CHANNEL RANGE REAR LIGHT 429 yards, 299° from front light. *	40-40-34.60N 74-05-41.12W	Iso G 6s			KRW on skeleton tower.	Private aid.  41/12

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5305	<i>Chinoteague Channel Lighted Buoy 8</i>	37-52-31.35N 75-25-05.12W *	FI R 2.5s		4	Red.	* 41/12
11570	- Channel Lighted Buoy 6	37-03-12.63N 76-33-34.23W	FI R 4s		5	Red.	Replaced by nun when endangered by ice. * 41/12
11922	- Channel Lighted Buoy 35 50 feet outside channel limit.	37-12-04.92N 76-38-48.76W	FI G 4s		5	Green.	* 41/12
11987	- Channel Lighted Buoy 44 75 feet outside channel limit.	37-12-31.08N 76-42-13.36W	Q R		5	Red.	* 41/12
16590	- ENTRANCE LIGHT 6	37-59-36.68N 76-27-10.27W	FI R 2.5s	15	4	TR on pile.	* 41/12
19465	- Lighted Buoy 1A	38-52-12.24N 76-28-52.19W	FI G 2.5s		4	Green.	Replaced by can when endangered by ice. * 41/12
33717 38287	- Channel Lighted Wreck Buoy WR7A	34-56-31.51N 76-47-12.12W	Q G		3	Green.	* 41/12
38287 33717	- Channel Lighted Wreck Buoy WR7A	34-56-31.51N 76-47-12.12W	Q G		3	Green.	* 41/12

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19710	- Daybeacon 81	26-20-58.98N 81-50-44.40W *				SG on pile.	Private aid. * 41/12
19735	- Daybeacon 90	26-20-43.07N 81-50-32.57W *				TR on pile.	Private aid. * 41/12
19820	- Daybeacon 110	26-19-59.08N 81-50-22.71W *				TR on pile.	Private aid. * 41/12
19825	- Daybeacon 111	26-19-57.97N 81-50-21.55W *				SG on pile.	Private aid. * 41/12
19830	- Daybeacon 113	26-19-55.70N 81-50-19.91W *				SG on pile.	Private aid. * 41/12
19835	- Daybeacon 114	26-19-55.35N 81-50-20.26W *				TR on pile.	Private aid. * 41/12
19840	- Daybeacon 115	26-19-54.62N 81-50-15.26W *				SG on pile.	Private aid. * 41/12
19855	- Daybeacon 121						Remove from list. * 41/12

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
26243	ANCLOTE RIVER LIGHT 22	28-10-05.01N 82-47-05.96W	FI R 4s	16	5	TR on dolphin.	
					*		41/12
29205	- LIGHT 20	28-56-44.07N 82-52-37.89W	FI R 6s	16	5	TR on pile.	
					*		41/12
30795	- Lighted Buoy 8	18-27-49.70N 66-07-38.13W	FI R 2.5s		5	Red.	
					*		41/12
43546	Sebastian Inlet Marina Daybeacon 2	27-52-19.00N 80-29-22.00W				TR on pile.	Private aid.
	*						41/12
43547	Sebastian Inlet Marina Daybeacon 3	27-52-17.00N 80-29-29.00W				SG on pile.	Private aid.
	*						41/12
43548	Sebastian Inlet Marina Daybeacon 4	27-52-14.00N 80-29-36.00W				TR on pile.	Private aid.
	*						41/12
43549	Sebastian Inlet Marina Daybeacon 5	27-52-14.00N 80-29-37.00W				SG on pile.	Private aid.
	*						41/12
58830	- LIGHT 21	27-24-25.73N 82-37-45.87W	FI G 4s	16	5	SG-SY on pile.	
					*		41/12

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*732	ATP-103-6 Lighted Buoy	28-09-43.92N 91-11-37.19W	FI W 2.5s			White with orange bands.	SIGN: ATP-SS-322-A. Private aid.
							41/12
7940	- Lighted Buoy 16	30-12-45.19N 88-30-35.12W	FI R 2.5s		3	Red.	
		*					41/12
7945	- Lighted Gong Buoy 17	30-12-56.06N 88-30-39.52W	FI G 2.5s		4	Green.	
		*					41/12
7950	- Lighted Buoy 18	30-12-57.73N 88-30-28.68W	FI R 2.5s		3	Red.	
		*					41/12
24085	- LIGHT 42 235 feet outside channel limit.	29-26-54.24N 94-50-26.48W	FI R 2.5s	17	3	TR on pile.	Ra ref.
		*					41/12
24790.1	- Lighted Buoy 95	29-41-33.80N 94-59-32.67W	FI G 6s		4	Green.	
		*					41/12
25250	- LIGHT 109 100 feet outside the channel limit.	29-43-15.23N 95-01-19.98W	FI G 4s	17	5	SG on pile.	Ra ref.
		*					41/12
25420	- LIGHT 117 125 feet outside channel limit.	29-44-09.20N 95-03-24.19W	Q G	17	3	SG on pile.	
		*					41/12

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
25630	- Buoy 20A						Remove from list. * 41/12
25645	- Buoy 23						Remove from list. * 41/12
25650	- Buoy 24						Remove from list. * 41/12
25655	- Buoy 25						Remove from list. * 41/12
25680	- Buoy 32	29-48-46.42N 95-05-28.23W				Red nun.	* 41/12
25685	- Buoy 33						Remove from list. * 41/12
25690	- Buoy 34						Remove from list. * 41/12

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
160	San Pedro Channel Traffic Lane Lighted Buoy SP	33-36-50.08N 118-22-25.10W	FI Y 4s		4	Yellow.	* 41/12
*561	SAINT GEORGE REEF LIGHT	41-50-14.00N 124-22-32.00W	FI W 12s	146		Gray tower on rock.	Restored historic light. Private aid. 41/12
1497	Point Loma Research Buoy						Remove from list. * 41/12
2780	- RANGE FRONT LIGHT	33-44-12.88N 118-05-32.25W	Q G	39		KRW on skeleton tower.	Visible 4° each side of range line. Lighted throughout 24 hours. 41/12
2785	- RANGE REAR LIGHT 200 yards, 036.4° from front light.	33-44-17.65N 118-05-28.04W	Iso G 6s	56		KRW on skeleton tower.	Visible 4° each side of range line. Lighted throughout 24 hours. 41/12
3016	LONG BEACH APPROACH CHANNEL RANGE FRONT LIGHT	33-44-05.44N 118-11-05.45W	Iso R 2s	30		KRW on pile.	Visible 1.5° each side of the range line. Lighted throughout 24 hours. 41/12
3017	LONG BEACH APPROACH CHANNEL RANGE REAR LIGHT 573 yards, 355.3° from front light.	33-44-22.38N 118-11-07.13W	Iso R 6s	59		KRW on pile.	Visible 1.5° each side of range line. Lighted throughout 24 hours. 41/12
3122	- RANGE FRONT LIGHT	33-43-09.70N 118-16-17.11W	F Y	43		On skeleton tower.	Visible 4° each side of the range line. Lighted throughout 24 hours. 41/12
3123	- RANGE REAR LIGHT 93 yards, 295.8° from front light.	33-43-10.90N 118-16-20.08W	Iso Y 6s	58		On skeleton tower.	Visible 4° each side of the range line. Lighted throughout 24 hours. 41/12

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3605	- RANGE FRONT LIGHT	34-09-07.91N 119-12-20.71W	Q R	63		KRW on pile.	Visible 4° on each side of the range line. Lighted throughout 24 hours. 41/12
		*		*			
3610	- RANGE REAR LIGHT 245 yards, 037° from front light.	34-09-13.72N 119-12-15.45W	Iso R 6s	87		KRW on pile.	Visible 4° on each side of the range line. Lighted throughout 24 hours. 41/12
		*		*			
3772	- <i>Lighted Buoy 6</i>	34-24-31.03N 119-41-09.46W	FI R 2.5s		3	Red.	Buoys maybe frequently relocated due to changing conditions. 41/12
					*		
4187	<i>Scripps Waverider Lighted Research Buoy 142</i>	37-46-01.00N 122-36-24.00W	FI (5) Y 20s			Yellow sphere with whip antenna.	Private aid. 41/12
		*					
6433	POINT EDITH CROSSING RANGE FRONT LIGHT	38-03-55.09N 122-03-31.58W	Q W	18		KRW on pile.	Visible all around; higher intensity on rangeline. 41/12
		*					
6434	POINT EDITH CROSSING RANGE REAR LIGHT 334 yards, 056.2° from front light.	38-04-00.60N 122-03-21.18W	Iso W 6s	30		KRW on pile.	Visible all around; higher intensity on rangeline. 41/12
	*	*					
8820	- RANGE A REAR LIGHT 327 yards, 223.8° from front light.	43-21-33.07N 124-19-23.13W	Iso W 6s	36		KRB on skeleton tower on multi-pile structure.	Visible 5.5° each side of range line. 41/12
				*			
9440	- ENTRANCE RANGE FRONT LIGHT	44-01-01.41N 124-07-49.60W	Q R	34		KRB on skeleton tower. On same structure as Siuslaw River Inner Range Rear Light.	Visible 4° each side of range line. 41/12
				*			
9470	- INNER RANGE FRONT LIGHT	44-00-58.70N 124-07-49.69W	Q W	18		KRB on skeleton tower.	Visible all around; higher intensity on rangeline. 41/12
		*		*		*	
9475	- INNER RANGE REAR LIGHT 91 yards, 002.5° from front light.	44-01-01.40N 124-07-49.53W	Iso W 6s	34		KRB on skeleton tower. On same structure as Siuslaw River Entrance Range Front Light.	Visible 14° each side of range line. 41/12
	*	*		*			
17296	WYCKOFF SHOAL LIGHT 3	47-14-20.01N 122-42-57.53W	FI G 4s	15	4	SG on pile.	41/12
					*		
22525	Bay Point Daybeacon BP	56-20-09.77N 133-09-47.12W		20		SG on pile.	41/12
		*					
23735.25	- Buoy 8B	58-19-55.15N 134-29-04.33W				Red nun.	41/12
		*					
23735.45	- Buoy 10A	58-20-17.06N 134-30-35.86W				Red nun.	41/12
		*					
23735.5	- Buoy 11A	58-20-14.99N 134-30-40.37W				Green can.	41/12
		*					

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15665	- Anchorage Buoy B	46-42-58.58N 92-02-20.44W *				Yellow nun.	41/12
*19544	<i>Purdue Research Lighted Buoy A</i>	41-45-19.80N 86-58-33.96W	STROBE			Yellow.	Maintained from May 1 to Nov. 1. Private aid.  41/12
*19601	<i>Burns Waterway Research Lighted Buoy A</i>	41-37-53.76N 87-10-35.94W	Fl Y 10s			Yellow.	Private aid.  41/12
*19602	<i>Burns Waterway Research Lighted Buoy B</i>	41-37-53.76N 87-10-36.48W	Fl Y 10s			Yellow.	Private aid.  41/12
21305	PLUM ISLAND RANGE FRONT LIGHT	45-18-13.57N 86-57-17.90W *	Iso R 6s	40 12		KRW on white skeleton tower.	Visible 5.5° each side of range line.  * 41/12
21310	PLUM ISLAND RANGE REAR LIGHT 1,709 feet, 330° from front light.  *	45-18-28.17N 86-57-29.95W  *	F R	84 26		KRW on white cylindrical tower.	Visible all around. Lighted throughout 24 hours.  * 41/12

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.