

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
615	Nomans Land Gong Buoy 4						<i>Remove from list.</i>
							* 8/13

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
873	SHARK RIVER INLET NORTH BREAKWATER LIGHT 2	40-11-14.84N 74-00-28.97W	FI R 4s	33	6	TR on skeleton tower.	
							* 8/13
2720	- Lighted Gong Buoy 1N	39-33-06.47N 75-32-36.90W	Q G		5	Green.	Replaced by a LIB of reduced intensity from Jan. 1 to Feb. 28.
							* 8/13
3430	- Entrance Fog Signal						<i>Remove from list.</i>
							* 8/13
4160	- Channel Lighted Buoy 72	40-07-36.40N 74-46-19.58W	FI R 4s		5	Red.	Replaced by nun when endangered by ice.
							* 8/13
*12949	- Daybeacon A	37-06-30.60N 76-17-45.66W				JR on pile.	Private aid.
							* 8/13
12950	- Daybeacon 2	37-06-26.68N 76-17-39.25W				TR on pile.	Private aid.
		*					* 8/13
*12952	- Daybeacon 3	37-06-27.60N 76-17-38.10W				SG on pile.	Private aid.
							* 8/13
12954	- Daybeacon 4	37-06-23.19N 76-17-37.69W				TR on pile.	Private aid.
		*					* 8/13
*12955	- Daybeacon 5	37-06-23.27N 76-17-36.15W				SG on pile.	Private aid.
							* 8/13
12956	- Daybeacon 6	37-06-16.29N 76-17-39.69W				TR on pile.	Private aid.
		*					* 8/13
12957	- Daybeacon B	37-06-15.52N 76-17-38.44W				JG on pile.	Private aid.
	*	*				*	* 8/13
12958	- Daybeacon 8	37-06-12.92N 76-17-41.44W				TR on pile.	Private aid.
		*					* 8/13
12960	- Daybeacon 9	37-06-07.82N 76-17-46.38W				SG on pile.	Private aid.
		*					* 8/13
*12962	- Junction Daybeacon WC	37-06-04.90N 76-17-52.31W				JG on pile.	Private aid.
							* 8/13
12963	- Daybeacon 10	37-06-02.94N 76-18-00.94W				TR on pile.	Private aid.
		*					* 8/13
15575	- Lighted Buoy 24	37-54-05.61N 76-47-35.56W	FI R 4s		5	Red.	Replaced by nun when endangered by ice.
							* 8/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16405	- Lighted Wreck Buoy WR7	37-53-03.93N 76-15-11.54W	Q G		4	Green.	
	*		*		*	*	8/13
16410	- Buoy 8	37-53-03.25N 76-15-10.00W				Red nun.	
	*					*	8/13
18560	FORT WASHINGTON LIGHT 80	38-42-44.18N 77-02-12.80W	FI R 6s	28	7	TR on tower.	
					*		8/13
23715	- Channel Daybeacon 4	38-11-56.57N 75-53-00.00W				TR on pile.	Private aid.
		*					8/13
28330	- Buoy 7	35-47-32.61N 75-33-36.94W				Green can.	
		*					8/13
28335	- Buoy 8	35-47-31.12N 75-33-29.38W				Red nun.	
		*					8/13
28340	- Lighted Buoy 9	35-47-32.48N 75-33-27.12W	FI G 2.5s		3	Green.	
		*					8/13
28732	- Channel Buoy 12	35-12-10.22N 75-43-49.24W				Red nun.	
		*					8/13
28736	- Channel Buoy 13A	35-12-11.76N 75-43-47.88W				Green can.	
		*					8/13
34807	- Buoy 2A	34-42-22.97N 76-40-39.12W				Red nun.	
		*					8/13
39031	-Daybeacon 42A	34-40-31.58N 77-03-17.15W				TR-TY on pile.	
		*					8/13
39210	- LIGHT 58	34-37-57.05N 77-12-18.00W	Q R	15	4	TR-TY on pile.	
					*		8/13

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
57360	- LIGHT 24	26-56-24.45N 82-21-25.24W	FI R 6s	16	5	TR-TY on pile.	
					*		8/13
60900	- LIGHT 32	27-43-57.07N 82-43-43.78W	Q R	16	4	TR-TY on pile.	
					*		8/13

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
24795	- LIGHT 96 120 feet outside the channel limit.	29-41-39.48N 94-59-25.47W	FI R 6s	17	4	TR on pile.	Ra ref.
		*					8/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
38450.01	- Daybeacon 17	28-16-01.49N 96-44-20.78W				SG on pile.	Ra ref.
		*					8/13

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
720 15530	<b>Grays Harbor Light</b>	46-53-17.58N 124-07-00.89W	Al W R 30s 0.1s W fl 14.9s ec. 0.1s R fl 14.9s ec.	123	18	White truncated octagonal pyramid tower.	Lighted throughout 24 hours.
		*					8/13
3175	- Buoy 4	33-46-21.11N 118-14-55.34W				Red nun.	
						*	8/13
4630	- Lighted Buoy 3	37-48-29.39N 122-20-39.59W	Fl G 4s		5	Green can.	
						*	8/13
8865	- B FRONT LIGHT	43-24-49.40N 124-16-20.61W	Q R	20		KRB on multi-pile structure.	Visible 4° each side of range line.
		*		*		*	8/13
8870	- B REAR LIGHT 509 yards, 024.8° from front light.	43-25-03.09N 124-16-11.92W	Iso R 6s	38		KRB on skeleton tower on multi-pile structure.	Visible 4° each side of range line.
	*			*		*	8/13
8960	JARVIS UPPER RANGE B FRONT LIGHT	43-25-41.94N 124-13-22.70W	Q W	15		KRB on multi-pile structure.	Visible 5.5° each side of range line.
		*				*	8/13
8965	JARVIS UPPER RANGE B REAR LIGHT 409 yards, 079.4° from front light.	43-25-44.16N 124-13-06.36W	Iso W 6s	33		KRB on skeleton tower on multi-pile structure.	Visible 5.5° each side of range line.
	*	*		*		*	8/13
9040	NORTH BEND UPPER RANGE FRONT LIGHT	43-23-32.93N 124-12-50.03W	Q G	20		KRB on multi-pile structure.	Visible 4° each side of range line.
		*		*		*	8/13
9045	NORTH BEND UPPER RANGE REAR LIGHT 236 yards, 163.7° from front light.	43-23-26.22N 124-12-47.34W	Iso G 6s	33		KRB on skeleton tower on multi-pile structure.	Visible 4° each side of range line.
	*	*		*		*	8/13
15530 720	- Light	46-53-17.58N 124-07-00.89W	Al W R 30s 0.1s W fl 14.9s ec. 0.1s R fl 14.9s ec.	123	18	White truncated octagonal pyramid tower.	Lighted throughout 24 hours.
		*					8/13
*28675.3	CRIMP-3	21-28-49.00N 156-46-56.00W					Private aid.
							8/13
30370	- Lighted Buoy 13	09-18-41.11N 167-28-32.29E	Fl G 4s		5	Green.	
		*					8/13
30375	- Approach Lighted Buoy 2	08-59-56.99N 167-42-43.34E	Fl R 4s		3	Red.	
		*					8/13
30445	Kwajalein Bigej Channel Buoy 5A	08-47-41.98N 167-42-07.23E				Green nun.	
		*					8/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30495	- Channel Lighted Buoy 8	08-44-11.48N 167-43-32.95E *	F I R 4s		4	Red.	8/13

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9985	Point Edward Lighted Buoy A70 (C)						Remove from list.  * 8/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.