

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
368	<i>Neptune LNG Deepwater Port Lighted Bouy North A1</i>	42-29-13.61N 70-36-33.35W	Q Y			Yellow.	Private aid.
						*	17/13
368.1	<i>Neptune LNG Deepwater Port Lighted Bouy North A2</i>	42-29-13.61N 70-36-33.35W	Q Y			Yellow.	Private aid.
						*	17/13
368.2	<i>Neptune LNG Deepwater Port Lighted Bouy South B1</i>	42-27-23.35N 70-36-05.54W	Q Y			Yellow.	Private aid.
						*	17/13
368.3	<i>Neptune LNG Deepwater Port Lighted Bouy South B2</i>	42-27-23.35N 70-36-05.54W	Q Y			Yellow.	Private aid.
						*	17/13
369.5	<i>Neptune LNG Deepwater Port Lighted Hazard Bouy</i>	42-29-07.57N 70-46-34.64W	Fl W 4s			Yellow.	Private aid.
						*	17/13
651	<i>ACOE Block Island Lighted Research Bouy 154</i>	40-58-51.78N 71-07-18.00W	Fl (5) Y 20s			Yellow.	Private aid.
						*	17/13
2171	Eagle Point Inner Bouy 5	44-15-37.00N 68-14-27.00W				Green can.	Private aid.
						*	17/13
2398.2	<i>Cooke Aquaculture Lighted Bouy BIS C</i>	44-10-33.71N 68-21-38.20W	Fl Y 4s			Yellow.	Private aid.
						*	17/13
2398.3	<i>Cooke Aquaculture Lighted Bouy BIS D</i>	44-10-30.05N 68-21-22.54W	Fl Y 4s			Yellow.	Private aid.
						*	17/13
2436	<i>Grays Mussel Farm Aquaculture Lighted Bouy</i> *	44-22-44.04N 68-29-45.48W	Fl W 30s			White with orange bands.	Private aid.
						*	17/13
2931	Buck's Harbor East Channel Bouy 1	44-20-02.88N 68-44-03.06W				Green can.	Private aid.
						*	17/13
2932	Buck's Harbor East Channel Bouy 2	44-20-02.70N 68-44-01.86W				Red nun.	Private aid.
						*	17/13
5535.1	McFarland Island Daybeacon 11	43-50-52.38N 69-37-42.60W				SG on pile.	Private aid.
						*	17/13
5536	- Daybeacon 2	43-51-00.00N 69-38-06.10W				TR on pile.	Private aid.
						*	17/13
6671	Cribstone Bridge Daybeacon 1	43-44-56.52N 69-59-18.12W				SG on pile.	Private aid.
						*	17/13
6672	Cribstone Bridge Daybeacon 2	43-44-56.52N 69-59-18.12W				TR on pile.	Private aid.
						*	17/13
7321	Chebeague Island Stone Wharf Channel Bouy 1	43-45-17.53N 70-06-37.51W				Green can.	Private aid.
						*	17/13
7322	Chebeague Island Stone Wharf Channel Bouy 3	43-45-11.59N 70-06-32.11W				Green can.	Private aid.
						*	17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7323	Chebeague Island Stone Wharf Daybeacon 5	43-45-08.57N 70-06-30.17W				SG on pile.	Private aid.  * 17/13
8054	University of New England Lighted Research Buoy A	43-27-25.14N 70-18-53.46W	FI Y 4s			Yellow.	Private aid.  * 17/13
12435	- Buoy 25	42-09-40.70N 70-44-03.60W				Green can.	Private aid.  * 17/13
12531	- Buoy 11	42-05-02.48N 70-38-53.93W				Green can.	Private aid.  * 17/13
13156.1	- Lighted Buoy 2B	41-45-23.40N 70-09-15.90W	FI R 2s			Red.	Private aid.  * 17/13
13156.2	- Buoy 2C	41-45-18.50N 70-09-12.40W				Red nun.	Private aid.  * 17/13
13261	Cape Cod Bay Disposal Site Lighted Buoy	41-54-38.58N 70-13-39.84W	FI Y 4s			Yellow.	Private aid.  * 17/13
13930.2	- Buoy 19	41-40-07.32N 69-57-42.48W				Green can.	Private aid.  * 17/13
13930.3	- Buoy 20	41-40-08.04N 69-57-42.06W				Red nun.	Private aid.  * 17/13
14346	- Buoy 39A	41-41-16.20N 70-09-54.30W				Green can.	Private aid.  * 17/13
14393	- Buoy 48	41-41-45.90N 70-10-11.40W				Red nun.	Private aid.  * 17/13
14420.1	- Buoy 2A	41-40-23.22N 70-10-12.84W				Red nun.	Private aid.  * 17/13
14420.2	- Buoy 2B	41-40-22.90N 70-10-06.80W				Red nun.	Private aid.  * 17/13
14420.3	- Buoy 2C	41-40-21.60N 70-10-04.70W				Red nun.	Private aid.  * 17/13
14420.4	- Buoy 2D	41-40-18.50N 70-10-02.90W				Red nun.	Private aid.  * 17/13
14420.5	- Buoy 3	41-40-22.30N 70-10-14.90W				Green can.	Private aid.  * 17/13
15261	- Head of Harbor Buoy 2A	41-17-49.10N 70-04-27.30W				Red nun.	Private aid.  * 17/13
15262	- Head of Harbor Buoy 3	41-17-35.10N 70-04-38.40W				Green can.	Private aid.  * 17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15263	- Head of Harbor Buoy 3A	41-17-49.90N 70-04-29.10W				Green can.	Private aid.
						*	17/13
15264	- Head of Harbor Buoy 3B	41-18-01.90N 70-03-42.80W				Green can.	Private aid.
						*	17/13
15293.2	- <i>Lighted Buoy 2</i>	41-18-19.50N 70-01-44.80W	FI R 4s			Red.	Private aid.
						*	17/13
15293.4	- Buoy 4	41-18-18.00N 70-01-37.00W				Red nun.	Private aid.
						*	17/13
15293.5	- Buoy 5	41-18-21.00N 70-01-32.80W				Green can.	Private aid.
						*	17/13
15294	- <i>Lighted Buoy MH</i>	41-17-19.60N 70-14-13.50W	Mo (A) W			Red and white.	Private aid.
						*	17/13
15302.1	Eel Point Channel Buoy 6A	41-17-53.80N 70-12-17.40W				Red nun.	Private aid.
						*	17/13
15302.2	Eel Point Channel Buoy 7	41-18-01.00N 70-12-15.00W				Green can.	Private aid.
						*	17/13
15547	- Buoy 5	41-27-48.00N 70-37-37.74W				Green can.	Private aid.
						*	17/13
15548	- Buoy 6	41-27-47.10N 70-37-39.10W				Red nun.	Private aid.
						*	17/13
16926	New Bedford South Terminal Buoy 1	41-37-34.55N 70-54-50.55W				Green can.	Private aid.
						*	17/13
16926.1	New Bedford South Terminal Buoy 2	41-37-26.20N 70-54-48.48W				Red nun.	Private aid.
						*	17/13
16926.2	New Bedford South Terminal Buoy 3	41-37-26.56N 70-54-47.96W				Green can.	Private aid.
						*	17/13
16926.3	New Bedford South Terminal Buoy 4	41-37-24.13N 70-54-46.37W				Red nun.	Private aid.
						*	17/13
16926.4	New Bedford South Terminal Buoy 5	41-37-18.62N 70-54-47.39W				Green can.	Private aid.
						*	17/13
16926.5	New Bedford South Terminal Buoy 6	41-37-18.83N 70-54-48.02W				Red nun.	Private aid.
						*	17/13
16926.6	New Bedford South Terminal Buoy 7	41-37-13.19N 70-54-49.91W				Green can.	Private aid.
						*	17/13
16926.7	New Bedford South Terminal Buoy 8	41-37-14.29N 70-54-50.13W				Red nun.	Private aid.
						*	17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

## CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16926.8	New Bedford South Terminal Buoy 9	41-37-12.70N 70-54-51.08W				Green can.	Private aid.
						*	17/13
16926.9	New Bedford South Terminal Buoy 10	41-37-13.59N 70-54-51.62W				Red nun.	
						*	17/13
17045.1	- Lighted Buoy SE	41-36-37.74N 70-48-12.36W	Q Y			Yellow.	Private aid.
						*	17/13
17045.2	- Buoy NE	41-36-52.26N 70-48-38.82W				Yellow can.	Private aid.
						*	17/13
17045.4	- Buoy NW	41-36-34.26N 70-48-49.20W				Yellow can.	Private aid.
						*	17/13
17156	- Lighted Buoy 10	41-42-04.30N 70-45-13.32W	FI R 4s			Red.	Private aid.
						*	17/13
17169	- Upper Channel Lighted Buoy 11	41-42-18.36N 70-45-22.38W	FI G 4s			Green.	Private aid.
						*	17/13
17170	- Upper Channel Lighted Buoy 13	41-42-20.00N 70-45-30.00W	FI G 4s			Green.	Private aid.
						*	17/13
17915.1	Coasters Harbor Navy Channel Buoy 1	41-30-07.68N 71-19-33.48W				Green can.	Private aid.
						*	17/13
17915.2	Coasters Harbor Navy Channel Buoy 2	41-30-13.86N 71-19-28.74W				Red nun.	Private aid.
						*	17/13
17915.3	Coasters Harbor Navy Channel Buoy 4	41-30-22.00N 71-19-29.40W				Red nun.	Private aid.
						*	17/13
18431	- Daybeacon 17	41-45-09.48N 71-21-14.58W				SG on pile.	Private aid.
						*	17/13
18431.1	- Daybeacon 18	41-45-08.42N 71-21-13.21W				TR on pile.	Private aid.
						*	17/13
18431.2	- Daybeacon 19	41-45-14.16N 71-21-12.54W				SG on pile.	Private aid.
						*	17/13
18780	- Buoy 6	41-44-37.62N 71-18-29.04W				Red nun.	Private aid.
						*	17/13
19111	- Buoy 1	41-29-51.30N 71-23-27.96W				Green can.	Private aid.
						*	17/13
19112	- Buoy 2	41-29-50.28N 71-23-28.50W				Red nun.	Private aid.
						*	17/13
19481	BLOCK ISLAND NORTH LIGHT	41-13-39.41N 71-34-33.06W	FI W 5s	58		White tower atop house structure.	Private aid.
						*	17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19905	- Buoy 4	41-04-13.08N 71-56-15.00W *				Red nun.	Private aid.  17/13
23546	- Daybeacon 7	41-15-54.40N 72-32-08.30W				SG on pile. *	Private aid.  17/13
23606	- Daybeacon 20	41-15-42.65N 72-32-22.96W				TR on pile. *	Private aid.  17/13
23706	- Daybeacon 41	41-15-40.69N 72-32-50.85W				SG on pile. *	Private aid.  17/13
23706.1	- Daybeacon 42	41-15-41.09N 72-32-49.84W				TR on pile. *	Private aid.  17/13
23706.2	- Daybeacon 43	41-15-42.32N 72-32-51.56W				SG on pile. *	Private aid.  17/13
23706.3	- Daybeacon 44	41-15-42.94N 72-32-51.06W				TR on pile. *	Private aid.  17/13
23706.4	- Daybeacon 45	41-15-45.52N 72-32-51.98W				SG on pile. *	Private aid.  17/13
23706.5	- Daybeacon 46	41-15-45.58N 72-32-51.33W				TR on pile. *	Private aid.  17/13
23706.6	- Daybeacon 47	41-15-47.41N 72-32-52.21W				SG on pile. *	Private aid.  17/13
23706.7	- Daybeacon 48	41-15-47.39N 72-32-50.42W				TR on pile. *	Private aid.  17/13
23706.8	- Daybeacon 49	41-15-49.84N 72-32-52.27W				SG on pile. *	Private aid.  17/13
23706.9	- Daybeacon 50	41-15-49.91N 72-32-51.65W				TR on pile. *	Private aid.  17/13
23707	- Daybeacon 51	41-15-51.15N 72-32-52.50W				SG on pile. *	Private aid.  17/13
23707.1	- Daybeacon 52	41-15-51.12N 72-32-51.68W				TR on pile. *	Private aid.  17/13
23707.2	- Daybeacon 54	41-15-51.84N 72-32-51.46W				TR on pile. *	Private aid.  17/13
23707.3	- Daybeacon 55	41-15-52.51N 72-32-51.78W				SG on pile. *	Private aid.  17/13
23707.4	- Daybeacon 56	41-15-52.21N 72-32-51.12W				TR on pile. *	Private aid.  17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23707.5	- Daybeacon 57	41-15-53.24N 72-32-51.19W				SG on pile.	Private aid.
						*	17/13
23707.6	- Daybeacon 58	41-15-52.86N 72-32-50.47W				TR on pile.	Private aid.
						*	17/13
23707.7	- Daybeacon 59	41-15-54.21N 72-32-50.21W				SG on pile.	Private aid.
						*	17/13
23707.8	- Daybeacon 61	41-15-54.87N 72-32-47.99W				SG on pile.	Private aid.
						*	17/13
23707.9	- Daybeacon 62	41-15-54.27N 72-32-47.69W				TR on pile.	Private aid.
						*	17/13
24911	Compo Yacht Basin Buoy 1	41-06-11.16N 73-21-33.30W				Green can.	Private aid.
						*	17/13
24911.1	Compo Yacht Basin Buoy 2	41-06-10.92N 73-21-31.50W				Red nun.	Private aid.
						*	17/13
24911.2	Compo Yacht Basin Buoy 3	41-06-14.76N 73-21-31.50W				Green can.	Private aid.
						*	17/13
24911.3	Compo Yacht Basin Buoy 4	41-06-14.22N 73-21-29.58W				Red nun.	Private aid.
						*	17/13
24911.4	Compo Yacht Basin Buoy 5	41-06-17.88N 73-21-29.76W				Green can.	Private aid.
						*	17/13
24911.5	Compo Yacht Basin Buoy 6	41-06-17.52N 73-21-27.78W				Red nun.	Private aid.
						*	17/13
24911.6	Compo Yacht Basin Buoy 7	41-06-20.10N 73-21-28.44W				Green can.	Private aid.
						*	17/13
24911.7	Compo Yacht Basin Buoy 8	41-06-19.68N 73-21-26.76W				Red nun.	Private aid.
						*	17/13
24912	Longshore Channel Buoy 1	41-06-21.96N 73-21-58.68W				Green can.	Private aid.
						*	17/13
24912.1	Longshore Channel Buoy 2	41-06-21.60N 73-21-57.00W				Red nun.	Private aid.
						*	17/13
24912.2	Longshore Channel Buoy 3	41-06-24.00N 73-21-58.38W				Green can.	Private aid.
						*	17/13
24912.3	Longshore Channel Buoy 4	41-06-23.82N 73-21-56.58W				Red nun.	Private aid.
						*	17/13
24912.4	Longshore Channel Buoy 5	41-06-25.92N 73-21-58.38W				Green can.	Private aid.
						*	17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
24912.5	Longshore Channel Buoy 6	41-06-25.56N 73-21-56.70W				Red nun.	Private aid.
						*	17/13
24912.6	Longshore Channel Buoy 7	41-06-27.00N 73-21-58.80W				Green can.	Private aid.
						*	17/13
24912.7	Longshore Channel Buoy 8	41-06-27.00N 73-21-56.94W				Red nun.	Private aid.
						*	17/13
25579.4	- Buoy 14	40-56-37.32N 73-41-30.66W				Red nun.	Private aid.
						*	17/13
26190	- Narrows Channel Buoy CN13	40-58-13.20N 73-06-46.92W				Green can.	Private aid.
						*	17/13
27301	<i>Roosevelt Island Turbine Hazard Lighted Buoy A</i>	40-45-50.47N 73-56-44.70W	FI W 2s			White and orange.	Private aid.
						*	17/13
27302	<i>Roosevelt Island Turbine Hazard Lighted Buoy B</i>	40-45-51.66N 73-56-43.82W	FI W 2s			White and orange.	Private aid.
						*	17/13
27303	<i>Roosevelt Island Turbine Hazard Lighted Buoy C</i>	40-45-52.86N 73-56-42.73W	FI W 2s			White and orange.	Private aid.
						*	17/13
27639	<i>La Guardia Outfall Lighted Hazard Buoy 006</i>	40-46-52.60N 73-52-56.90W	FI Y 4s			White and orange.	Private aid.
						*	17/13
27671	<i>Plum Island Aquaculture Lighted Buoy A</i>	41-10-25.00N 72-11-09.00W	FI W 6s			White and orange.	Private aid.
						*	17/13
27671.1	<i>Plum Island Aquaculture Lighted Buoy B</i>	41-10-15.00N 72-11-09.00W	FI W 6s			White and orange.	Private aid.
						*	17/13
27671.2	<i>Plum Island Aquaculture Lighted Buoy C</i>	41-10-15.00N 72-10-57.00W	FI W 6s			White and orange.	Private aid.
						*	17/13
27671.3	<i>Plum Island Aquaculture Lighted Buoy D</i>	41-10-25.00N 72-10-57.00W	FI W 6s			White and orange.	Private aid.
						*	17/13
28882	<i>East Creek Lighted Buoy 2</i>	40-56-19.44N 72-34-06.78W	FI R 2s			Red.	Maintained from May 1 to Nov. 15. Private aid.
						*	17/13
28883	<i>East Creek Lighted Buoy 3</i>	40-56-17.94N 72-34-06.72W	FI G 2s			Green.	Maintained from May 1 to Nov. 15. Private aid.
						*	17/13
28884	<i>East Creek Lighted Buoy 5</i>	40-56-19.32N 72-34-13.56W	FI G 2s			Green.	Maintained from May 1 to Nov. 15. Private aid.
						*	17/13
28910	<i>- Lighted Buoy 4</i>	40-55-36.45N 72-34-21.98W	FI R 4s		3	Red.	Maintained from Apr. 1 to Nov. 15.
						*	17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28915	- Buoy 5 On northwest point of shoal.	40-55-44.27N 72-34-40.76W				Green can.	Maintained from Apr. 1 to Nov. 15.  * 17/13
28920	- Buoy 7	40-55-43.11N 72-34-57.71W				Green can.	Maintained from Apr. 1 to Nov. 15.  * 17/13
28925	- Lighted Buoy 8	40-55-22.59N 72-35-15.16W	FI R 4s		3	Red.	Maintained from Apr. 1 to Nov. 15.  * 17/13
28930	- Lighted Buoy 9	40-55-38.53N 72-36-11.34W	FI G 4s		4	Green.	Maintained from Apr. 1 to Nov. 15.  * 17/13
28971	- Lighted Buoy 6	40-55-43.20N 72-36-54.48W	FI R 2s			Red.	Private aid.  * 17/13
28972	Reeves Creek Buoy 2	40-55-45.24N 72-36-41.35W				Red nun.	Private aid.  * 17/13
28972.1	Reeves Creek Buoy 4	40-55-49.20N 72-36-39.84W				Red nun.	Private aid.  * 17/13
28972.2	Reeves Creek Buoy 6	40-55-51.54N 72-36-38.94W				Red nun.	Private aid.  * 17/13
28975	- Lighted Buoy 2	40-55-30.12N 72-36-50.22W	FI R 2s			Red.	Private aid.  * 17/13
28980	- Lighted Buoy 4	40-55-17.58N 72-37-11.22W	FI R 2s	5		Red.	Private aid.  * 17/13
28985	- Lighted Buoy 6	40-55-14.04N 72-37-25.20W	FI R 2s			Red.	Private aid.  * 17/13
28990	- Lighted Buoy 8	40-55-10.68N 72-37-40.02W	FI R 2s	5		Red.	Private aid.  * 17/13
28995	- Lighted Buoy 10	40-55-06.12N 72-37-53.70W	FI R 2s	5		Red.	Private aid.  * 17/13
29000	- Lighted Buoy 12	40-55-05.22N 72-38-09.33W	FI R 2s	5		Red.	Private aid.  * 17/13
29005	- Lighted Buoy 13	40-55-03.12N 72-38-33.30W	FI G 2s	5		Green.	Private aid.  * 17/13
29010	- Lighted Buoy 14	40-55-02.28N 72-38-47.04W	FI R 2s	5		Red.	Private aid.  * 17/13
29015	- Lighted Buoy 16	40-55-02.58N 72-39-08.46W	FI R 2s	5		Red.	Private aid.  * 17/13
29020	- Lighted Buoy 17	40-55-01.62N 72-39-15.60W	FI G 2s	5		Green.	Private aid.  * 17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
29108	- East Cut Buoy 11E	40-46-31.38N 72-44-27.23W *				Green can.	17/13
30305	- <i>Lighted Buoy 18</i>	40-46-52.55N 72-45-37.37W	FI R 4s		3	Red.	Removed when endangered by ice. * 17/13
30325	- <i>Lighted Buoy 23</i>	40-46-55.26N 72-44-56.86W	FI G 2.5s		4	Green.	Removed when endangered by ice. * 17/13
30330	- <i>Lighted Buoy 24</i>	40-46-57.89N 72-44-42.99W	FI R 2.5s		3	Red.	Removed when endangered by ice. * 17/13
30341	- Buoy 28	40-47-09.65N 72-43-50.27W				Red nun.	Maintained from Apr. 15 to Nov. 1. * 17/13
30365	- <i>Lighted Buoy 29</i> *	40-47-14.58N 72-43-30.47W	FI G 2.5s		4	Green.	Maintained from Apr. 15 to Nov. 1. * 17/13
30370	- <i>Lighted Buoy 30</i>	40-47-24.80N 72-42-46.48W	FI R 4s		3	Red.	Removed when endangered by ice. * 17/13
30375	- <i>Lighted Buoy 31</i>	40-47-42.51N 72-41-27.50W	FI G 4s		4	Green.	Maintained from Apr. 15 to Nov. 1. * 17/13
30380	- Buoy 33	40-47-48.14N 72-41-01.08W				Green can.	Maintained from Apr. 15 to Nov. 1. * 17/13
30385	- <i>Lighted Buoy 34</i>	40-47-58.60N 72-40-12.13W	Q R		3	Red.	Removed when endangered by ice. * 17/13
30405	- Buoy 35	40-47-55.07N 72-39-44.47W				Green can.	Maintained from Apr. 15 to Nov. 1. * 17/13
30410	- Buoy 36	40-47-50.10N 72-39-15.44W				Red nun.	Maintained from Apr. 15 to Nov. 1. * 17/13
30415	- <i>Lighted Buoy 37</i>	40-47-48.16N 72-38-54.61W	Q G		3	Green.	Removed when endangered by ice. * 17/13
31290	- LIGHT 53	40-38-48.05N 73-19-34.76W	FI G 4s	12	3	SG on pile.	Maintained from Apr. 1 to Nov. 15. * 17/13
31335	- LIGHT 63	40-39-00.19N 73-18-00.66W	FI G 2.5s	14	3	SG on pile.	Maintained from May 1 to Dec. 1. * 17/13
34190	- Daybeacon 1	40-39-19.44N 73-28-12.60W *				Green arrow on pile.	Private aid. 17/13
34195	- Daybeacon 2	40-39-19.56N 73-28-17.70W *				Red arrow on pile.	Private aid. 17/13
34200	- Daybeacon 4	40-39-23.16N 73-28-21.72W *				Red arrow on pile.	Private aid. 17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35006	Ellis Island Security Zone Buoy ELSZ1	40-42-00.57N 74-02-37.62W				White with orange bands. *	Private aid.  17/13
35006.1	Ellis Island Security Zone Buoy ELSZ2	40-42-53.67N 74-02-46.20W				White with orange bands. *	Private aid.  17/13
35006.2	Ellis Island Security Zone Buoy ELSZ3	40-41-47.01N 74-02-38.15W				White with orange bands. *	Private aid.  17/13
35006.3	Ellis Island Security Zone Buoy ELSZ4	40-41-41.04N 74-02-30.46W				White with orange bands. *	Private aid.  17/13
35006.4	Ellis Island Security Zone Buoy ELSZ5	40-41-46.20N 74-02-22.96W				White with orange bands. *	Private aid.  17/13
35006.5	Ellis Island Security Zone Buoy ELSZ6	40-41-51.00N 74-02-13.50W				White with orange bands. *	Private aid.  17/13
35006.6	Ellis Island Security Zone Buoy ELSZ7	40-41-57.43N 74-02-07.44W				White with orange bands. *	Private aid.  17/13
35006.7	Ellis Island Security Zone Buoy ELSZ8	40-42-02.59N 74-02-14.32W				White with orange bands. *	Private aid.  17/13
35006.8	Ellis Island Security Zone Buoy ELSZ9	40-42-09.29N 74-02-23.86W				White with orange bands. *	Private aid.  17/13
35006.9	Ellis Island Security Zone Buoy ELSZ10	40-42-06.50N 74-02-27.74W				White with orange bands. *	Private aid.  17/13
*35157	- Lighted Shoal Buoy 11A	40-28-55.78N 74-00-17.42W	FI G 4s		4		17/13
36559.5	- Lighted Buoy 56	40-29-09.00N 74-23-28.30W	FI R 3s			Red. *	Private aid.  17/13
36585	Perth Amboy Port Authority No Wake Lighted Buoy A	40-30-16.50N 74-15-41.50W	FI W 4s			White and orange. *	Seasonal. Private aid.  17/13
36586	Perth Amboy Port Authority No Wake Lighted Buoy B	40-30-17.40N 74-15-40.20W	FI W 4s			White and orange. *	Seasonal. Private aid.  17/13
36587	Perth Amboy Port Authority No Wake Lighted Buoy C	40-30-16.40N 74-15-38.40W	FI W 4s			White and orange. *	Seasonal. Private aid.  17/13
36588	Perth Amboy Port Authority No Wake Lighted Buoy D	40-30-15.30N 74-15-38.40W	FI W 4s			White and orange. *	Seasonal. Private aid.  17/13
37247	- Security Zone Buoy LISZ1	40-41-24.32N 74-02-29.37W				White with orange bands. *	Private aid.  17/13
37247.1	- Security Zone Buoy LISZ2	40-41-18.88N 74-02-31.30W				White with orange bands. *	Private aid.  17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
37247.2	- Security Zone Buoy LISZ3	40-41-14.97N 74-02-35.84W				White with orange bands. *	Private aid.  17/13
37247.3	- Security Zone Buoy LISZ4	40-41-15.07N 74-02-44.93W				White with orange bands. *	Private aid.  17/13
37247.4	- Security Zone Buoy LISZ5	40-41-26.00N 74-02-58.00W				White with orange bands. *	Private aid.  17/13
37247.5	- Security Zone Buoy LISZ6	40-41-32.00N 74-02-53.00W				White with orange bands. *	Private aid.  17/13
37247.6	- Security Zone Buoy LISZ7	40-41-32.95N 74-02-44.40W				White with orange bands. *	Private aid.  17/13
37247.7	- Security Zone Buoy LISZ8	40-41-30.18N 74-02-38.61W				White with orange bands. *	Private aid.  17/13
37247.8	- Security Zone Buoy LISZ9	40-41-27.85N 74-02-33.70W				White with orange bands. *	Private aid.  17/13
37747	<i>Hook Mountain Yacht Club Lighted Buoy 1</i>	41-05-39.00N 73-54-25.00W	FI G 3s			Green. *	Private aid.  17/13
37747.1	<i>Hook Mountain Yacht Club Lighted Buoy 2</i>	41-05-42.00N 73-54-25.00W	FI R 3s			Red. *	Private aid.  17/13
37747.2	Hook Mountain Yacht Club Buoy 3	41-05-39.00N 73-54-32.00W				Green can. *	Private aid.  17/13
37747.3	Hook Mountain Yacht Club Buoy 4	41-05-42.00N 73-54-32.00W				Red nun. *	Private aid.  17/13
37747.4	<i>Hook Mountain Yacht Club Lighted Buoy 5</i>	41-05-39.00N 73-54-37.00W	FI G 3s			Green. *	Private aid.  17/13
37747.5	<i>Hook Mountain Yacht Club Lighted Buoy 6</i>	41-05-42.00N 73-54-37.00W	FI R 3s			Red. *	Private aid.  17/13
37856	<i>UWNY Pilot Intake Lighted Hazard Buoy</i>	41-13-09.00N 73-57-42.00W	FI W 4s			White and orange. *	Private aid.  17/13
37861	George's Island Channel Buoy 1	41-14-03.00N 73-56-31.00W				Green can. *	Private aid.  17/13
37861.1	George's Island Channel Buoy 2	41-14-03.00N 73-56-29.12W				Red nun. *	Private aid.  17/13
37861.2	George's Island Channel Buoy 3	41-14-04.24N 73-56-31.14W				Green can. *	Private aid.  17/13
37861.3	George's Island Channel Buoy 4	41-14-04.29N 73-56-29.03W				Red nun. *	Private aid.  17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
37861.4	George's Island Channel Buoy 5	41-14-05.73N 73-56-31.23W				Green can.	Private aid.
						*	17/13
37861.5	George's Island Channel Buoy 6	41-14-05.78N 73-56-29.36W				Red nun.	Private aid.
						*	17/13
38027	<i>Beacon Harbor South Hazard Lighted Buoy</i>	41-30-26.07N 73-59-29.30W	FI W 2s			White and orange.	Maintained Apr. 15 to Oct. 31. Private aid.
						*	17/13
38028	<i>Beacon Harbor North Hazard Lighted Buoy</i>	41-30-30.96N 73-59-29.30W	FI W 2s			White and orange.	Maintained Apr. 15 to Oct. 31. Private aid.
						*	17/13
38074	<i>Chelsea Yacht Club Anchorage Lighted Buoy N</i>	41-33-21.00N 73-58-16.00W	FI W 2s			White and orange.	Private aid.
						*	17/13
38074.3	<i>Chelsea Yacht Club Anchorage Lighted Buoy W</i>	41-32-54.00N 73-58-40.00W	FI W 2s			White and orange.	Private aid.
						*	17/13
38074.4	<i>Chelsea Yacht Club Anchorage Lighted Buoy S</i>	41-33-14.00N 73-58-24.00W	FI W 2s			White and orange.	Private aid.
						*	17/13
38131	<i>Poughkeepsie Yacht Club Lighted Buoy A</i>	41-49-24.10N 73-56-42.70W	FI W 4s			White and orange.	Private aid.
						*	17/13
38132	<i>Poughkeepsie Yacht Club Lighted Buoy B</i>	41-49-01.20N 73-56-45.10W	FI W 4s			White and orange.	Private aid.
						*	17/13
39600	PORT DOUGLASS LIGHT						<i>Remove from list.</i>
							*
							17/13

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3800	MUD ISLAND UPPER RANGE REAR LIGHT 933 yards, 052.6° from front light.	40-03-52.47N 74-56-49.61W	Iso W 6s	52		On small house on concrete base.	Lighted throughout 24 hours. Visible 0.5° either side of range line.
			*				17/13
6665	- LIGHT 7	37-36-10.93N 75-38-37.69W	FI G 2.5s	15	4	SG on multi-pile structure.	
						*	17/13
8490	- <i>Lighted Buoy 20</i>	39-12-24.80N 76-15-13.27W	Q R		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
						*	17/13
8590	- <i>Lighted Buoy 30</i>	39-15-45.33N 76-14-06.99W	Q R		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
						*	17/13
35573	<i>Mullica River Lighted Data Buoy R</i>						<i>Remove from list.</i>
							*
							17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6205	CEDAR HAMMOCK OUTBOUND FRONT RANGE LIGHT	31-06-37.62N 81-25-23.11W	Q W	18		KRW on dolphin.	
		*		*			17/13
6210	CEDAR HAMMOCK OUTBOUND RANGE REAR LIGHT 191 yards, 075.2° from front light.	31-06-39.07N 81-25-16.73W	Iso W 6s	27		KRW on dolphin.	Visible all around.
	*	*		*			17/13
9490	- Buoy 4	29-55-00.01N 81-16-27.13W				Red nun.	
		*					17/13
9495	- Lighted Buoy 5	29-54-49.33N 81-16-32.35W	Q G		4	Green.	
		*					17/13
9500	- Lighted Buoy 7	29-54-38.86N 81-16-55.39W	FI G 4s		5	Green.	
		*					17/13
12370	- LIGHT 98	24-54-08.84N 80-43-58.01W	FI R 2.5s	16	5	TR on pile.	
						*	17/13
28570.5	- Buoy 57B	28-46-34.71N 82-39-37.93W				Green can.	
		*					17/13
35285	- LIGHT 198	32-30-34.91N 80-37-52.10W	FI R 4s	12	5	TR-TY on pile.	
						*	17/13
37645	- RANGE F FRONT LIGHT	30-49-40.47N 81-29-31.14W	Q R	12		KRW-I on dolphin.	Visible 4° each side of range line.
		*		*			17/13
37650	- RANGE F REAR LIGHT 849 yards, 356.3° from front light.	30-50-05.61N 81-29-33.05W	Iso R 6s	22		KRW on dolphin.	Visible 4° each side of range line.
	*	*		*			17/13
38705	- LIGHT 23	30-03-43.08N 81-22-08.77W	FI G 4s	16	5	SG-SY on pile.	
						*	17/13
38893	- LIGHT 58A	29-54-41.69N 81-17-54.66W	FI R 2.5s	16	5	TR-TY on pile.	
						*	17/13
60390	- LIGHT 17	27-40-17.57N 82-41-00.00W	FI G 4s	16	5	SG on pile.	
						*	17/13

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*1357	Texas A Lighted Oceanographic Buoy X	27-03-57.73N 96-20-17.76W	FI Y 2.5s				Private aid.
							17/13
*11853	ORLEANS LEVEE DISTRICT BAYOU BIENVENUE FLOODGATE LIGHT 2	30-00-09.18N 89-54-08.36W	FI R 2.5s			Marks southeast gate wall.	Private aid.
							17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*11853.01	ORLEANS LEVEE DISTRICT BAYOU BIENVENUE FLOODGATE LIGHT 1	30-00-08.60N 89-54-08.54W	FI G 2.5s			Marks southwest gate wall.	Private aid.  17/13
*11853.02	ORLEANS LEVEE DISTRICT BAYOU BIENVENUE FLOODGATE LIGHT 3	30-00-08.93N 89-54-09.85W	FI G 2.5s			Marks northwest gate wall.	Private aid.  17/13
*11853.03	ORLEANS LEVEE DISTRICT BAYOU BIENVENUE FLOODGATE LIGHT 4	30-00-09.53N 89-54-09.64W	FI R 2.5s			Marks northeast gate wall.	Private aid.  17/13
23020 35605	- Buoy 68	29-58-21.62N 93-50-32.92W  *				Red nun with yellow square.	17/13
*34717	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER SECTOR GATE LIGHT 2	30-00-54.77N 89-54-00.77W	FI R 2.5s			Flashing red light marks northeast gate wall when open. Fixed red light marks closed gate.	Private aid.  17/13
*34717.01	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER SECTOR GATE LIGHT 1	30-00-52.20N 89-54-01.46W	FI G 2.5s			Flashing green light marks southeast gate wall when open. Fixed red light marks closed gate.	Private aid.  17/13
*34717.02	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER SECTOR GATE LIGHT 4	30-00-50.02N 89-54-11.96W	FI R 2.5s			Flashing red light marks northwest gate wall when open. Fixed red light marks closed gate.	Private aid.  17/13
*34717.03	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER SECTOR GATE LIGHT 3	30-00-49.13N 89-54-09.15W	FI G 2.5s			Flashing green light marks southwest gate wall when open. Fixed red light marks closed gate.	Private aid.  17/13
*34717.04	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER BYPASS GATE LIGHT 2A	30-00-51.31N 89-54-01.08W	FI R 2.5s			Flashing red light marks northeast gate wall when bypass gate is open for navigation.	Private aid.  17/13
*34717.05	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER BYPASS GATE LIGHT 1A	30-00-49.53N 89-54-00.00W	FI G 2.5s			Flashing green light marks southeast gate wall when bypass gate is open for navigation.	Private aid.  17/13
*34717.06	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER BYPASS GATE LIGHT 4A	30-00-48.53N 89-54-08.88W	FI R 2.5s			Flashing red light marks northwest gate wall when bypass gate is open for navigation.	Private aid.  17/13
*34717.07	ORLEANS LEVEE DISTRICT ICWW SURGE BARRIER BYPASS GATE LIGHT 3A	30-00-46.13N 89-54-07.66W	FI G 2.5s			Flashing green light marks southwest gate wall when bypass gate is open for navigation.	Private aid.  17/13
35605 23020	- Buoy 68	29-58-21.62N 93-50-32.92W  *				Red nun with yellow square.	17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3775	- Lighted Buoy 7	34-24-30.00N 119-41-12.04W	FI G 6s		4	Green.	Buoys maybe frequently relocated due to changing conditions.
		*					17/13
10543	- Buoy 5						Remove from list. *
							17/13
10545	- Buoy 6						Remove from list. *
							17/13
10550	- Buoy 7						Remove from list. *
							17/13
10551	- Buoy 7A						Remove from list. *
							17/13
15060	BINGHAM LANDING LIGHT 16	45-23-49.50N 122-38-17.40W	FI R 6s	17	5	TR on skeleton tower.	Obscured to northward of 220°.
				*	*	*	*
							17/13
18730	- BREAKWATER LIGHT A						Remove from list. *
							17/13
	<b>*Add Heading: Anacortes Marina</b>						
*19057.1	- ENTRANCE LIGHT A	48-30-08.80N 122-36-03.66W	FI W 2s			NW on piling.	Private aid.
							17/13
*19057.2	- ENTRANCE LIGHT B	48-30-07.29N 122-36-04.19W	FI W 2s			NW on piling.	Private aid.
							17/13
*19057.3	- ENTRANCE LIGHT 2	48-30-08.80N 122-36-05.77W	FI R 2.5s			TR on breakwall.	Private aid.
							17/13
*19057.4	- ENTRANCE LIGHT 1	48-30-07.90N 122-36-05.80W	FI G 2.5s			SG on breakwall.	Private aid.
							17/13
*19057.5	- INNER LIGHT S	48-30-08.10N 122-36-06.87W	FI Y 2.5s			NY on breakwall.	Private aid.
							17/13
*19058.1	- EXIT LIGHT A	48-30-16.37N 122-35-58.11W	FI W 4s			NW on piling.	Private aid.
							17/13
*19058.2	- EXIT LIGHT B	48-30-15.39N 122-35-57.96W	FI W 4s			NW on piling.	Private aid.
							17/13
*19058.3	- EXIT LIGHT 1	48-30-15.80N 122-36-05.77W	FI G 2.5s			SG on breakwall.	Private aid.
							17/13
*19058.4	- INNER LIGHT N	48-30-16.40N 122-36-05.80W	FI Y 2.5s			NY on breakwall.	Private aid.
							17/13
*19058.5	- EXIT LIGHT 2	48-30-15.37N 122-36-06.69W	FI R 2.5s			TR on breakwall.	Private aid.
							17/13

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2012**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6900	- Lighted Buoy 2	41-55-16.80N 83-06-18.66W	Q R		5	Red.	Replaced by nun buoy from Dec. 14 to Apr. 1.
					*		*
							17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES AND THE ST. LAWRENCE RIVER ABOVE THE ST. REGIS RIVER, 2012

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11780	- <i>River Entrance Lighted Buoy</i> 2	45-39-57.83N 84-27-22.68W	Q R		4	Red.	Replaced by nun buoy from Dec. 7 to Apr. 28.  * 17/13
20836	- Harbor Buoy 3						<i>Remove from list.</i>  * 17/13
21380	- Channel Danger Buoy	45-20-26.07N 86-56-11.27W				Isolated Danger buoy.  *	Maintained from May 7 to Nov. 21.  17/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.