

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
460 12258	<i>Scituate Approach Lighted Gong Buoy SA</i>	42-12-07.55N 70-41-49.34W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
					*		24/13
*3531	<i>Castine DeepC Wind North Anchor Lighted Buoy N</i>	44-23-09.19N 68-49-20.38W	Fl W 2.5s			White with orange bands.	Private aid.
							24/13
*3531.1	<i>Castine DeepC Wind West Anchor Lighted Buoy W</i>	44-23-05.48N 68-49-34.60W	Fl W 2.5s			White with orange bands.	Private aid.
							24/13
*3531.2	<i>Castine DeepC Wind East Anchor Lighted Buoy E</i>	44-23-00.19N 68-49-22.23W	Fl W 2.5s			White with orange bands.	Private aid.
							24/13
*3532	<i>Castine DeepC Wind Metocean Lighted Research Buoy</i>	44-23-01.50N 68-49-35.34W	Fl W 2.5s			Yellow.	Private aid.
							24/13
*3533	CASTINE DEEPC WIND VOLTURNUS FLOATING WIND TURBINE LIGHT	44-23-05.28N 68-49-26.44W	Mo (U) W 20s			Floating wind tower.	Private aid.
							24/13
5940	Halftide Ledge Daybeacon 22	43-53-45.77N 69-46-20.79W				TR on pile.	Maintained year-round.
		*					24/13
6135	DOUBLING POINT RANGE FRONT LIGHT	43-52-58.31N 69-47-44.35W	Q W	18		White conical tower.	Visible all around; higher intensity on range line.
							* 24/13
6140	DOUBLING POINT RANGE REAR LIGHT 232 yards, 359.6° from front light.	43-53-05.17N 69-47-44.42W	Iso W 6s	32		White conical tower.	Visible all around; higher intensity on range line.
							* 24/13
8185	- Buoy 9	43-20-51.56N 70-28-30.92W				Green can.	
		*					24/13
10930	- Buoy (NW)						<i>Remove from list.</i>
							* 24/13
10935	- Buoy (NE)						<i>Remove from list.</i>
							* 24/13
10945	- Buoy (SW)						<i>Remove from list.</i>
							* 24/13
12258 460	<i>Scituate Approach Lighted Gong Buoy SA</i>	42-12-07.55N 70-41-49.34W	Mo (A) W		4	Red and white stripes with red spherical topmark.	
					*		24/13
13855	- <i>Entrance Lighted Bell Buoy SH</i>	41-39-10.16N 69-59-58.95W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by red and white striped nun when endangered by ice.
							* 24/13
15865	- Buoy 1						<i>Remove from list.</i>
							* 24/13
18890	- <i>Lighted Buoy 11</i>	41-41-54.21N 71-10-55.17W	Fl G 4s		3	Green.	Replaced by LIB when endangered by ice.
							* 24/13
18950	- <i>Channel Lighted Buoy 19</i>	41-43-18.15N 71-09-32.53W	Fl G 4s		3	Green.	Replaced by LIB when endangered by ice.
							* 24/13

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27705	CAR FERRY LIGHT	41-09-15.90N 72-14-23.88W	F W	18		On dolphin.	Private aid. 24/13
		*					
27715	- Bay Daybeacon 1	41-09-02.46N 72-14-27.12W				SG on pile.	Private aid. 24/13
		*				*	
27720	- Bay Daybeacon 3	41-09-07.50N 72-14-29.88W				SG on pile.	Private aid. 24/13
		*				*	
27725	- LIGHT	41-09-12.18N 72-14-30.90W	F R	10		On pile.	Maintained from sundown to 0130 daily. Private aid. HORN: 1 blast ev 30s (1s bl). 24/13
		*					
27730	- Lighted Bell Buoy S	41-02-11.40N 72-03-05.31W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Replaced by red and white striped sphere when endangered by ice. * 24/13
27775	- Entrance Lighted Bell Buoy TM	41-02-39.34N 72-11-18.67W	Mo (A) W		4	Red and white stripes with red spherical topmark.	Aids replaced by red and white striped sphere when endangered by ice. * 24/13
28140	- Buoy 1						Remove from list. * 24/13
28145	- Lighted Buoy 2						Remove from list. * 24/13
	*Change Heading to: Marratooka Point						
28710	- Buoy 1	40-59-09.00N 72-30-06.00W				Green can.	Maintained from May 1 to Oct. 31. Private aid. 24/13
32250	- Buoy H44	40-37-30.72N 73-37-00.60W				Red nun.	Private aid. 24/13
	*					*	
32645	- Buoy SD20	40-36-27.00N 73-34-20.64W				Red nun.	Private aid. 24/13
		*					
34715	- Lighted Buoy 12	40-37-04.81N 73-53-16.91W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice. 24/13
			*				
34735	- Lighted Buoy 20	40-37-43.90N 73-52-42.95W	FI R 4s		3	Red.	Replaced by nun when endangered by ice. 24/13
	*		*		*	*	*
34750	- Lighted Buoy 24	40-38-17.12N 73-51-52.87W	FI R 2.5s		3	Red.	Replaced by nun when endangered by ice. 24/13
	*		*		*	*	*
34775	- Lighted Buoy 32	40-38-37.35N 73-50-23.04W	FI R 6s		4	Red.	Replaced by nun when endangered by ice. 24/13
	*		*		*	*	*
*36888	NYPD Buoy 1	40-38-45.00N 74-01-49.00W				Green can.	Private aid. 24/13
*36889	NYPD Buoy 2	40-38-45.00N 74-01-51.00W				Red nun.	Private aid. 24/13

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
74	<i>Fishermen's Energy Research Lighted Data Buoy B</i>	39-10-07.73N 74-23-58.61W	FI Y 2.5s			Yellow.	Private aid. 24/13
		*					
3200	<i>Raccoon Creek Jetty Lighted Buoy 2</i>						<i>Remove from list.</i> 24/13
							*
3201	RACCOON CREEK JETTY LIGHT 2	39-48-34.10N 75-23-02.74W	FI R 4s	15	4	TR on pile.	 24/13
						*	
26185	ST. MICHAELS HARBOR ENTRANCE LIGHT 2SM	38-47-21.29N 76-12-59.34W	FI R 4s	15	4	TR on pile.	 24/13
							*
28193	- CHANNEL LIGHT 54	35-47-23.76N 75-34-18.24W	Q R	15	3	TR on pile.	 24/13
							*
28400	- CHANNEL LIGHT 10	35-49-05.56N 75-35-35.51W	FI R 4s	15	3	TR on pile.	Light equipment removed when endangered by ice. 24/13
							*
32063	- LIGHT 5	35-35-56.43N 75-28-58.44W	Q G	15	3	SG on pile.	 24/13
							*
32063.1	- Daybeacon 5A	35-35-49.78N 75-28-40.30W				SG on pile.	 24/13
							*
39635	- LIGHT 129A	34-11-16.76N 77-49-42.76W	FI G 2.5s	15	3	SG-SY on pile.	 24/13
							*

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3160	- LIGHT 93	32-58-26.56N 79-55-10.52W	FI G 2.5s	16	5	SG on pile.	 24/13
							*
3745	- Buoy 11	32-38-29.38N 79-59-00.75W				Green can.	 24/13
							*
3750.8	- Buoy 17	32-38-54.41N 79-57-51.28W				Green can.	 24/13
							*
6240	TURTLE RIVER LOWER RANGE FRONT LIGHT	31-07-54.97N 81-31-40.81W	Q W	16		On dolphin.	Visible 1.5° each side of range line. Lighted throughout 24 hours. 24/13
							*
6245	TURTLE RIVER LOWER RANGE REAR LIGHT 517 yards, 292.8° from front light.	31-08-00.93N 81-31-57.24W	Iso W 6s	34		On skeleton tower on piles. On same structure as Upper Range Rear Light.	Visible 1.5° each side of range line. Lighted throughout 24 hours. 24/13
							*
6340	- OUTBOUND RANGE FRONT LIGHT	31-07-39.92N 81-30-27.33W	Q R	17		KRW on dolphin.	Visible all around; higher intensity on range line. 24/13
							*

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6345	- OUTBOUND RANGE REAR LIGHT 251 yards, 98.6° from front light.	31-07-38.81N 81-30-18.75W	Iso R 6s	26		KRW on skeleton tower on piles.	Visible all around; higher intensity on range line.
	*	*		*			24/13
6350	BLYTHE ISLAND RANGE FRONT LIGHT	31-09-23.39N 81-31-58.16W	Q W	21		KRW on dolphin.	Visible 4° each side of range line.
		*		*			24/13
6355	BLYTHE ISLAND RANGE REAR LIGHT 714 yards, 337.6° from front light.	31-09-43.00N 81-32-07.55W	Iso W 6s	39		KRW on skeleton tower.	Visible 4° each side of range line.
	*	*		*			24/13
6365	- UPPER RANGE FRONT LIGHT	31-08-44.57N 81-31-48.25W	Q W	13		KRW on skeleton tower on piles.	Visible 4° each side of range line.
		*					24/13
6370	- UPPER RANGE REAR LIGHT 1,490 yards, 190° from front light.	31-08-00.93N 81-31-57.24W	Iso W 6s	34		KRW on skeleton tower on piles. On same structure as Lower Range Rear Light.	Visible 4° each side of range line.
	*	*		*			24/13
14650	- LIGHT 3	24-32-47.91N 81-44-00.00W	FI G 6s	16	5	SG on dolphin.	
					*		24/13
51090	- Buoy 30	27-10-42.63N 80-15-48.34W				Red nun.	
		*					24/13

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
807	<i>Tarpon-104-3 Lighted Buoy</i>						<i>Remove from list.</i>
							*
							24/13
*11723	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-19.19N 89-35-38.24W	FI W 2.5s			Marks channel closure structure.	Private aid.
							24/13
*11723.01	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-17.25N 89-35-39.97W	FI W 2.5s			Marks channel closure structure.	Private aid.
							24/13
*11723.02	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-15.32N 89-35-41.68W	FI W 2.5s			Marks channel closure structure.	Private aid.
							24/13
*11723.03	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-33.72N 89-35-53.89W	FI W 2.5s			Marks channel closure structure.	Private aid.
							24/13
*11723.04	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-29.20N 89-36-04.81W	FI W 2.5s			Marks channel closure structure.	Private aid.
							24/13
*11723.05	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-17.82N 89-35-31.77W	FI W 2.5s			Marks channel closure structure.	Private aid.
							24/13

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*11723.06	STATE OF LOUISIANA MISSISSIPPI RIVER GULF OUTLET DANGER LIGHT	29-49-09.12N 89-35-38.06W	FI W 2.5s			Marks channel closure structure.	Private aid.
							24/13

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
760 16145	Cape Flattery Light	48-23-31.17N 124-44-12.95W *	FI (2) W 20s	112 *	14	On skeleton tower. 9 *	24/13
16145 760	Cape Flattery Light	48-23-31.17N 124-44-12.95W *	FI (2) W 20s	112 *	14	On skeleton tower. 9 *	24/13
16287	<i>Port Angeles Research Lighted Buoy</i>						<i>Remove from list.</i> * 24/13
16410	<i>Port Williams Research Lighted Buoy</i>						<i>Remove from list.</i> * 24/13
17518	<i>Port Townsend Research Lighted Buoy P-2</i>						<i>Remove from list.</i> * 24/13
17530	<i>Port Townsend Research Lighted Buoy P-1</i>						<i>Remove from list.</i> * 24/13
17983	<i>Liberty Bay Research Lighted Buoy</i>						<i>Remove from list.</i> * 24/13
25900	WHITTIER BREAKWATER LIGHT 1	60-46-41.08N 148-41-34.67W *	FI G 4s	12	4	SG on skeleton tower on floating breakwater.	Obscured from 233° to 078° . 24/13
26175	- Buoy 4	59-26-24.16N 151-43-30.39W *		22		Red.	24/13

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.