

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5830	- Daybeacon 3	43-52-58.69N 69-40-14.23W *				SG on spindle.	30/13
11450	Nixes Mate Daybeacon Marks foul area between Nubble Channel and The Narrows.	42-19-53.23N 70-56-39.28W *				Black, white band midway of height; octagonal pyramid on square granite base.	30/13
35720	- Buoy 8	40-26-22.70N 74-04-51.21W *				Red nun.	30/13

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16405	- <i>Lighted Wreck Buoy WR7</i>	37-53-04.01N 76-15-11.51W *	Q G		4	Green.	30/13

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1875	- RANGE A FRONT LIGHT	33-11-34.02N 79-10-04.77W	FI W 2.5s (NIGHT) FI W 2.5s (DAY)	13 19		Skeleton tower on piles.	DAY: Visible 0.5° each side of range line. NIGHT: Visible 10° each side of range line. Lighted throughout 24 hours.
9180	- LIGHT 102	28-51-53.58N 81-21-52.03W	FI R 4s	17	5	TR on pile.	30/13
21595	- Channel Buoy 2 Due to frequently changing conditions, buoy is not charted.	27-18-52.87N 82-35-12.46W *				Red nun.	30/13
36710	- Range A Front Daybeacon						<i>Remove from list.</i> *
36760	- Range Rear Daybeacon B 146 yards, 163.6° from front daybeacon.						<i>Remove from list.</i> *
36845	- Range Rear Daybeacon A 60 yards, 350.6° from front daybeacon.						<i>Remove from list.</i> *
36860	- Range Rear Daybeacon A 165 yards, 032.8° from front daybeacon.						<i>Remove from list.</i> *
40765	- Daybeacon 1	29-00-44.45N 80-54-45.19W *				SG on pile.	Private aid. 30/13

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23915	- ENTRANCE INNER RANGE FRONT LIGHT	29-22-39.55N 94-48-43.40W	Q G	27		KRW on skeleton tower on piles.	* 30/13
				*			
23920	- ENTRANCE INNER RANGE REAR LIGHT 2,508 yards, 319.1° from front light.	29-23-35.19N 94-49-39.98W	Iso G 6s	60		KRW on skeleton tower on piles.	* 30/13
	*						
29820 42965	- LEADING LIGHT	26-02-50.86N 97-12-25.64W	Iso W 6s	17	5	NB on pile.	* 30/13
					*		
40800	- Buoy 163	27-23-35.77N 97-21-58.32W				Green can with yellow square.	Ra ref. 30/13
	*						
42965 29820	PORT ISABEL CHANNEL LEADING LIGHT	26-02-50.86N 97-12-25.64W	Iso W 6s	17	5	NB on pile.	* 30/13
					*		

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
11035	- RANGE REAR LIGHT 619 yards, 150.5° from front light.	45-51-39.24N 122-46-45.64W	Iso W 6s	58		KRB on skeleton tower.	Visible 14° each side of range line. 30/13
	*	*		*			
11070	- RANGE REAR LIGHT 146 yards, 021.3° from front light.	45-51-22.21N 122-46-44.52W	Iso W 6s	62		KRW on skeleton tower.	Visible 5.5° each side of range line. 30/13
	*	*		*		*	
27829	<i>St. Paul Island Lighted Buoy 2</i>	57-07-33.87N 170-17-59.94W	FI R 6s			Red nun.	* 30/13
	*		*				

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3723	CONNEAUT BOAT CLUB EAST LIGHT	41-58-17.82N 80-33-07.56W	F G	14 4		SG on post.	Maintained from May 1 to Nov. 1. Private aid. 30/13
3730	CONNEAUT BOAT CLUB EAST LIGHT						<i>Remove from list.</i> * 30/13
10130	- Light	43-50-44.30N 82-37-53.10W	FI R 6s	54 16	16	White conical tower. 54	HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF channel 83A. * 30/13
14335	- <i>Lighted Buoy 8</i>	46-29-39.35N 84-25-30.16W	FI R 2.5s		4	Red.	Year-round lighted buoy. * 30/13
14420	- <i>Lighted Buoy 25</i>	46-26-50.75N 84-31-39.75W	FI G 4s		4	Green.	Year-round lighted buoy. * 30/13
					*		

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14565	Au Sable Light	46-40-18.60N 86-08-23.50W	FI W 6s	100 30	13	White conical tower with red dwelling attached. 110	30/13
					*		
20635	- Breakwater Light	43-01-36.99N 87-52-54.93W	FI R 10s	61 19	14	Black lantern on white square structure. 61	HORN: 2 blasts ev 20s (2s bl- 2s si-2s bl-14s si). Operates by keying the microphone five times on VHF channel 83A.
							* 30/13
20675	- SOUTH PIERHEAD LIGHT 3	43-01-29.84N 87-53-40.78W	FI G 4s	33 10		On gray pole with concrete base.	Private aid.
	*		*				30/13

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.