

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13050	CAPE COD CANAL BREAKWATER LIGHT 6	41-46-47.22N 70-29-23.28W	FI R 5s	43	9	TR on red cylindrical tower. 43	HORN: 1 blast ev 15s (2s bl). Activated for 45 minutes during periods of reduced visibility by keying the microphone five times on VHF channel 83A.  * 34/13
19111	Dutch Island Harbor Channel Buoy 1	41-29-51.42N 71-23-27.66W *				Green can.	Private aid.  34/13
24240	- Buoy 3	41-16-53.46N 72-55-11.46W *				Green can.	34/13

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
275	<b>Assateague Light</b>	37-54-40.24N 75-21-21.70W	FI (2) W 5s 0.1s fl 1s ec. 0.1s fl 3.8s ec.	154	22	Conical tower with red and white bands. 142	Emergency light of reduced intensity when main light is extinguished. Visible from seaward only.  * 34/13
32340	OLIVER REEF LIGHT	35-15-48.64N 75-45-37.61W	FI W 6s	30 *	7	NB on skeleton tower on piles.	34/13
35470	- Buoy 117	39-30-37.92N 74-18-13.68W *				Green can with yellow square.	Maintained year round.  34/13

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6575	- Lighted Buoy 11	30-42-38.78N 81-21-33.30W	FI G 2.5s		5	Green.	 * 34/13
*21598	- Channel Buoy 2A  Due to frequently changing conditions, buoy is not charted.	37-19-17.38N 82-35-22.17W				Red nun.	34/13
39525.5	- Buoy 80A	29-43-18.79N 81-14-46.66W				Red nun with yellow triangle. *	34/13
*39526	- Buoy 80B	29-43-12.95N 81-14-46.96W				Red nun with yellow triangle.	34/13
40608	- LIGHT 17	29-03-27.33N 80-55-02.02W	FI G 4s	16	5	SG-SY on pile.  *	34/13
50215	- LIGHT 22	25-17-25.03N 80-22-01.60W	FI R 4s	16	5	TR-TY on pile.  *	34/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
637	<i>LLOG-103-6 Lighted Buoy</i> Marks subsea installation						<i>Remove from list.</i>
							* 34/13
8370	- Daybeacon 5	30-25-23.44N 88-32-06.61W				SG on pile.	Ra ref.
		*					34/13
*12591	- LIGHT 3A	28-59-28.20N 89-08-21.51W	FI G 2.5s	17	4	SG on pile.	Ra ref.
							34/13
*12592	- DANGER LIGHT A	28-59-30.61N 89-08-16.36W	FI W 2.5s	17	4	NW on pile.	Ra ref.
							34/13
*12593	- DANGER LIGHT B	28-59-36.93N 89-08-20.99W	FI W 4s	17	4	NW on pile.	Ra ref.
							34/13
12595	- Daybeacon 5	28-59-40.30N 89-08-31.00W				SG on pile.	Ra ref.
	*					*	34/13
*12596	- LIGHT 6	28-59-42.93N 89-08-26.70W	FI R 2.5s	17	4	TR on pile.	Ra ref.
							34/13
*12596.01	- LIGHT 5A	28-59-45.42N 89-08-34.16W	Q G	17	4	SG on pile.	Ra ref.
							34/13
*12596.02	- Danger Daybeacon C	28-59-51.88N 89-08-35.16W				NW on pile.	Ra ref.
							34/13
*12596.03	- LIGHT 7	28-59-54.41N 89-08-48.31W	FI G 4s	17	4	SG on pile.	Ra ref.
							34/13
*12596.04	- DANGER LIGHT D	29-00-00.01N 89-08-44.55W	FI W 2.5s	17	4	NW on pile.	Ra ref.
							34/13
*12596.05	- Danger Daybeacon E	29-00-07.53N 89-08-54.75W				NW on pile.	Ra ref.
							34/13
*12596.06	- LIGHT 8	29-00-14.26N 89-09-03.06W	FI R 4s	17	4	TR on pile.	Ra ref.
							34/13
36450	Offats Bayou Daybeacon 2	29-16-58.63N 94-50-22.11W				TR on pile.	
		*					34/13

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
65	<i>Camp Pendleton Calibration</i> <i>Lighted Buoy</i>						<i>Remove from list.</i>
							* 34/13
95	<i>Santa Ana Lighted Bell Buoy</i> 4SA						<i>Remove from list.</i>
							* 34/13
115	<i>San Pedro Channel Traffic</i> <i>Lane Lighted Buoy S</i>						<i>Remove from list.</i>
							* 34/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10625	BEAVER PIER WEST END LIGHT	46-10-51.46N 123-11-06.22W *	F Y *			On corner of pier.	Private aid.  34/13
10630	BEAVER PIER EAST END LIGHT	46-10-56.37N 123-10-50.78W *	F Y *			On corner of pier.	Private aid.  34/13
11015	DYNO NOBEL DOCK LIGHTS (2) *	45-54-48.75N 122-48-53.24W *	F Y *			On dock.	Private aid.  34/13
14427	- Buoy 5	46-16-20.42N 124-01-51.36W *				Green can.	Position shifted with changing conditions.  34/13
29140	- ENTRANCE DIRECTIONAL LIGHT	21-17-38.77N 157-51-27.94W	F R W G	47		On monopole.	FW when on or very near center of channel (033.6° to 034°), AI WR when right of inbound channel (033.3° to 033.6°), FR when further right (032.9° to 033.3°), AI WG when left of inbound channel (034° to 034.3°), FG when further left (034.3° to 034.7°).  * 34/13

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	<b>*Delete Heading and Note: Oak Beach County Park</b>						
	<i>Buoys maintained from May 1 to Oct. 1.</i>						
10342.1	- Buoy 1						Remove from list. * 34/13
10342.2	- Buoy 2						Remove from list. * 34/13
10342.3	- Buoy 3						Remove from list. * 34/13
10342.4	- Buoy 4						Remove from list. * 34/13
15625	ALLOUEZ ORE DOCK NO. 3 EAST LIGHT						Remove from list. * 34/13

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.