

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7820	- Buoy 3	43-38-27.64N 70-16-07.38W *				Green can.	9/14
7825	- <i>Lighted Buoy 5</i>	43-38-27.07N 70-16-21.30W *	Fl G 4s		4	Green.	Replaced by can when endangered by ice. 9/14
9589.12	- Midchannel Buoy N	42-38-25.50N 70-45-51.90W *				Red spar, white stripes.	Private aid. 9/14
17640	- Buoy 13 *	41-36-46.14N 71-13-04.80W *				Green can.	9/14
*17643	Gould Island Shoal Danger Buoy DGI On east side of rock.	41-36-56.43N 71-13-18.26W				Black and red bands with two black spherical topmarks.	9/14
21145	<i>Long Sand Shoal West End Lighted Gong Buoy W</i> At west point of shoal.	41-13-35.43N 72-27-35.73W *	Fl (2+1) R 6s		4	Red and green bands.	9/14
24360	- BREAKWATER LIGHT 2A						<i>Remove from list.</i> *
39495	Allen Point Railroad North Daybeacon						<i>Remove from list.</i> *

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7135	- <i>Lighted Buoy 19</i> 75 feet outside channel limit.	37-06-59.75N 76-07-50.40W	Fl G 4s		5	Green.	9/14
8170	- <i>Lighted Buoy 6</i>	39-11-09.34N 76-27-19.80W	Fl R 4s		6	Red.	Replaced by nun when endangered by ice. 9/14
17355	- <i>Mid-Channel Lighted Whistle Buoy C</i>	38-11-49.67N 76-44-39.57W	Mo (A) W		5	Red and white stripes.	Replaced by can when endangered by ice. 9/14
19087	- <i>Lighted Buoy 8</i>	38-19-40.76N 76-29-04.10W *	Q R		4	Red.	Replaced by nun when endangered by ice. 9/14
28195	- <i>Channel Lighted Buoy 55</i>	35-47-20.31N 75-34-20.39W *	Q G		3	Green.	9/14
29584	- Junction Buoy B	34-40-20.96N 77-05-38.74W *				Green can with red band.	9/14
34410	- <i>Lighted Wreck Buoy WR5</i> 25 feet outside channel limit.	34-59-12.56N 76-17-30.05W	Q G		4	Green.	9/14
39050	- Buoy 45A	34-40-23.39N 77-05-56.13W *				Green can with yellow square.	9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5170	- Daybeacon 1						<i>Remove from list.</i> * 9/14
5175	- Daybeacon 2						<i>Remove from list.</i> * 9/14
5180	- Daybeacon 3						<i>Remove from list.</i> * 9/14
5185	- Daybeacon 4						<i>Remove from list.</i> * 9/14
5190	- Daybeacon 5						<i>Remove from list.</i> * 9/14
5195	- Daybeacon 7						<i>Remove from list.</i> * 9/14
5200	- Daybeacon 8						<i>Remove from list.</i> * 9/14
5205	- Daybeacon 9						<i>Remove from list.</i> * 9/14
5210	- Daybeacon 11						<i>Remove from list.</i> * 9/14
5215	- Daybeacon 12						<i>Remove from list.</i> * 9/14
5220	- Daybeacon 13						<i>Remove from list.</i> * 9/14
5225	- Daybeacon 14						<i>Remove from list.</i> * 9/14
5230	- Daybeacon 16						<i>Remove from list.</i> * 9/14
5235	- Daybeacon 18						<i>Remove from list.</i> * 9/14
5240	- Daybeacon 20						<i>Remove from list.</i> * 9/14
5245	- Daybeacon 21						<i>Remove from list.</i> * 9/14
5250	- Daybeacon 22						<i>Remove from list.</i> * 9/14
5255	- Daybeacon 23						<i>Remove from list.</i> * 9/14
5260	- Daybeacon 25						<i>Remove from list.</i> * 9/14
5265	- Daybeacon 27						<i>Remove from list.</i> * 9/14
5270	- Daybeacon 28						<i>Remove from list.</i> * 9/14
5280	- Daybeacon 30						<i>Remove from list.</i> * 9/14
5285	- Daybeacon 32						<i>Remove from list.</i> * 9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5290	- Daybeacon 33						Remove from list. * 9/14
5295	- Daybeacon 35						Remove from list. * 9/14
5300	- Daybeacon 36						Remove from list. * 9/14
5305	- Daybeacon 37						Remove from list. * 9/14
5310	- Daybeacon 38						Remove from list. * 9/14
5315	- Daybeacon 39						Remove from list. * 9/14
5320	- Daybeacon 41						Remove from list. * 9/14
5325	- Daybeacon 42						Remove from list. * 9/14
5330	- Daybeacon 43						Remove from list. * 9/14
5335	- Daybeacon 45						Remove from list. * 9/14
5340	- Daybeacon 46						Remove from list. * 9/14
5345	- Daybeacon 47						Remove from list. * 9/14
5350	- Daybeacon 48						Remove from list. * 9/14
5355	- Daybeacon 49						Remove from list. * 9/14
5360	- Daybeacon 51						Remove from list. * 9/14
5365	- Daybeacon 52						Remove from list. * 9/14
5370	- Daybeacon 54						Remove from list. * 9/14
6410	- Buoy 2	30-56-26.86N 61-21-16.98W *				Red nun.	9/14
9535.2	- Buoy 5A	29-04-37.83N 80-54-53.88W *				Green can.	9/14
23705	- Lighted Buoy 10J	27-47-35.20N 82-34-15.55W	Q R		4	Red.	* 9/14
39225	- LIGHT 16	29-51-27.60N 81-18-39.78W	Fl R 4s	16	5	TR-TY on dolphin.	* 9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
48370	- Daybeacon 44	25-47-52.29N 80-10-47.37W				TR-TY on pile.	
		*					9/14
	<b>*Add Heading: Seagate Harbor</b>						
*50861	- Daybeacon 1	27-12-22.98N 80-16-26.10W				SG on pile.	Private aid.
							9/14
*50861.1	- Daybeacon 2	27-12-23.04N 80-16-27.24W				TR on pile.	Private aid.
							9/14
*50861.2	- Daybeacon 3	27-12-20.20N 80-16-26.40W				SG on pile.	Private aid.
							9/14
*50861.3	- Daybeacon 4	27-12-20.46N 80-16-27.12W				TR on pile.	Private aid.
							9/14
60545	- LIGHT 6	27-41-43.15N 82-38-07.58W	F I R 4s	16	5	TR-TY on pile.	
					*		9/14
60910	- LIGHT 34	27-44-23.29N 82-43-57.79W	F I R 4s	16	5	TR-TY on pile.	
					*		9/14

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2670	- Daybeacon 22						<i>Remove from list.</i>
							*
							9/14
*2670.01	- Buoy 22	29-51-00.97N 84-40-47.71W				Red nun.	
							9/14
2675	- Daybeacon 23						<i>Remove from list.</i>
							*
							9/14
*2675.01	- Buoy 23	29-51-04.22N 84-40-57.02W				Green can.	
							9/14
2680	- Daybeacon 25						<i>Remove from list.</i>
							*
							9/14
*2680.01	- Buoy 25	29-51-03.27N 84-41-09.86W				Green can.	
							9/14
2685	- Daybeacon 26						<i>Remove from list.</i>
							*
							9/14
*2685.01	- Buoy 26	29-51-04.47N 84-41-13.19W				Red nun.	
							9/14
2690	- Daybeacon 28						<i>Remove from list.</i>
							*
							9/14
*2690.01	- Buoy 28	29-51-05.63N 84-41-16.95W				Red nun.	
							9/14
2695	- Daybeacon 30						<i>Remove from list.</i>
							*
							9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*2695.01	- Buoy 30	29-51-07.39N 84-41-20.81W				Red nun.	
2700	- Daybeacon 32						Remove from list. * 9/14
*2700.01	- Buoy 32	29-51-12.28N 84-41-23.24W				Red nun.	
2705	- Daybeacon 34						Remove from list. * 9/14
*2705.01	- Buoy 34	29-51-16.96N 84-41-22.96W				Red nun.	
2715	- Daybeacon 38						Remove from list. * 9/14
*2715.01	- Buoy 38	29-51-21.59N 84-41-18.42W				Red nun.	
2720	- Daybeacon 40						Remove from list. * 9/14
*2720.01	- Buoy 40	29-51-23.71N 84-41-14.64W				Red nun.	
2725	- Daybeacon 42						Remove from list. * 9/14
*2725.01	- Buoy 42	29-51-24.70N 84-41-11.51W				Red nun.	
2730	- Daybeacon 43						Remove from list. * 9/14
*2730.01	- Buoy 43	29-51-26.77N 84-41-09.58W				Green can.	
2735	- Daybeacon 44						Remove from list. * 9/14
*2735.01	- Buoy 44	29-51-24.58N 84-41-07.12W				Red nun.	
2740	- Daybeacon 45						Remove from list. * 9/14
*2740.01	- Buoy 45	29-51-24.47N 84-41-00.22W				Green can.	
2745	- Daybeacon 46						Remove from list. * 9/14
*2745.01	- Buoy 46	29-51-22.52N 84-40-57.95W				Red nun.	
2750	- Daybeacon 47						Remove from list. * 9/14
*2750.01	- Buoy 47	29-51-24.37N 84-40-50.69W				Green can.	

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2760	- Daybeacon 51						<i>Remove from list.</i>
							*
							9/14
*2760.01	- Buoy 51	29-51-26.32N 84-40-39.66W				Green can.	
							9/14
2770	- Daybeacon 54						<i>Remove from list.</i>
							*
							9/14
*2770.01	- Buoy 54	29-51-28.20N 84-40-33.94W				Red nun.	
							9/14
2775	- Daybeacon 55						<i>Remove from list.</i>
							*
							9/14
*2775.01	- Buoy 55	29-51-30.42N 84-40-34.27W				Green can.	
							9/14
2780	- Daybeacon 56						<i>Remove from list.</i>
							*
							9/14
*2780.01	- Buoy 56	29-51-38.78N 84-40-27.21W				Red nun.	
							9/14
2785	- Daybeacon 57						<i>Remove from list.</i>
							*
							9/14
*2785.01	- Buoy 57	29-51-39.31N 84-40-28.75W				Green can.	
							9/14
2790	- Daybeacon 59						<i>Remove from list.</i>
							*
							9/14
*2790.01	- Buoy 59	29-51-52.11N 84-40-26.27W				Green can.	
							9/14
2795	- Daybeacon 61						<i>Remove from list.</i>
							*
							9/14
*2795.01	- Buoy 61	29-51-55.29N 84-40-27.79W				Green can.	
							9/14
2805	- Daybeacon 65						<i>Remove from list.</i>
							*
							9/14
*2805.01	- Buoy 67	29-51-59.65N 84-40-41.80W				Green can.	
							9/14
2815	- Daybeacon 68						<i>Remove from list.</i>
							*
							9/14
*2815.01	- Buoy 68	29-51-59.60N 84-40-45.23W				Red nun.	
							9/14
*4578	CITY OF DESTIN DANGER LIGHT	30-23-26.52N 86-30-39.10W	FI W 2.5s			Marks breakwater.	Private aid.
							9/14
*4578.01	CITY OF DESTIN DANGER LIGHT	30-23-28.51N 86-30-42.08W	FI W 2.5s			Marks breakwater.	Private aid.
							9/14
*4578.02	CITY OF DESTIN DANGER LIGHT	30-23-30.76N 86-30-45.34W	FI W 2.5s			Marks breakwater.	Private aid.
							9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

## CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*4578.03	CITY OF DESTIN DANGER LIGHT	30-23-32.68N 86-30-51.79W	FI W 2.5s			Marks breakwater.	Private aid.  9/14
*4578.04	CITY OF DESTIN DANGER LIGHT	30-23-34.70N 86-30-51.79W	FI W 2.5s			Marks breakwater.	Private aid.  9/14
*4578.05	CITY OF DESTIN DANGER LIGHT	30-23-37.05N 86-30-52.34W	FI W 2.5s			Marks breakwater.	Private aid.  9/14
*4578.06	CITY OF DESTIN DANGER LIGHT	30-23-36.07N 86-30-47.62W	FI W 2.5s			Marks breakwater.	Private aid.  9/14
*7827	ADCNR WEST DAUPHIN ISLAND EAST DANGER LIGHT	30-14-42.96N 88-14-25.20W	FI W 2.5s			Marks southeast corner of submerged obstructions.	Private aid.  9/14
*7827.01	ADCNR WEST DAUPHIN ISLAND EAST DANGER LIGHT	30-14-44.58N 88-14-25.20W	FI W 2.5s			Marks northeast corner of submerged obstructions.	Private aid.  9/14
*7827.02	ADCNR WEST DAUPHIN ISLAND EAST DANGER LIGHT	30-14-42.84N 88-14-35.46W	FI W 2.5s			Marks northwest corner of submerged obstructions.	Private aid.  9/14
*7827.03	ADCNR WEST DAUPHIN ISLAND EAST DANGER LIGHT	30-14-41.04N 88-14-34.50W	FI W 2.5s			Marks southwest corner of submerged obstructions.	Private aid.  9/14
*7827.04	ADCNR WEST DAUPHIN ISLAND MIDDLE DANGER LIGHT	30-14-24.60N 88-16-14.94W	FI W 2.5s			Marks southeast corner of submerged obstructions.	Private aid.  9/14
*7827.05	ADCNR WEST DAUPHIN ISLAND MIDDLE DANGER LIGHT	30-14-30.72N 88-16-18.30W	FI W 2.5s			Marks northeast corner of submerged obstructions.	Private aid.  9/14
*7827.06	ADCNR WEST DAUPHIN ISLAND MIDDLE DANGER LIGHT	30-14-26.10N 88-16-30.60W	FI W 2.5s			Marks northwest corner of submerged obstructions.	Private aid.  9/14
*7827.07	ADCNR WEST DAUPHIN ISLAND MIDDLE DANGER LIGHT	30-14-19.86N 88-16-27.06W	FI W 2.5s			Marks southwest corner of submerged obstructions.	Private aid.  9/14
*7827.08	ADCNR WEST DAUPHIN ISLAND WEST DANGER LIGHT	30-14-10.02N 88-17-31.20W	FI W 2.5s			Marks southeast corner of submerged obstructions.	Private aid.  9/14
*7827.09	ADCNR WEST DAUPHIN ISLAND WEST DANGER LIGHT	30-14-11.70N 88-17-31.62W	FI W 2.5s			Marks northeast corner of submerged obstructions.	Private aid.  9/14
*7827.11	ADCNR WEST DAUPHIN ISLAND WEST DANGER LIGHT	30-14-09.72N 88-17-41.46W	FI W 2.5s			Marks northwest corner of submerged obstructions.	Private aid.  9/14
*7827.12	ADCNR WEST DAUPHIN ISLAND WEST DANGER LIGHT	30-14-08.16N 88-17-41.10W	FI W 2.5s			Marks southwest corner of submerged obstructions.	Private aid.  9/14
8520	BAYOU CASOTTE LIGHT 12						Remove from list.  *
							9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*8520.01	Bayou Casotte Lighted Buoy 12	30-21-08.55N 88-30-26.70W	FIR 2.5s		3		
					*		9/14
33115	- Shoal Buoy 5A	30-19-54.32N 87-19-18.22W				Green can with yellow square.	
		*					9/14
40560	- Buoy 98						<i>Remove from list.</i>
							*
							9/14
*40560.01	- Daybeacon 68	27-31-10.26N 97-18-03.20W				TR-TY on pile.	Ra ref.
							9/14
40570	- Buoy 101						<i>Remove from list.</i>
							*
							9/14
*40570.01	- Daybeacon 69	27-30-44.91N 97-18-13.45W				SG-SY on pile.	Ra ref.
							9/14
40575	- Buoy 103						<i>Remove from list.</i>
							*
							9/14
40590	- Buoy 107						<i>Remove from list.</i>
							*
							9/14
40595	- Buoy 109						<i>Remove from list.</i>
							*
							9/14
*40595.01	- Daybeacon 73	27-29-49.26N 97-18-42.20W				SG-SY on pile.	Ra ref.
							9/14
40600	- Buoy 111						<i>Remove from list.</i>
							*
							9/14
40610	- Buoy 114						<i>Remove from list.</i>
							*
							9/14
*40610.01	- Daybeacon 76	27-29-18.29N 97-19-01.59W				TR-TY on pile.	Ra ref.
							9/14
40615	- Buoy 115						<i>Remove from list.</i>
							*
							9/14
40620	- Buoy 117						<i>Remove from list.</i>
							*
							9/14
*40620.01	- Daybeacon 77	27-45-13.19N 97-12-48.97W				SG-SY on pile.	Ra ref.
							9/14
40625	- Buoy 119						<i>Remove from list.</i>
							*
							9/14
40675	- Buoy 123						<i>Remove from list.</i>
							*
							9/14
40680	- Buoy 125						<i>Remove from list.</i>
							*
							9/14
*40680.01	- Daybeacon 81	27-27-53.07N 97-19-42.59W				SG-SY on pile.	Ra ref.
							9/14
40685	- Buoy 127						<i>Remove from list.</i>
							*
							9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
40695	- Buoy 130						<i>Remove from list.</i> * 9/14
*40695.01	- Daybeacon 84	27-27-27.69N 97-20-00.77W				TR-TY on pile.	Ra ref.  9/14
40700	- Buoy 131						<i>Remove from list.</i> * 9/14
40705	- Buoy 133						<i>Remove from list.</i> * 9/14
*40705.01	- Daybeacon 85	27-26-58.66N 97-20-11.39W				SG-SY on pile.	Ra ref.  9/14
40710	- Buoy 135						<i>Remove from list.</i> * 9/14
40725	- Buoy 139						<i>Remove from list.</i> * 9/14
40730	- Buoy 141						<i>Remove from list.</i> * 9/14
*40730.01	- Daybeacon 89	27-26-10.75N 97-20-36.51W				SG-SY on pile.	Ra ref.  9/14
40735	- Buoy 143						<i>Remove from list.</i> * 9/14
40745	- Buoy 146						<i>Remove from list.</i> * 9/14
*40745.01	- Daybeacon 92	27-25-47.31N 97-20-52.30W				TR-TY on pile.	Ra ref.  9/14
40750	- Buoy 147						<i>Remove from list.</i> * 9/14
40755	- Buoy 149						<i>Remove from list.</i> * 9/14
*40755.01	- Daybeacon 93	27-25-12.63N 97-21-07.33W				SG-SY on pile.	Ra ref.  9/14
40760	- Buoy 151						<i>Remove from list.</i> * 9/14
40775	- Buoy 155						<i>Remove from list.</i> * 9/14
40780	- Buoy 157						<i>Remove from list.</i> * 9/14
*40780.01	- Daybeacon 97	27-24-17.37N 97-21-36.24W				SG-SY on pile.	Ra ref.  9/14
40785	- Buoy 159						<i>Remove from list.</i> * 9/14
40795	- Buoy 162						<i>Remove from list.</i> * 9/14
*40795.01	- Daybeacon 100	27-23-53.30N 97-21-52.65W				TR-TY on pile.	Ra ref.  9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
40800	- Buoy 163						<i>Remove from list.</i> * 9/14
40805	- Buoy 165						<i>Remove from list.</i> * 9/14
*40805.01	- Daybeacon 101	27-23-24.78N 97-22-04.35W				SG-SY on pile.	Ra ref.  9/14
40810	- Buoy 167						<i>Remove from list.</i> * 9/14
40825	- Buoy 171						<i>Remove from list.</i> * 9/14
40830	- Buoy 173						<i>Remove from list.</i> * 9/14
*40830.01	- Daybeacon 105	27-22-36.99N 97-22-26.01W				SG-SY on pile.	Ra ref.  9/14
40835	- Buoy 175						<i>Remove from list.</i> * 9/14
40845	- Buoy 178						<i>Remove from list.</i> * 9/14
*40845.01	- Daybeacon 108	27-22-12.29N 97-22-41.10W				TR-TY on pile.	Ra ref.  9/14
40850	- Buoy 179						<i>Remove from list.</i> * 9/14
40855	- Buoy 181						<i>Remove from list.</i> * 9/14
*40855.01	- Daybeacon 109	27-21-41.96N 97-22-50.38W				SG-SY on pile.	Ra ref.  9/14
40860	- Buoy 183						<i>Remove from list.</i> * 9/14
40875	- Buoy 187						<i>Remove from list.</i> * 9/14
40880	- Buoy 189						<i>Remove from list.</i> * 9/14
*40880.01	- Daybeacon 113	27-20-52.31N 97-23-11.47W				SG-SY on pile.	Ra ref.  9/14
40885	- Buoy 191						<i>Remove from list.</i> * 9/14
40900	- Buoy 195						<i>Remove from list.</i> * 9/14
40905	- Buoy 196						<i>Remove from list.</i> * 9/14
40910	- Buoy 197						<i>Remove from list.</i> * 9/14
*40910.01	- Daybeacon 117	27-19-56.48N 97-23-36.82W				SG-SY on pile.	Ra ref.  9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
40915	- Buoy 199						<i>Remove from list.</i> * 9/14
40920	- LIGHT 119 *	27-19-22.65N 97-23-51.18W	Fl G 2.5s	17	3	SG-SY on pile.	Ra ref.  9/14
40955	- Buoy 209						<i>Remove from list.</i> * 9/14
40960	- Buoy 210						<i>Remove from list.</i> * 9/14
40965	- Buoy 211						<i>Remove from list.</i> * 9/14
*40965.01	- Daybeacon 127	27-18-11.51N 97-24-16.29W				SG-SY on pile.	Ra ref.  9/14
40970	- Buoy 212						<i>Remove from list.</i> * 9/14
40975	- Buoy 213						<i>Remove from list.</i> * 9/14
40985	- Buoy 216						<i>Remove from list.</i> * 9/14
*40985.01	- Daybeacon 130	27-17-36.59N 97-24-27.10W				TR-TY on pile.	Ra ref.  9/14
40990	- Buoy 217						<i>Remove from list.</i> * 9/14
40995	- Buoy 219						<i>Remove from list.</i> * 9/14
*40995.01	- Daybeacon 131	27-17-19.24N 97-24-28.21W				SG-SY on pile.	Ra ref.  9/14
41000	- Buoy 221						<i>Remove from list.</i> * 9/14
41010	- Junction Buoy						<i>Remove from list.</i> * 9/14
*41010.01	- Junction Daybeacon	27-16-28.71N 97-24-42.37W				JR-TY on pile.	Ra ref.  9/14

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
360	<i>San Francisco Approach Lighted Whistle Buoy SF</i>	37-44-59.75N 122-41-33.94W	Mo (A) W		5	Red and white stripes with spherical topmark.	RACON: M (– –). AIS: MMSI 993692001 (21).  * 9/14
365 4245	<b>Mile Rocks Light</b>	37-47-34.16N 122-30-37.35W	Fl W 5s	49	14	On cylindrical structure with white and orange bands. 49	AIS: MMSI 993692001 (21). HORN: 1 blast ev 30s (2s bl). Operates continuously.  * 9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3700	- SOUTH JETTY LIGHT 6	34-14-44.78N 119-16-01.22W	FI R 4s	26	5	TR on pile.	The sound signal can be activated upon request to the Coast Guard via VHF channel 16. HORN: 1 blast ev 10s (1s bl).  * * 9/14
3971.3	<i>Monterey Bay Special Purpose Buoy MY3</i>						<i>Remove from list.</i>  * 9/14
3971.5	<i>Monterey Bay Special Purpose Buoy MY6</i>						<i>Remove from list.</i>  * 9/14
3971.6	<i>Monterey Bay Special Purpose Buoy MY7</i>						<i>Remove from list.</i>  * 9/14
4245 365	<b>Mile Rocks Light</b>	37-47-34.16N 122-30-37.35W	FI W 5s	49	14	On cylindrical structure with white and orange bands. 49	AIS: MMSI 993692002 (21) HORN: 1 blast ev 30s (2s bl). Operates continuously.  * 9/14
6965	- RANGE C FRONT LIGHT	38-02-42.03N 121-30-08.51W	Q W	22		KRW on pile.	Visible all around; higher intensity on range line.  * 9/14
6970	- RANGE C REAR LIGHT 310 yards, 306° from front light.	38-02-47.48N 121-30-17.86W	Iso W 6s	39		KRW on pile.	Visible all around; higher intensity on range line.  * 9/14
8940	JARVIS DIKE LIGHT 19	43-25-01.34N 124-16-35.49W *	FI G 4s	16	4	SG on multi-pile structure. *	  * 9/14
9035	- CHANNEL LIGHT 36	43-24-29.97N 124-13-12.89W *	FI R 4s	16	4	TR on multi-pile structure. *	  * 9/14
9060	- CHANNEL LIGHT 37	43-23-00.94N 124-13-02.23W *	FI G 2.5s	16	4	SG on pile. *	  * 9/14
9165	- LIGHT 8 75 feet outside channel limit. * * *	43-20-51.58N 124-19-11.92W * * *	FI R 2.5s	16	3	TR on pile. * * *	   * * * 9/14
9168	- <i>Lighted Buoy 8</i>						<i>Remove from list.</i>  * 9/14
18540	NAVSTA PIER LIGHT A	47-59-29.15N 122-13-27.52W *	F Y *			On southwest corner of pier.	Navy maintained. Private aid.  9/14
18541	NAVSTA PIER LIGHT B	47-59-39.97N 122-13-26.25W *	F Y *			On northwest corner of pier.	Navy maintained. Private aid.  9/14
*20137	WHISKEY ROCK BAY DOCK LIGHT	48-03-06.17N 116-27-19.84W	FI Y 6s			On dolphin at end of dock.	Private aid.  9/14
28427	- <i>Channel Lighted Buoy 1</i> * * *	20-47-25.33N 156-30-38.66W * * *	FI G 15s *				Private aid.  * 9/14
28430	- <i>Channel Lighted Buoy 2</i> * * *	20-47-25.33N 156-30-36.23W * * *	FI R 15s *				Private aid.  * 9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18020	IRISH BOAT SHOP FERRY AVENUE LIGHT 2	45-18-19.98N 85-14-44.76W	Fl R 4s	4 1		On post.	Maintained from May 1 to Nov 1. Private aid.

\*

9/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.