

## SECTION II

## CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6840	Whaleboat Island Shoal Buoy WS South of shoal. *	43-44-16.08N 70-03-44.38W				Green and red bands.	11/14
15466	Douglas Rock Daybeacon						<i>Remove from list.</i> * 11/14
19890	Montauk Harbor West Side Daybeacon	41-04-33.65N 71-56-17.27W				NW on pile worded DANGER ROCK.	Sides of daymark form 45° angle to the centerline of channel with apex toward channel. 11/14
21180	SACHEM HEAD BREAKWATER LIGHT On rock. *	41-14-44.16N 72-42-39.48W	FI R 3s	8		Pile.	Maintained from Jun. 1 to Oct. 1. Private aid. 11/14
24675	- ENTRANCE LIGHT 2A						<i>Remove from list.</i> * 11/14

## CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3405	<i>Elbow Lighted Bell Buoy 44</i>	39-52-42.31N 75-11-45.35W	Q R		6	Red.	Replaced by LIB of reduced intensity when endangered by ice. 11/14
13460	- <i>Entrance Channel Lighted Buoy 11</i>	37-12-27.96N 76-17-09.56W	FI G 2.5s		5	Green.	11/14
21790	- Channel Warning Daybeacon F *	37-37-54.47N 75-54-16.76W				NW on pile worded DANGER SHOAL.	11/14
21800	- Channel Warning Daybeacon G *	37-37-55.49N 75-54-08.69W				NW on pile worded DANGER SHOAL.	11/14
*25887	- <i>Lighted Data Buoy A</i>	38-44-35.64N 76-18-12.18W	FI Y 4s			Yellow.	Private aid. 11/14
27000	- LIGHT 1	39-13-33.55N 76-23-46.02W	FI G 2.5s	15	3	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15. 11/14
29460	- <i>Lighted Buoy 24</i>	34-42-30.02N 76-41-15.88W	FI R 2.5s		5	Red.	11/14
29465	- <i>Lighted Buoy 25</i>	34-42-39.80N 76-41-39.37W	Q G		5	Green.	11/14
30365	- ENTRANCE LIGHT TIDE GAUGE						<i>Remove from list.</i> * 11/14
*39603	MASON INLET PIER LIGHT A	34-15-00.95N 77-46-57.41W	FI Y 6s			Yellow.	Private aid. 11/14
*39603.1	MASON INLET PIER LIGHT B	34-14-59.81N 77-46-58.48W	FI Y 6s			Yellow.	Private aid. 11/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2375.5	- Channel Lighted Buoy 9	32-40-36.23N 79-43-06.33W	FI G 4s		5	Green.	
					*		11/14
*3951	Fish Creek Obstruction Buoy A	32-31-03.70N 80-23-21.52W				White nun with orange bands and diamond worded DANGER.	Private aid.
							11/14
*3951.1	Fish Creek Obstruction Buoy B	32-31-03.81N 80-23-22.93W				White nun with orange bands and diamond worded DANGER.	Private aid.
							11/14
*3951.2	Fish Creek Obstruction Buoy C	32-29-39.36N 80-23-11.46W				White nun with orange bands and diamond worded DANGER.	Private aid.
							11/14
*3951.3	Fish Creek Obstruction Buoy D	32-29-16.50N 80-23-17.46W				White nun with orange bands and diamond worded DANGER.	Private aid.
							11/14
*3951.4	Fish Creek Obstruction Buoy E	32-29-39.24N 80-23-09.66W				White nun with orange bands and diamond worded DANGER.	Private aid.
							11/14
*3951.5	Fish Creek Obstruction Buoy F	32-29-17.82N 80-23-16.44W				White nun with orange bands and diamond worded DANGER.	Private aid.
							11/14
4580	- Lighted Bell Buoy 8	31-59-47.50N 80-46-59.48W	Q R		4	Red.	
		*					11/14
9600	- Approach Channel Lighted Buoy 6	28-23-14.61N 80-32-35.18W	FI R 4s		5	Red.	
					*		11/14
10855	- Daybeacon 14	25-39-15.95N 80-10-14.11W				TR on pile.	
		*					11/14
10930	- Daybeacon 14	25-27-47.56N 80-10-04.55W				TR on pile.	
		*					11/14
12200	- LIGHT 2	24-56-28.95N 80-34-51.88W	FI R 4s	16	4	TR on pile.	
		*					11/14
12695	- Daybeacon 2	24-55-54.53N 80-35-44.44W				TR on pile.	
		*					11/14
12715	- Daybeacon 5	24-56-07.34N 80-36-12.10W				SG on pile.	
		*					11/14
25475	- CHANNEL LIGHT 6	27-40-31.50N 82-44-56.53W	FI R 4s	16	5	TR on pile.	
					*		11/14
25560	- CHANNEL LIGHT 11	27-41-26.93N 82-44-04.07W	FI G 4s	16	5	SG on pile.	
					*		11/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
26530	- LIGHT 4	28-17-06.94N 82-45-34.46W	FI R 4s	16	5	TR on pile.	
					*		11/14
33780	- Daybeacon 5						Remove from list. *
							11/14
33785	- Daybeacon 6						Remove from list. *
							11/14
33790	- Daybeacon 8						Remove from list. *
							11/14
33795	- Daybeacon 10						Remove from list. *
							11/14
33800	- Daybeacon 12						Remove from list. *
							11/14
33805	- Buoy 14						Remove from list. *
							11/14
33810	- Daybeacon 16						Remove from list. *
							11/14
50110	RUBICON KEYS LIGHT 8	25-24-01.52N 80-15-18.85W	FI R 2.5s	16	3	TR-TY on pile.	
		*					11/14
50340	- Daybeacon 31	25-11-56.17N 80-23-04.21W				SG-SY on pile.	
		*					11/14
50350	- LIGHT 34	25-11-17.96N 80-23-14.15W	FI R 4s	16	5	TR-TY on pile.	
					*		11/14

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*700	SHELL Exploration & Production Lighted Mooring Buoy	28-09-59.17N 90-44-34.89W	FI W 2.5s			White with blue bands.	Private aid.  11/14
*1332	SHELL Exploration & Production Lighted Mooring Buoy	28-11-29.23N 95-35-06.26W	FI W 2.5s			White with blue bands.	Private aid.  11/14
1450 29455	Brazos Santiago Pass Entrance Lighted Buoy BS	26-03-55.98N 97-06-34.99W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
					*		11/14
29455 1450	- Entrance Lighted Buoy BS	26-03-55.98N 97-06-34.99W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
					*		11/14

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7440	- LIGHT 55	38-16-32.79N 121-39-43.74W	FI G 4s	25	4	SG on pile.	
		*					11/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7540	- LIGHT 72	38-28-25.29N 121-35-00.57W	FI R 2.5s	18	4	KRW on pile; TR facing upstream.	
					*		11/14
12445	- Lighted Buoy 10	45-41-50.36N 120-30-18.87W	FI R 6s		4	Red.	
		*					11/14
16485	KEYSTONE HARBOR ENTRANCE LIGHT 2	48-09-23.55N 122-40-16.08W	FI R 4s	13	5	TR on platform on breakwater.	
		*					11/14
16505	BUSH POINT LIGHT	48-01-51.09N 122-36-25.36W	FI W 2.5s	25	7	White pyramidal building.	
		*					11/14
17097.6	Burton Fairway Buoy 5	47-23-34.04N 122-27-48.07W				Green can.	Private aid.
		*					11/14
17097.7	Burton Fairway Buoy 6	47-23-34.66N 122-27-50.37W				Red nun.	Private aid.
		*					11/14
17168	- LIGHT 5	47-16-18.65N 122-24-05.27W	Oc G 4s	53	8	On skeleton tower on multi-pile structure.	Lighted throughout 24 hours.
		*					11/14
<b>Port Townsend</b>							
*17537.1	- No Anchor Buoy A	48-06-56.28N 122-45-01.90W				White and orange can.	Maintained from May 1 to Sep. 30. Private aid.
							11/14
*17537.2	- No Anchor Buoy B	48-06-54.26N 122-45-06.40W				White and orange can.	Maintained from May 1 to Sep. 30. Private aid.
							11/14
*17537.3	Port Townsend No Anchor Buoy C	48-06-52.83N 122-45-11.19W				White and orange can.	Maintained from May 1 to Sep. 30. Private aid.
							11/14
*17537.4	- No Anchor Buoy D	48-06-51.35N 122-45-15.29W				White and orange can.	Maintained from May 1 to Sep. 30. Private aid.
							11/14
*17537.5	- No Anchor Buoy E	48-06-49.65N 122-45-18.95W				White and orange can.	Maintained from May 1 to Sep. 30. Private aid.
							11/14
*17537.6	- No Anchor Buoy F	48-06-47.10N 122-45-24.13W				White and orange can.	Maintained from May 1 to Sep. 30. Private aid.
							11/14
*17537.7	- No Anchor Buoy G	48-06-45.42N 122-45-28.32W				White and orange can.	Maintained from May 1 to Sep. 30. Private aid.
							11/14
*17537.8	- No Anchor Buoy H	48-06-44.07N 122-45-31.89W				White and orange can.	Maintained from May 1 to Sep. 30. Private aid.
							11/14
<b>Kahului Boat Ramp</b>							
*28381.1	- Buoy 1	20-53-47.00N 156-28-32.00W					Private aid. Maintained by state DOT.
							11/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*28381.2	- Buoy 2	20-53-47.40N 156-28-32.30W					Private aid. Maintained by state DOT.  11/14
*28381.3	- Buoy 3	20-53-45.60N 156-28-35.50W					Private aid. Maintained by state DOT.  11/14
*28381.4	- Buoy 4	20-53-46.40N 156-28-35.50W					Private aid. Maintained by state DOT.  11/14
*28381.5	- Buoy 5	20-53-44.20N 156-28-38.70W					Private aid. Maintained by state DOT.  11/14
*28381.6	- Buoy 6	20-53-44.70N 156-28-38.60W					Private aid. Maintained by state DOT.  11/14
*28381.7	- Buoy 7	20-53-44.60N 156-28-41.70W					Private aid. Maintained by state DOT.  11/14
*28381.8	- Buoy 8	20-53-45.00N 156-28-40.90W					Private aid. Maintained by state DOT.  11/14
*28381.9	- Buoy 9	20-53-44.30N 156-28-43.00W					Private aid. Maintained by state DOT.  11/14
29065	<i>Diamond Head Reef Lighted Buoy 2</i>	21-14-48.62N 157-48-56.39W	Q R		5		
					*		11/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.