

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2013**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4590	Seal Island Ledge Buoy 3	43-59-05.81N 69-07-06.05W *				Green can.	13/14
15855	- Entrance Daybeacon	41-30-55.32N 70-41-54.96W *				NW on spindle.	Private aid. Ra ref. 13/14
22560	Old Saybrook North Cove Buoy 1 *	41-17-24.54N 72-21-19.62W *				Green can.	Private aid. 13/14
22565	Old Saybrook North Cove Buoy 2	41-17-24.48N 72-21-32.76W *				Red nun.	Private aid. 13/14
22570	Old Saybrook North Cove Buoy 3	41-17-23.10N 72-21-32.70W *				Green can.	Private aid. 13/14
*37150	<i>Bayonne Golf Club Lighted Buoy 1</i>	40-39-53.16N 74-04-59.22W	FI G 4s			Green.	Private aid. 13/14
*37151	<i>Bayonne Golf Club Lighted Buoy 2</i>	40-39-54.54N 74-04-58.82W	FI R 4s			Red.	Private aid. 13/14
*37152	<i>Bayonne Golf Club Lighted Buoy 3</i>	40-39-53.70N 74-05-04.44W	FI G 4s			Green.	Private aid. 13/14
*37153	<i>Bayonne Golf Club Lighted Buoy 4</i>	40-39-54.54N 74-05-03.60W	FI R 4s			Red.	Private aid. 13/14
*37154	<i>Bayonne Golf Club Lighted Buoy 5</i>	40-39-53.70N 74-05-18.12W	FI G 4s			Green.	Private aid. 13/14
*37155	<i>Bayonne Golf Club Lighted Buoy 6</i>	40-39-54.54N 74-05-16.68W	FI R 4s			Red.	Private aid. 13/14
*37661	<i>Stevens Institute Lighted Buoy A</i>	40-44-37.20N 74-01-20.40W	FI Y 4s			Yellow.	Private aid. 13/14

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2013**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1061	- Buoy 32A						<i>Remove from list.</i> * 13/14
1066	- Buoy 33A						<i>Remove from list.</i> * 13/14
1073	- Buoy 35	39-47-38.11N 74-08-09.52W *				Green can.	13/14
1075	- Buoy 36	39-47-32.82N 74-08-40.77W *				Red nun.	13/14
1080	- Buoy 37	39-47-31.47N 74-09-05.10W *				Green can.	13/14
1085	- Buoy 37A						<i>Remove from list.</i> * 13/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1090	- Buoy 38	39-47-32.77N 74-09-11.05W				Red nun.	
		*					13/14
2875	- Lighted Buoy 2B	39-36-51.16N 75-34-33.23W	Q R		4	Red.	Replaced by a LIB of reduced intensity from Jan. 1 to Feb. 28.
		*					13/14
3345	- UPPER JETTY LIGHT 1M	39-51-12.86N 75-13-47.97W	FI G 2.5s	15	3	SG on white pile; concrete base.	
		*					13/14
3546	BIG TIMBER CREEK LIGHT 1						<i>Remove from list.</i>
							*
							13/14
3775	- Channel Lighted Buoy 18	40-01-42.10N 75-00-04.11W	FI R 4s		5	Red.	Replaced by nun when endangered by ice.
						*	13/14
8235	- Lighted Buoy 3	39-12-42.03N 76-31-28.53W	FI G 4s		6	Green.	Replaced by can when endangered by ice.
						*	13/14
23270	- Lighted Buoy 8	37-57-55.45N 75-55-46.76W	FI R 2.5s		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
						*	13/14
23375	- Junction Lighted Buoy MR	38-02-14.29N 75-55-26.26W	FI (2+1) R 6s		4	Red and green bands.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
						*	13/14
23490	- Lighted Buoy 12	38-06-19.44N 75-58-19.76W	FI R 4s		5	Red.	Replaced by lighted LIB of reduced intensity from Dec. 1 to Mar. 15.
		*				*	13/14
23585	- Lighted Buoy 16	38-11-18.64N 75-58-25.26W	FI R 6s		5	Red.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
						*	13/14
23630	- Channel Lighted Buoy 7A	38-12-09.10N 76-01-34.31W	FI G 2.5s		4	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
		*					13/14
23680	- Channel Lighted Buoy 1	38-12-20.74N 75-55-55.26W	FI G 4s		5	Green.	Replaced by LIB of reduced intensity from Dec. 1 to Mar. 15.
		*				*	13/14
28485	- CHANNEL LIGHT 22	35-52-04.30N 75-37-32.95W	FI R 2.5s	15	4	TR on multi-pile structure.	
						*	13/14
35527	- Buoy 128A	39-30-02.06N 74-20-42.45W				Red nun with yellow square.	
		*					13/14

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*5946	SAPELO ISLAND LIGHT	31-23-28.00N 81-17-08.00W	FI W 45s			Conical tower, white base with black and red spirally-banded shaft.	Private aid.
							13/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12490	WILDFLOWER LIGHT 17	24-44-12.01N 81-06-14.41W	FI G 4s	12	5	SG on pile.	
					*		13/14
12605	- LIGHT 32	24-42-01.92N 81-17-32.77W	FI R 2.5s	16	5	TR on pile.	
					*		13/14
31965	- RANGE REAR LIGHT 702 yards, 015° from front light.	17-58-46.27N 66-37-13.11W	Iso G 6s	48		On skeleton tower.	Visible 1.5° each side of rangeline. Lighted throughout 24 hours.
				*			13/14
37335	- Range Rear Daybeacon 215 yards, 359° from front daybeacon.						<i>Remove from list.</i>
							*
*44901	- Daybeacon 1A	27-30-55.26N 80-19-59.52W				SG on pile.	Private aid.
							13/14
*44906	- Daybeacon 2A	27-30-54.66N 80-19-59.29W				TR on pile.	Private aid.
							13/14

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8490.01	- <i>Lighted Buoy 10A</i>	30-19-40.91N 88-30-40.42W	FI R 6s		3	Red.	
		*					13/14
12380	- ENTRANCE LIGHT	29-24-40.04N 89-18-29.99W	Oc W 4s	17	4	SG on piles.	Ra ref.
		*	*				13/14
23180 35445	- LIGHT 2	30-02-55.21N 93-43-46.77W	FI R 4s	17	3	TR-SY on pile.	
		*					13/14
25375	- LIGHT 113C 152 feet outside channel limit.						<i>Remove from list.</i>
							*
25385	- LIGHT 115 118 feet outside channel limit.	29-43-51.00N 95-02-49.60W	FI G 2.5s	17	4	SG on pile.	
		*					13/14
25815	- LIGHT 160	29-44-09.86N 95-12-21.78W	FI R 2.5s	17	3	TR on pile.	
		*					13/14
35445 23180	ADAMS BAYOU LIGHT 2	30-02-55.21N 93-43-46.77W	FI R 4s	17	3	TR-SY on pile.	
		*					13/14
39285	- Daybeacon 53	27-51-07.41N 97-10-14.34W				SG-SY on pile.	
		*					13/14
40790	- LIGHT 99	27-23-50.71N 97-21-49.95W	FI G 2.5s	17	3	SG-SY on pile.	Ra ref.
	*						13/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
385	<b>Point Reyes Light</b>	37-59-44.19N 123-01-23.36W	FI W 5s	265	14	On cylindrical structure on top of square building. 37	HORN: 1 blast ev 30s (3s bl). Operates continuously.  * 13/14
4330	<i>Harding Rock Lighted Buoy HR</i>	37-50-17.65N 122-26-45.52W	FI (2+1) R 6s		4	Red and green bands.	RACON: K (- • -). AIS: MMSI 993692020 * 13/14
6185	- RANGE FRONT LIGHT 14	38-12-20.33N 122-18-25.69W  *	Q W	15		KRW and TR on pile.	Visible all around; higher intensity on range line. Ra ref.  13/14
7555	- LIGHT 74	38-30-22.48N 121-35-00.94W	FI R 4s	22	4	TR on pile.  *	  13/14
9165	- LIGHT 8 75 feet outside channel limit.	43-20-51.52N 124-19-11.84W	FI R 2.5s	16	3	TR on pile.	Obscured from 055° to 160°.  * 13/14
<b>*Add Heading: Pony Slough</b>							
*9217.1	- Daybeacon 1	43-25-27.41N 124-14-15.03W				SG on piling.	Private aid.  13/14
*9217.2	- Daybeacon 2	43-25-27.36N 124-14-15.72W				TR on piling.	Private aid.  13/14
*9217.3	- Daybeacon 3	43-25-25.34N 124-14-13.71W				SG on piling.	Private aid.  13/14
*9217.4	- Daybeacon 4	43-25-25.28N 124-14-14.68W				TR on piling.	Private aid.  13/14
*9217.5	- Daybeacon 5	43-25-21.72N 124-14-14.91W				SG on piling.	Private aid.  13/14
*9217.6	- Daybeacon 6	43-25-21.80N 124-14-15.80W				TR on piling.	Private aid.  13/14
*9217.7	- Daybeacon 7	43-25-19.45N 124-14-15.03W				SG on piling.	Private aid.  13/14
*10128	East Basin Boat Ramp Buoy 1	46-11-44.00N 123-48-07.00W				Green can.	Private aid.  13/14
*10129	East Basin Boat Ramp Buoy 2	47-11-44.00N 123-48-09.00W				Red nun.	Private aid.  13/14
*10130	East Basin Boat Ramp Buoy 3	46-11-43.00N 123-48-07.00W				Green can.	Private aid.  13/14
*10131	East Basin Boat Ramp Buoy 4	46-11-43.00N 123-48-09.00W				Red nun.	Private aid.  13/14
*13101	Port of Benton Barge Slip Buoy A	46-20-53.88N 119-15-54.84W				White can with orange diamond.	Private aid.  13/14
*13102	Port of Benton Barge Slip Buoy B	46-20-55.01N 119-15-54.81W				White can with orange diamond.	Private aid.  13/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16380	MINOR ISLAND LIGHT	48-19-27.67N 122-49-09.47W *	FI W 4s	27	5	NB on spindle on concrete building. *	13/14
19900	BP CHERRY POINT LIGHT A	48-51-37.12N 122-45-21.94W *	F Y			On mooring dolphin.	Private aid. 13/14
19905	BP CHERRY POINT LIGHT B	48-51-42.89N 122-45-33.59W *	F Y			On mooring dolphin.	Private aid. 13/14
*19906	BP CHERRY POINT LIGHT C	48-51-45.81N 122-45-39.75W	F Y			On mooring dolphin.	Private aid. 13/14
*19907	BP CHERRY POINT LIGHT D	48-51-51.54N 122-45-51.48W	F Y			On mooring dolphin.	Private aid. 13/14
*28216.1	<i>Keahole Point Warning Lighted Buoy A</i>	19-44-47.00N 156-03-42.00W	Q W				Private aid. 13/14
*28216.2	<i>Keahole Point Warning Lighted Buoy B</i>	19-44-34.00N 156-03-34.00W	Q W				Private aid. 13/14
*28216.3	<i>Keahole Point Warning Lighted Buoy C</i>	19-44-23.00N 156-03-42.00W	Q W				Private aid. 13/14
*28216.4	<i>Keahole Point Warning Lighted Buoy D</i>	19-44-35.00N 156-03-53.00W	Q W				Private aid. 13/14
*28675.2	<i>Water Quality Lighted Buoy CRIMP</i>	21-27-23.00N 157-47-46.00W	FI Y 4s				Private aid. 13/14

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.