

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
625 15980	<i>Narragansett-Buzzards Bay Approach Lighted Whistle Buoy A</i>						<i>Remove from list.</i>
							* 19/14
828	<i>WHOI Temporary Research Lighted Buoy Pioneer UI</i>	40-21-53.84N 70-41-09.64W	FI Y 4s			Yellow.	Private aid.
		*					19/14
828.1	<i>WHOI Temporary Research Lighted Buoy Pioneer CNSM</i>						<i>Remove from list.</i>
							* 19/14
828.2	<i>WHOI Temporary Research Lighted Buoy Pioneer UO</i>	39-56-32.55N 70-46-48.40W	FI Y 4s			Yellow.	Private aid.
		*					19/14
828.4	<i>WHOI Temporary Research Lighted Buoy Pioneer CI</i>	40-13-35.92N 70-53-18.89W	FI Y 4s			Yellow.	Private aid.
		*					19/14
828.5	<i>WHOI Temporary Research Lighted Buoy Pioneer CO</i>	40-05-45.79N 70-52-46.99W	FI Y 4s			Yellow.	Private aid.
		*					19/14
828.6	<i>WHOI Temporary Research Lighted Buoy Pioneer OS</i>	39-56-16.42N 70-53-13.00W	FI Y 4s			Yellow.	Private aid.
		*					19/14
3302	<i>Penobscot Bay Lighted Buoy WP</i>	43-55-50.62N 68-53-08.91W	Mo (A) W		4	Red and white with red spherical topmark.	
		*					* 19/14
15980 625	<i>Narragansett-Buzzards Bay Approach Lighted Whistle Buoy A</i>						<i>Remove from list.</i>
							* 19/14
19125	Jamestown Bridge Sound Signal						<i>Remove from list.</i>
							* 19/14
19230	<i>- Lighted Buoy 12</i>	41-36-18.57N 71-23-41.27W	FI R 4s		4	Red.	
	*		*				* 19/14
*28064	<i>- Buoy 9</i>	41-06-24.00N 72-21-20.10W				Green can.	Private aid.
							19/14
29037	<i>Shinnecock Tide Temporary Research Buoy</i>						<i>Remove from list.</i>
							* 19/14
38005	<i>- LIGHT 39</i>	41-23-45.90N 73-57-04.10W	Q G	39	4	SG on skeleton tower.	
			*				* 19/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4330	<i>- Channel Buoy 103</i>						<i>Remove from list.</i>
							* 19/14
4335	<i>- Channel Buoy 104</i>						<i>Remove from list.</i>
							* 19/14

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23750	- CHANNEL LIGHT 10	38-13-13.06N 75-52-17.31W	FI R 4s	15	4	TR on pile.	Light equipment removed from Dec. 1 to Mar. 15. 19/14
					*		
27125	BOWLEY BAR OBSTRUCTION LIGHT						<i>Remove from list.</i> * 19/14
31047	- Buoy 12	33-55-11.78N 78-14-13.22W				Red nun.	 19/14
		*					19/14
40225	- Buoy 47	33-55-14.26N 78-14-06.63W				Green can with yellow square.	 19/14
		*					19/14
40337	- Buoy 80A	33-54-28.78N 78-23-01.15W				Red nun with yellow triangle.	 19/14
		*					19/14
40340	- Buoy 81	33-54-24.37N 78-23-04.24W				Green can with yellow square.	 19/14
		*					19/14
40345	- Buoy 82	33-54-20.12N 78-23-12.78W				Red nun with yellow triangle.	 19/14
		*					19/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12690	- LIGHT 1	24-55-51.91N 80-35-43.22W	FI G 2.5s	16	5	SG on pile.	 19/14
					*		
57340	- Daybeacon 20A	26-55-16.88N 82-20-34.51W				TR-TY on pile.	 19/14
		*					19/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15135	GRANADA RANGE F FRONT LIGHT LDB mile 203.2.	30-16-53.14N 91-08-33.45W	F W			KRW on skeleton tower.	 * 19/14
15140	GRANADA RANGE F REAR LIGHT 274 yards, 083.7° from front light.	30-16-54.01N 91-08-24.13W	F W			KRW on skeleton tower.	 * 19/14
15170	ST. LOUIS PLANTATION RANGE FRONT LIGHT RDB mile 206.8.	30-16-31.49N 91-12-19.09W	F G			KRW on skeleton tower.	 * 19/14
15175	ST. LOUIS PLANTATION RANGE REAR LIGHT 219 yards, 263.6° from front light.	30-16-30.78N 91-12-26.54W	F G			KRW on skeleton tower.	 * 19/14

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15280	RED EYE RANGE H FRONT LIGHT RDB mile 223.2.	30-21-46.14N 91-14-49.95W	F G			KRW on skeleton tower on mud sills.	* 19/14
*15280.01	RED EYE H LIGHT	30-21-46.14N 91-14-49.95W	FI G 2.5s			On same structure as Red Eye H Range Front Light	19/14
15285	RED EYE RANGE H REAR LIGHT 233 yards, 226.5° from front light.	30-21-41.39N 91-14-55.71W	F G			KRW on skeleton tower.	* 19/14
39770	- Buoy 14	27-40-41.81N 97-13-39.21W *				Red nun with yellow triangle.	19/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*653	OSU Nye Beach Research Lighted Buoy	44-39-30.17N 124-05-44.59W	FI Y 4s			Yellow.	Private aid. 19/14
*727	OSU Grays Canyon Research Lighted Buoy	46-51-06.00N 124-58-00.01W	FI Y 4s			Yellow.	Private aid. 19/14
*730	OSU Copalis Head Research Lighted Buoy	47-07-59.99N 124-16-17.76W	FI Y 4s			Yellow.	Private aid. 19/14
*Add Headings: SAINT HELENS TO VANCOUVER (Chart 18525) Scapoose Bay							
*14840.1	- Daybeacon 1	45-49-50.10N 122-49-29.73W				SG on pile.	Private aid. 19/14
*14840.3	- Daybeacon 3	45-49-46.19N 122-49-45.67W				SG on pile.	Private aid. 19/14
*14840.5	- Daybeacon 5	45-49-45.40N 122-49-51.97W				SG on pile.	Private aid. 19/14
*14840.7	- Daybeacon 7	45-49-44.86N 122-49-56.33W				SG on pile.	Private aid. 19/14
*14840.9	- Daybeacon 9	45-49-42.09N 122-50-03.53W				SG on pile.	Private aid. 19/14
28110	- Buoy 10	19-43-50.65N 155-03-29.72W *				Red nun.	19/14
*Delete Heading: Meck Island							
30375	- Approach Lighted Buoy 2						Remove from list. * 19/14
30395	- Buoy 2						Remove from list. * 19/14

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30445	Kwajalein Bigej Channel Buoy 5A						<i>Remove from list.</i>
							* 19/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2013

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2080	- West Pierhead Light	43-28-23.74N 76-31-01.35W	F I R 10s	57 17	11		HORN: 1 blast ev 30s (3s bl). Operates by keying microphone five times on VHF channel 83A.
			*				19/14
6290	- <i>Lighted Buoy 48</i>	41-41-50.50N 83-27-52.18W	F I R 4s		4	Red.	Replaced by nun from Dec. 7 to Apr. 7.
		*					* 19/14
20820	- BREAKWATER LIGHT	43-44-58.20N 87-41-33.80W	F I R 4s	55 17	8	On cylindrical tower.	HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF channel 83A.
			*				19/14

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.