

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10131	- Buoy 1	42-30-52.06N 70-52-57.36W *				Green can.	Private aid. 36/14
10132.5	- Buoy 5	42-30-50.10N 70-53-03.66W *				Green can.	Private aid. 36/14
10134.2	- Daybeacon 10	42-30-49.98N 70-53-09.12W *				TR on pile.	Private aid. 36/14
*10140	Dion Yacht Yard Preferred Channel Daybeacon	42-30-36.42N 70-53-06.60W				GRG on pile.	Private aid. 36/14
17935	- Channel Junction Lighted Bell Buoy EP	41-30-46.64N 71-20-49.27W *	FI (2+1) G 6s		3	Green and red bands.	 36/14
18390	- Daybeacon 7	41-44-37.70N 71-21-15.40W *				SG on pile.	Private aid. 36/14
18410	- Daybeacon 12	41-44-54.00N 71-21-13.40W *				TR on pile.	Private aid. 36/14
18420	- Daybeacon 14	41-44-59.70N 71-21-14.90W *				TR on pile.	Private aid. 36/14
21796	UCONN Thames River Research Buoy						Remove from list. * 36/14
	*Delete Heading: Allyn Point Turning Basin						
22085	- Buoy A						Remove from list. * 36/14
22090	- Buoy B						Remove from list. * 36/14
22095	- Buoy C						Remove from list. * 36/14
22100	- Buoy D						Remove from list. * 36/14
27430	- Channel Buoy 5	40-48-40.52N 73-50-38.37W *				Green can.	Removed when endangered by ice. 36/14
32850	- Buoy P15	40-37-51.60N 73-35-12.72W *				Green can.	Private aid. 36/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
667.3	NC Artificial Fishing Reef Buoy AR320						Remove from list. * 36/14
675.2	NC Artificial Fishing Reef Buoy AR330						Remove from list. * 36/14

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
675.4	NC Artificial Fishing Reef Buoy AR345						<i>Remove from list.</i>
							* 36/14
12040	- Channel Lighted Buoy 45 40 feet outside channel limit.	37-11-51.83N 76-43-00.15W	FI G 4s		5	Green.	
							* 36/14
16915	- JETTY LIGHT 2	38-10-34.34N 76-32-57.34W	FI R 4s	15	3	TR on skeleton tower.	
		*					36/14
16920	- JETTY LIGHT 1	38-10-36.65N 76-32-58.68W	FI G 4s	15	4	SG on skeleton tower.	
		*					36/14
16925	- Daybeacon 4	38-10-38.23N 76-32-48.70W				TR on pile.	
		*					36/14
16930	- Daybeacon 5	38-10-40.52N 76-32-45.85W				SG on pile.	
		*					36/14
*19100.01	- Warning Buoy B	38-20-23.90N 76-29-54.80W				White can with orange diamond.	Private aid.
							36/14
*19100.02	- Warning Buoy C	38-20-18.80N 76-29-47.80W				White can with orange diamond.	Private aid.
							36/14
19790	Naval Station Ramp Obstruction Daybeacon	38-58-52.80N 76-27-55.01W				NW on pile worded DANGER ROCK.	
		*					36/14
	*Change Heading to: Kiptopeke Beach						
21420	- BREAKWATER SOUTH LIGHT A	37-09-40.51N 75-59-18.75W	FI Y 4s	14		NY on black skeleton tower.	Private aid.
							36/14
31585	- CHANNEL LIGHT 1SR	35-56-58.17N 76-19-36.38W	FI G 4s	15	5	SG on multi-pile structure.	
		*					36/14
31605	- CHANNEL LIGHT 4	35-55-46.77N 76-17-11.44W	FI R 4s	15	3	TR on pile.	
		*					36/14
31615	- CHANNEL LIGHT 7	35-55-14.37N 76-16-46.65W	Q G	15	3	SG on pile.	
		*					36/14
31625	- CHANNEL LIGHT 10	35-55-24.86N 76-15-45.45W	FI R 2.5s	15	3	TR on pile.	
		*					36/14
34805	- Lighted Buoy 2	34-42-15.25N 76-40-38.12W	Q R		4	Red.	
							* 36/14
35575	- LIGHT 141	39-29-24.69N 74-22-53.78W	FI G 2.5s	15	3	SG-SY on multi-pile structure.	Maintained year round.
		*					36/14
35595	- Daybeacon 147	39-28-45.45N 74-22-45.63W				SG-SY on pile.	
		*					36/14

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35605	- LIGHT 149	39-28-22.72N 74-23-14.03W *	FI G 4s	15	4	SG-SY on pile.	36/14
35610	- Daybeacon 150	39-28-15.29N 74-23-23.67W *				TR-TY on pile.	36/14
35620	- LIGHT 153	39-27-56.76N 74-23-39.42W *	Q G	15	3	SG-SY on pile.	36/14
35630	- Daybeacon 156	39-27-34.95N 74-23-37.67W *				TR-TY on pile.	36/14
35650	- Daybeacon 162	39-26-41.04N 74-23-28.93W *				TR-TY on pile.	36/14
35655	- LIGHT 163	39-26-33.23N 74-23-28.58W *	FI G 4s	15	4	SG-SY on pile.	36/14
35680	- Daybeacon 168	39-26-05.83N 74-24-13.85W *				TR-TY on pile.	36/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2500	- <i>Lighted Buoy 27</i>	32-46-17.09N 79-53-19.15W	FI G 2.5s		5	Green.	36/14
21610	- Channel Buoy 5A Due to frequently changing conditions, buoy is not charted.	27-19-27.51N 82-35-24.00W *				Green can.	36/14
41335	- LIGHT 38	28-34-07.94N 80-46-49.63W	FI R 4s	16	5	TR-TY on dolphin.	36/14
58380	- LIGHT 73	27-16-22.24N 82-32-35.99W	FI G 4s	16	5	SG-SY on pile.	36/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6985	- Daybeacon 1						Remove from list. * 36/14
6990	- Daybeacon 2						Remove from list. * 36/14
6995	- Daybeacon 3						Remove from list. * 36/14
7000	- Daybeacon 4						Remove from list. * 36/14

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7005	- Daybeacon 5						<i>Remove from list.</i> * 36/14
7010	- Daybeacon 6						<i>Remove from list.</i> * 36/14
7015	- Daybeacon 1	30-29-13.37N 87-56-17.12W				SG on pile.	Private aid. * 36/14
7020	- Daybeacon 8						<i>Remove from list.</i> * 36/14
7025	- LIGHT 3	30-29-14.31N 87-56-06.01W	FI G 4s			SG on pile.	Private aid. * 36/14
7030	- LIGHT 2	30-29-12.77N 87-56-05.92W	FI R 4s			TR on pile.	Private aid. * 36/14
*10429	MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY DANGER LIGHT	30-10-41.34N 89-27-29.91W	FI W 2.5s			Marks submerged breakwater structure.	Private aid. * 36/14
11685	MORGAN HARBOR PASS LIGHT 2						<i>Remove from list.</i> * 36/14
18955	- Buoy 20	29-32-29.04N 91-16-06.56W				Red nun.	 * 36/14
23390	CITY OF PORT NECHES WHARF LIGHTS (2)	30-00-10.87N 93-57-19.58W	FI G 2.5s	18			Private aids. * 36/14
23785	- ENTRANCE CHANNEL C RANGE REAR LIGHT 1,670 yards, 266° from front light.	29-20-26.72N 94-47-53.73W	Iso G 6s	72		KRW on skeleton tower on concrete block.	Visible 2° each side of range line. * 36/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4965	- CHANNEL LIGHT 5	37-38-38.62N 122-18-47.44W	FI G 4s	15	3	SG on dolphin.	HORN: 1 blast ev 10s (1s bl). Operates continuously from Oct. 1 to Apr. 1. * 36/14
6640	- LIGHT 10	38-01-37.04N 121-50-47.27W	FI R 4s	15	3	TR on pile.	 * 36/14
7255	- LIGHT 19	38-06-47.44N 121-42-36.79W	FI G 4s	15	4	SG on pile.	Ra ref. * 36/14
8410	- Buoy A	39-13-10.28N 120-00-16.15W				White can with orange bands.	 * 36/14
15555	-Entrance Lighted Whistle Buoy 3	46-54-59.14N 124-14-25.50W	FI G 4s		4	Green.	 * 36/14

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*16537	MAXWELTON OUTFALL PIPE LIGHT	47-56-12.23N 122-26-52.65W	FI W 4s			NW on steel pipe.	Private aid. 36/14

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*6025.5	<i>Limno-Tech Toledo Lighted Buoy</i>	41-42-04.60N 83-15-22.10W	FI Y 4s				Private aid. 36/14
8235	PECHE ISLAND LIGHT	42-20-54.45N 82-56-33.50W	FI R 4s	44 13	6	TR on cylindrical tower.	Higher intensity beam up and down stream. 36/14
8405	PECHE ISLAND RANGE FRONT PASSING LIGHT	42-21-37.50N 82-54-25.00W	F W	31 9	7	On same structure as Peche Island Range Front Light.	 36/14
10570	- Light 1	43-48-21.05N 83-43-07.83W	FI G 6s	50 15	10	White cylindrical tower with green band in middle. 50	 36/14

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.