

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13665	- Lighted Buoy 17 ODAS 44020	41-26-34.81N 70-11-13.59W *	FI G 6s		5	Green.	12/15
19180	- Lighted Buoy 3 *	41-34-34.99N 21-22-06.56W	FI G 2.5s *		3	Green. *	Replaced by can when endangered by ice. * 12/15
19215	- Lighted Buoy 8 *	41-35-10.03N 71-23-41.18W	FI R 2.5s *		3	Red. *	Replaced by nun when endangered by ice. * 12/15

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2485	- Lighted Buoy 1B	39-27-18.40N 75-33-42.73W	Q G		4	Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
2520	- Lighted Buoy 4B	39-28-10.40N 75-33-35.73W	FI R 4s		5	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
2575	- Lighted Bell Buoy 2R	39-28-58.40N 75-33-40.42W	Q R		5	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
2620	- Lighted Buoy 5R	39-30-43.30N 75-33-17.43W	FI G 2.5s		5	Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
2635	Reedy Island Range Lighted Wreck Buoy WR10R 93 yds, 273° from wreck. Marks SS PHOENIX.	39-32-12.00N 75-32-30.00W	Q R		5	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
2645	- Channel Lighted Buoy 2	39-32-39.66N 75-32-13.79W	FI R 4s		5	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
2720	- Lighted Buoy 1N	39-33-06.47N 75-33-36.90W	Q G		5	Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672077. * 12/15
2740	- Lighted Gong Buoy 3N	39-34-08.66N 75-33-05.70W	FI G 4s		5	Green.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672078. * 12/15
2745	- Junction Lighted Buoy CD	39-33-51.77N 75-33-17.56W	FI (2+1) R 6s		4	Red with green band.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. AIS: MMSI 993672079. * 12/15
2875	- Lighted Buoy 2B	39-36-51.16N 75-34-33.23W	Q R		4	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
2925	Deepwater Point Range Lighted Bell Buoy 2D	39-37-45.41N 75-34-22.03W	Q R		4	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
3110	- Lighted Buoy 6B	39-46-04.91N 75-28-18.01W	FI R 4s		4	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3245	- Lighted Buoy 4C	39-49-52.81N 75-21-52.69W	FI R 4s		6	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
3405	Elbow Lighted Bell Buoy 44	39-52-42.68N 75-11-45.37W	Q R		6	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
3490	- Lighted Buoy 44A	39-52-49.13N 75-10-25.07W	Q R		4	Red.	Replaced by LIB of reduced intensity from Jan. 1 to Mar. 1. * 12/15
7630	<b>Cove Point Light</b>	38-23-10.50N 76-22-54.30W	FI W 10s	45	12	White tower. 51 *	Lighted throughout 24 hours. Emergency light of reduced intensity. * 12/15
9625	- Channel Lighted Buoy 21	36-53-23.03N 76-20-02.89W	FI G 6s		6	Green. *	12/15
21025	- Lighted Buoy 4	39-14-01.57N 76-32-09.09W	FI R 4s		4	Red. *	12/15

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
515 6030	St. Simons Lighted Buoy STS	31-02-49.00N 81-14-25.20W	Mo (A) W		7	Red and white stripes with red spherical topmark.	* 12/15
6030 515	St. Simons Lighted Buoy STS	31-02-49.00N 81-14-25.20W	Mo (A) W		7	Red and white stripes with red spherical topmark.	* 12/15
12285	COTTON KEY LIGHT 81	24-57-53.88N 80-37-58.58W	FI G 2.5s	16	5	SG on pile. *	12/15
13445	CHANNEL FIVE LIGHT 2	24-48-53.60N 80-46-28.39W	FI R 4s	16	5	TR on pile. *	12/15
17520	- LIGHT 13	26-05-53.66N 81-47-44.66W	FI G 4s	12	5	SG on pile. *	12/15
17605	- LIGHT 27	26-06-59.22N 81-47-21.85W	FI G 4s	11	5	SG on pile. *	12/15
37405	- LIGHT 35	30-57-28.02N 81-25-41.76W	FI G 4s	16	5	SG-SY on pile. *	12/15
37410	- LIGHT 37	30-56-28.68N 81-26-07.90W	FI G 6s	16	5	SG-SY on pile. *	12/15
38380.1	- LIGHT 10	30-21-20.88N 81-26-26.22W	FI R 4s	13	5	TR-TY on pile. *	12/15
47470	- LIGHT 29	26-05-47.84N 80-07-01.81W	FI G 4s	16	5	SG-SY on pile. *	12/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2014**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
61590	- LIGHT 27	27-51-52.99N 82-50-48.54W	FI G 4s	16	5	SG-SY on pile.	
					*		12/15
62045	- LIGHT 23	28-04-03.60N 82-48-07.96W	FI G 4s	16	5	SG-SY on pile.	
					*		12/15

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2014**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2880	- Buoy 7	29-42-42.16N 85-00-47.11W				Green can.	
							* 12/15
23200 35440	- LIGHT 20	30-02-54.37N 93-43-27.26W	FI R 2.5s	17	4	TR-SY on pile.	
		*					12/15
23455	- LIGHT 40A	30-01-14.11N 91-01-18.66W	FI R 2.5s	17	3	TR on pile.	
		*					12/15
34237	<i>Mobile Oyster Company Special Lighted Buoy B</i>	30-15-08.77N 88-11-25.41W	FI Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	Private aid.
	*	*					12/15
*34237.01	<i>Mobile Oyster Company Special Lighted Buoy C</i>	30-15-08.13N 88-11-30.13W	FI Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	Private aid.
							12/15
*34237.02	MOBILE OYSTER COMPANY SPECIAL LIGHT D	30-15-06.04N 88-11-30.13W	FI Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	Private aid.
							12/15
*34237.03	MOBILE OYSTER COMPANY SPECIAL LIGHT A	30-15-06.70N 88-11-25.38W	FI Y 2.5s			Marks perimeter of off-bottom aquaculture farm.	Private aid.
							12/15
35440 23200	- LIGHT 20	30-02-54.37N 93-43-27.26W	FI R 2.5s	17	4	TR-SY on pile.	
		*					12/15

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2014**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
25 2275	MISSION BAY SOUTH JETTY LIGHT 2	32-45-21.49N 117-15-32.29W	FI R 2.5s	15	5	TR on pile.	
		*					12/15
2275 25	- SOUTH JETTY LIGHT 2	32-45-21.49N 117-15-32.29W	FI R 2.5s	15	5	TR on pile.	
		*					12/15
9250	- REGULATED NAVIGATION AREA WARNING SIGN	43-40-10.58N 124-11-55.84W	Q Y	16		NW worded ROUGH BAR. On same structure as Umpqua River Light 6.	Lights flashing when bar is restricted to recreational and uninspected passenger vessels. Contact the nearest US Coast Guard unit for further information.
		*		*			12/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2014**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9255	- LIGHT 6	43-40-10.58N 124-11-55.84W	FI R 4s	32	5	TR on single steel pile. On same structure as Umpqua River Regulated Navigation Area Warning Sign.	
		*		*	*	*	* 12/15
10895	COFFIN ROCK LIGHT	46-02-02.17N 122-52-51.50W	Q W	20	4	NB on pole.	
		*					12/15
*12111.1	DALLESPORT BOAT BASIN LIGHT 1	45-37-02.06N 121-11-41.37W	FI G 4s			On breakwater.	Private aid. 12/15
*12111.2	DALLESPORT BOAT BASIN LIGHT 2	45-37-01.49N 121-11-39.74W	FI R 4s			On cliff.	Private aid. 12/15
*12111.3	DALLESPORT BOAT BASIN LIGHT 3	45-37-01.61N 121-11-40.75W	FI Y 6s			On floating dock.	Private aid. 12/15
*14221	<b>Fort Spokane Highway Bridge</b> Spokane River, mile 1.7.	47-54-28.00N 118-19-03.00W				Fixed bridge.	12/15
*14842	<b>Longview Railroad Bridge</b> Cowlitz River, mile 1.5.	46-06-14.00N 122-53-35.00W				Bascule bridge.	12/15
*14843	<b>Harry Morgan Highway Bridge</b> Cowlitz River, mile 1.6.	46-06-25.00N 122-53-30.00W				Fixed bridge.	12/15
*17125.5	<b>South 11th Street Bridge</b> Thea Foss Waterway, mile 0.6.	47-15-14.00N 122-26-00.00W				Vertical lift bridge.	12/15
*17205	<b>East 11th Street Bridge</b> Hylebos Waterway, mile 1.1.	47-16-39.00N 122-23-40.00W				Bascule bridge.	12/15
*17227	<b>Tacoma Narrows Highway Bridge (Eastbound)</b> Tacoma Narrows.	47-16-06.00N 122-33-01.00W				Fixed bridge.	12/15
*17228	<b>Tacoma Narrows Highway Bridge (Westbound)</b> Tacoma Narrows.	47-16-05.00N 122-33-04.00W		1	2	Fixed bridge.	12/15
*17248	<b>Fox Island Highway Bridge</b> Hale Passage, mile 3.0.	47-16-37.00N 122-39-00.00W				Fixed bridge.	12/15
*17268	<b>Chambers Creek Railroad Bridge</b> Stellacoom Waterway - Chambers Creek, mile 0.0.	47-11-12.00N 122-35-04.00W				Vertical lift bridge.	12/15
*17577	<b>Port Townsend Canal Highway Bridge</b> Port Townsend Canal, mile 0.2.	48-01-55.00N 122-43-55.00W				Fixed bridge.	12/15
*17769	<b>Hood Canal Highway Bridge</b> Hood Canal, mile 5.0.	47-51-34.00N 122-37-28.00W				Floating bridge.	12/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2014**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*17935	<b>Agate Pass Highway Bridge</b> Agate Pass, mile 1.0.	47-42-44.00N 122-33-58.00W				Fixed bridge.	12/15
*18102	<b>Manette Highway Bridge</b> Port Washington Narrows, mile 0.3.	47-34-12.00N 122-37-13.00W				Fixed bridge.	12/15
*18103	<b>Warren Avenue Street Bridge</b> Port Washington Narrows, mile 0.5.	47-34-48.00N 122-37-56.00W				Fixed bridge.	12/15
*18454.5	<b>Hartstene Island Highway Bridge</b> Pickering Passage.	47-14-44.00N 122-55-33.00W				Fixed bridge.	12/15
*18594.11	<b>SR 529 Highway Bridge (Northbound)</b> Snohomish River - Steamboat Slough, mile 1.2.	48-02-09.00N 122-10-53.00W				Swing bridge.	12/15
*18594.12	<b>Interstate 5 Highway Twin Bridge</b> Snohomish River - Steamboat Slough, mile 1.3.	48-02-09.00N 122-10-42.00W				Fixed bridge.	12/15
*18594.5	<b>Interstate 5 Highway Bridge</b> Snohomish River - Ebey Slough, mile 1.4.	48-02-50.00N 122-10-59.00W				Fixed bridge.	12/15
*18594.6	<b>Ebey Slough Railroad Bridge</b> Snohomish River - Ebey Slough, mile 1.5.	48-02-49.00N 122-10-53.00W				Swing bridge.	12/15
*18594.7	<b>SR 529 Highway Bridge</b> Snohomish River - Ebey Slough, mile 1.6.	48-02-46.00N 122-10-43.00W				Swing bridge.	12/15
*18594.8	<b>Burlington Northern Santa Fe Railroad Bridge 11</b> Snohomish River - Steamboat Slough, mile 1.0.	48-02-08.00N 123-11-03.00W				Swing bridge.	12/15
*18594.9	<b>SR 529 Highway Bridge (Southbound)</b> Snohomish River - Steamboat Slough, mile 1.1.	48-02-09.00N 122-10-58.00W				Swing bridge.	12/15
*18603	<b>West Pass Highway Bridge</b> Stillaguamish River - West Pass, mile 0.5.	48-14-25.00N 122-22-56.00W				Fixed bridge.	12/15
*18783	<b>SR 536 Division Street Bridge</b> Skagit River, mile 12.5.	48-25-18.00N 122-20-24.00W				Swing bridge.	12/15
*19927	Drayton Harbor Entrance Buoy 6 Marks shoal.	48-59-25.17N 122-46-04.60W				Red nun.	12/15
19930	BLAINE SMALL BOAT HARBOR LIGHT 8	48-59-27.25N 122-45-54.10W	FI R 2.5s	22	4	TR on end of jetty.	12/15
	*						12/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2014

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LAKE PEND OREILLE (Chart 18554)</b>							
*20070	<b>Tail of the Coeur d'Alene Railroad Bridge</b> St. Joe River, mile 0.7.	47-22-42.00N 116-45-12.00W				Swing bridge.	12/15
*20075	<b>Merritt Brothers Highway Bridge</b> Pend Oreille River, mile 94.5.	48-10-34.00N 116-54-32.00W				Fixed bridge.	12/15
*20080	<b>Spokane International Railroad Bridge</b> Pend Oreille River, mile 111.3.	48-15-11.00N 116-39-42.00W				Fixed bridge.	12/15
*20086	<b>Sandpoint US 95 Highway Bridge</b> Lake Pend Oreille, mile 2.0.	48-15-01.00N 116-32-20.00W				Fixed bridge.	12/15
*20087	<b>Burlington Northern Santa Fe Railroad Bridge 32</b> Lake Pend Oreille, mile 2.7.	48-15-36.00N 116-31-52.00W				Swing bridge.	12/15
*20088	<b>Burlington Northern Santa Fe Railroad Bridge 31</b> Lake Pend Oreille - Sand Creek, mile 0.2.	48-16-20.00N 116-32-39.00W				Fixed bridge.	12/15
26513	Shag Rocks Daybeacon 1	57-54-28.98N 152-47-30.30W				SG on tower.	12/15
		*					12/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.