

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2015**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
440	<b>Minots Ledge Light</b>	42-16-11.00N 70-45-32.70W	Fl (1+4+3) W 45s 1.5s fl 5s ec. 1.5s fl 1.5s ec. 1.5s fl 1.5s ec. 1.5s fl 5s ec. 1.5s fl 1.5s ec. 1.5s fl 1.5s ec. 1.5s fl 15.5s ec.	85	10	On gray conical tower. 87	HORN: 1 blast ev 10s (1s bl). Activated for 60 minutes during periods of reduced visibility by keying the microphone five times on VHF channel 83A.
							* 24/15
828	<i>WHOI Research Lighted Buoy Pioneer PMUI</i>	40-21-55.50N 70-46-59.46W	Fl Y 4s			Yellow.	Private aid.
	*	*					24/15
828.2	<i>WHOI Research Lighted Buoy Pioneer PMUO</i>	39-56-29.82N 70-46-51.06W	Fl Y 4s			Yellow.	Private aid.
	*	*					24/15
828.3	<i>WHOI Research Lighted Buoy Pioneer ISSM</i>	40-21-33.78N 70-53-07.08W	Fl Y 4s			Yellow.	Private aid.
		*					24/15
828.4	<i>WHOI Research Lighted Buoy Pioneer PMCI</i>	40-13-36.12N 70-53-19.74W	Fl Y 4s			Yellow.	Private aid.
	*	*					24/15
828.5	<i>WHOI Research Lighted Buoy Pioneer PMCO</i>	40-05-48.06N 70-52-45.84W	Fl Y 4s			Yellow.	Private aid.
	*	*					24/15
828.6	<i>WHOI Research Lighted Buoy Pioneer OSPM</i>	39-56-34.92N 70-53-07.32W	Fl Y 4s			Yellow.	Private aid.
	*	*					24/15
828.7	<i>WHOI Lighted Research Buoy Pioneer OSSM</i>	39-56-26.28N 70-52-42.78W	Fl Y 4s			Yellow.	Private aid.
		*					24/15
*828.75	<i>WHOI Lighted Research Buoy Pioneer CNSM</i>	40-08-24.78N 70-46-16.62W	Fl Y 4s			Yellow.	Private aid.
							24/15
828.8	<i>WHOI Lighted Research Buoy Pioneer ISSP</i>	40-21-52.56N 70-53-19.38W	Fl Y 4s			Yellow.	Private aid.
		*					24/15
14761.2	- Channel Lighted Buoy S2	41-35-12.00N 70-27-11.40W	Fl R 2.5s			Red.	Private aid.
	*		*			*	24/15
14761.4	- Channel Lighted Buoy S4	41-35-05.00N 70-27-16.60W	Fl R 2.5s			Red.	Private aid.
	*		*			*	24/15
15450	Oak Bluffs Daybeacon						<i>Remove from list.</i>
							* 24/15
20220	- Buoy 9	41-19-54.28N 71-53-24.04W				Green can.	
		*					24/15
*39612	Lake Champlain Yacht Club Racing Mark A	44-28-54.00N 73-16-40.80W				Yellow can.	Maintained May 1 to Oct. 31. Private aid.
							24/15
*39617	Lake Champlain Yacht Club Racing Mark B	44-28-35.40N 73-13-48.60W				Yellow can.	Maintained May 1 to Oct. 31. Private aid.
							24/15
*39727	Lake Champlain Yacht Club Racing Mark P	44-26-58.20N 73-14-58.80W				Yellow can.	Maintained May 1 to Oct. 31. Private aid.
							24/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*39741	Lake Champlain Yacht Club Racing Mark S	44-26-01.20N 73-14-24.60W				Yellow can.	Maintained May 1 to Oct. 31. Private aid.  24/15
*39742	Lake Champlain Yacht Club Racing Mark W	44-25-29.40N 73-14-39.00W				Yellow can.	Maintained May 1 to Oct. 31. Private aid.  24/15
*39743	Lake Champlain Yacht Club Racing Mark E	44-25-36.00N 73-13-27.00W				Yellow can.	Maintained May 1 to Oct. 31. Private aid.  24/15
*39751	Lake Champlain Yacht Club Racing Mark C	44-24-38.40N 73-13-53.40W				Yellow can.	Maintained May 1 to Oct. 31. Private aid.  24/15

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13	<i>University of California Lighted Data Buoy A</i>	39-46-10.08N 73-46-11.64W	FI (5) Y 20s  *			Yellow.	Private aid.  24/15
915	- Buoy 3	39-45-01.21N 74-04-54.19W  *				Green can.	24/15
10385	- LIGHT 13	36-54-12.97N 76-01-55.88W	FI G 2.5s	15	3	SG on pile.	* 24/15
10615	- LIGHT 2	36-57-51.01N 76-19-37.39W	FI R 4s	15	4	TR on pile.	* 24/15
10635	- LIGHT 6	36-57-45.97N 76-18-54.45W	FI R 2.5s	15	3	TR on pile.	* 24/15
10645	- LIGHT 8	36-57-40.96N 76-18-46.99W	FI R 2.5s	15	3	TR on pile.	* 24/15
11705	- LIGHT 1 10 feet outside channel limit.	37-04-46.43N 76-39-17.77W	FI G 2.5s	15	3	SG on multi-pile structure.	* 24/15
11720	- LIGHT 7 10 feet outside channel limit.	37-04-55.04N 76-39-51.14W	FI G 4s	15	4	SG on pile.	* 24/15
12555	- CHANNEL LIGHT 5	37-18-52.94N 77-17-10.90W	FI G 4s	15	4	SG on multi-pile structure.	* 24/15
12565	- CHANNEL LIGHT 8	37-18-45.65N 77-17-29.11W	FI R 4s	15	3	TR on pile.	* 24/15
13875	Pages Rock Warning Daybeacon A						<i>Remove from list.</i>  * 24/15
17965	<i>Marlboro Point Lighted Wreck Buoy WR1</i>  *	38-22-24.33N 77-17-52.87W  *	Q G  *		4	Green.  *	24/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
21925	- CHANNEL LIGHT 1	37-43-28.19N 75-51-03.64W	FI G 4s	15	4	SG on multi-pile structure.	* 24/15
23110	- Channel Daybeacon 33	37-59-37.46N 76-01-03.66W				SG on pile. *	24/15
28027	- Lighted Buoy 13	35-46-29.10N 75-31-58.11W	Q G		3	Green.	
	*	*	*		*	*	24/15
28028	- Lighted Buoy 14	35-46-29.37N 75-32-00.15W	FI R 4s		3	Red.	
		*					24/15
*28030	- Buoy 14A	35-46-24.62N 75-32-07.85W				Red nun.	24/15
*28035	- Buoy 15	35-46-24.04N 75-32-04.42W				Green can.	24/15
28115	- Channel Buoy 33	35-45-39.01N 75-34-44.82W				Green can	24/15
		*					24/15
28137.1	- Channel Buoy 39A	35-46-25.16N 75-34-55.57W				Green can.	24/15
		*					24/15
28139	- Channel Buoy 40	35-46-18.20N 75-35-00.83W				Red nun.	24/15
		*					24/15
34935	- LIGHT 2	40-06-24.60N 74-02-46.56W	FI R 4s	15	3	TR on pile.	* 24/15
34945	- LIGHT 4	40-06-10.56N 74-03-21.91W	FI R 4s	15	3	TR on multi-pile structure.	* 24/15
34960	- LIGHT 6	40-05-50.43N 74-03-30.21W	FI R 4s	17	3	TR on pile.	* 24/15
34965	- LIGHT 9	40-05-32.55N 74-05-50.50W	FI G 4s	15	4	TR on pile.	* 24/15
40337	- Buoy 80A	33-54-28.93N 78-23-01.25W				Red nun with yellow triangle.	* 24/15
		*					24/15

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7875	POPO POINT LIGHT 18	30-01-26.70N 81-40-33.06W	FI R 2.5s	16	5	TR on pile.	
					*		24/15
7950	NINE MILE POINT LIGHT 36	29-46-27.84N 81-33-09.60W	FI R 2.5s	12	5	TR on dolphin.	
					*		24/15
10303	- Entrance Daybeacon 5	26-15-23.27N 80-04-50.38W				SG on pile.	
		*					24/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12345	- Daybeacon 92	25-54-25.02N 80-43-44.32W				TR on pile.	
		*					24/15
14887.3	Fort Taylor Southwest Obstruction Daybeacon						<i>Remove from list.</i>
							* 24/15
14887.5	Fort Taylor Southeast Obstruction Daybeacon						<i>Remove from list.</i>
							* 24/15
17880	Island Marina Obstruction Daybeacons (4)						<i>Remove from list.</i>
							* 24/15
23315	- LIGHT 15	27-51-18.78N 82-23-38.24W	Q G	16	4	SG on dolphin.	
						*	24/15
34685	- LIGHT 28	32-46-34.54N 80-04-28.94W	Q R	16	4	TR-TY on pile.	
						*	24/15
35015	DAWHOO FISHING PIER OBSTRUCTION LIGHT	32-38-10.00N 80-20-25.50W	FI W 2.5s	18		On pier.	Private aid.
	*						24/15
*35442	- Obstruction Daybeacon A	32-25-44.40N 80-39-39.96W				NW on pile worded DANGER.	Private aid.
							24/15
*35442.1	- Obstruction Daybeacon B	32-25-45.12N 80-39-39.60W				NW on pile worded DANGER.	Private aid.
							24/15
*35442.2	- Obstruction Daybeacon C	32-25-45.84N 80-39-39.24W				NW on pile worded DANGER.	Private aid.
							24/15
57780	- Daybeacon 1						<i>Remove from list.</i>
							* 24/15
58840	- LIGHT 23	27-24-23.40N 82-38-08.78W	Q G	15	4	SG-SY on pile.	
						*	24/15

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
300 7845	<i>Horn Island Pass Lighted Buoy WR</i>						<i>Remove from list.</i>
							* 24/15
*4656	- Buoy G	30-23-35.39N 86-31-25.93W				White with orange bands.	Marks restricted access area.
							24/15
*4656.01	- Buoy H	30-23-35.79N 86-31-27.41W				White with orange bands.	Marks restricted access area.
							24/15
*4657	- Buoy F	30-23-35.03N 86-31-34.44W				White with orange bands.	Marks restricted access area.
							24/15
*4657.01	- Buoy E	30-23-34.32N 86-31-32.77W				White with orange bands.	Marks restricted access area.
							24/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*4657.02	- Buoy D	30-23-34.13N 86-31-30.28W				White with orange bands.	Marks restricted access area.  24/15
*4659	- Buoy 6	30-23-36.34N 86-31-26.13W				Red nun.	  24/15
*4663	- Buoy 8	30-23-38.13N 86-31-29.74W				Red nun.	  24/15
*4664	- Buoy C	30-23-33.26N 86-31-28.74W				White with orange bands.	Marks restricted access area.  24/15
4665	- Daybeacon A	30-23-32.57N 86-31-27.05W				NW on pile worded RESTRICTED AREA.	33 CFR 334.746: Maintain 100 feet from shoreline, do not impede access to Coast Guard Station.  24/15
	*					*	* 24/15
*4667	- Buoy B	30-23-31.84N 86-31-28.74W				White with orange bands.	Marks restricted access area.  24/15
*4668	- Buoy 5	30-23-34.65N 86-31-27.22W				Green can.	  24/15
7845 300	- Wreck Lighted Buoy WR						Remove from list.  * 24/15
11570	- LIGHT 8	30-20-12.51N 90-16-26.66W *	Fl R 4s	17	4	TR on dolphin.	  24/15
23930	BOLIVAR ROADS ALTERNATE INBOUND ROUTE LIGHT 3						Remove from list.  * 24/15
23935	BOLIVAR ROADS ALTERNATE INBOUND ROUTE LIGHT N						Remove from list.  * 24/15
29415	- RANGE FRONT LIGHT	26-33-29.50N 97-25-30.54W	Q R	20		KRW on tower on piles.	Visible 2° each side of range line, passing light visible all around.  * 24/15
*29416	- RANGE FRONT PASSING LIGHT	26-33-29.50N 97-25-30.54W	Q R	22	3	On same structure as Port Mansfield Channel Range Front Light.	  24/15
35355	- Daybeacon 4	29-56-05.91N 93-08-52.12W *				TR-TY on pile.	  24/15
35360	- Daybeacon 6	29-56-06.19N 93-09-13.97W *				TR-TY on pile.	Ra ref.  24/15
35855.01	- LIGHT 9	29-31-05.66N 94-30-24.90W	Fl G 2.5s  *	17	3	SG-SY on pile.	Ra ref.  24/15
35965	- LIGHT 7 75 feet outside channel limit.	29-21-09.89N 94-48-44.43W *	Fl G 4s	17	4	SG-SY on pile.	Ra ref.  24/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2289.4	<i>Scripps CORDC Lighted Research Buoy</i>	32-54-09.00N 117-24-30.00W *	FI Y 4s			Yellow disk with skeleton tower.	Private aid.  24/15
16315	- <i>Boat Haven Lighted Buoy 3</i>	48-07-42.67N 123-26-54.22W	FI G 4s		4	Green.	 * 24/15
*27257	- Buoy 1A	55-04-17.29N 163-29-02.82W				Green can.	24/15
27265	- Buoy 3	55-04-06.93N 163-28-50.29W *				Green can.	24/15
27340	- Buoy 19	54-59-31.56N 163-24-32.45W *				Green can.	24/15
27350	- Buoy 20	54-59-23.06N 163-24-37.67W *				Red nun.	24/15
27355	- Buoy 21	54-59-22.02N 163-23-58.36W *				Green can.	24/15
27360	- Buoy 22	54-59-18.60N 163-23-58.56W *				Red nun.	24/15

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.