

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
75 7500	<i>East Hue and Cry Rock Lighted Buoy 1 (NOAA 44007)</i> East-southeast of ledge.	43-31-30.36N 70-08-25.57W	Fl G 4s		4	Green.	3 meter discus buoy marked with 44007 on fin.
		*					37/15
237	Cedar Island Ledge Isolated Danger Buoy DC	42-58-24.96N 70-35-57.82W				Black and red bands with two black spherical topmarks; can.	
						*	37/15
1025	- Buoy 11	44-55-06.28N 67-06-51.94W				Green can.	Maintained from Apr. 1 to Nov. 1.
							* 37/15
1030	- Buoy 13	44-55-20.49N 67-07-45.44W				Green can.	Maintained from Apr. 1 to Nov. 1.
							* 37/15
1035	- Buoy 15	44-55-26.39N 67-08-09.08W				Green can.	Maintained from Apr. 1 to Nov. 1.
							* 37/15
1750	Tibbett Rock Isolated Danger Buoy DT South-southwest of rock.	44-23-04.29N 67-47-10.49W				Black and red bands with two black spherical topmarks; can.	
						*	37/15
1755	Tibbett Rock South Isolated Danger Buoy DTS	44-22-29.34N 67-46-27.54W				Black and red bands with two black spherical topmarks; can.	
						*	37/15
2755	Whaleback Ledge Isolated Danger Buoy DW	44-09-14.91N 68-33-10.30W				Black and red bands with two black spherical topmarks; can.	
						*	37/15
3330	Saddleback Ledge Shoal Isolated Danger Buoy DSL Southwest of ledge.	44-01-24.59N 68-44-23.74W				Black and red bands with two black spherical topmarks; can.	
						*	37/15
4025	Compass Island Ledge Isolated Danger Buoy DCL East of ledge.	44-12-03.42N 68-51-23.53W				Black and red bands with two black spherical topmarks; can.	
						*	37/15
4040	Junken Ledge Isolated Danger Buoy DJ Marks three-fathom ledge.	43-59-26.12N 68-59-29.37W				Black and red bands with two black spherical topmarks; can.	
						*	37/15
4480	Long Cove Ledge Isolated Danger Buoy DLC West of Ledge	44-26-43.58N 68-54-32.47W				Black and red bands with two black spherical topmarks; can.	
						*	37/15
4530	- Shoal Isolated Danger Buoy DTBS Northeast of 15-foot shoal.	43-57-00.97N 69-01-57.17W				Black and red bands with two black spherical topmarks; can.	
						*	37/15

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4560	Alden Rock Isolated Danger Buoy DAR 35 yards, 212° from 4-foot spot.	43-55-21.41N 69-04-00.75W				Black and red bands with two black spherical topmarks; can. *	37/15
4800	Channel Rock Isolated Danger Buoy DCR	43-56-08.90N 69-16-49.00W				Black and red bands with two black spherical topmarks; can. *	37/15
4960	Moser Ledge Isolated Danger Buoy DM South of ledge.	43-48-39.79N 69-25-43.61W				Black and red bands with two black spherical topmarks; can. *	37/15
7500 75	<i>East Hue and Cry Rock Lighted Buoy 1 (NOAA 44007)</i> East-southeast of ledge.	43-31-30.36N 70-08-25.57W *	FIG 4s		4	Green.	3 meter discus buoy marked with 44007 on fin. 37/15
9095	- Danger Buoy OS	42-49-36.05N 70-53-22.89W				Black and red bands with two black spherical topmarks; can. *	37/15
10545	Joe Beach Isolated Danger Buoy DJB	42-24-53.59N 70-54-54.93W				Black and red bands with two black spherical topmarks; can. *	37/15
10550	Bass Rock Isolated Danger Buoy DBR	42-24-43.35N 70-55-22.67W				Black and red bands with two black spherical topmarks; can. *	37/15
11940	Outer Seal Rock Isolated Danger Buoy DSR	42-17-48.01N 70-54-29.67W				Black and red bands with two black spherical topmarks; can. *	37/15
12500	Bartlett Rock Isolated Danger Buoy BR	42-04-43.96N 70-37-48.90W				Black and red bands with two black spherical topmarks; can. *	37/15
17643	Gould Island Shoal Danger Buoy DGI On east side of rock.	41-36-56.44N 71-13-18.24W				Black and red bands with two black spherical topmarks; can. *	37/15
22410	- Channel Buoy 23	41-20-09.59N 72-10-56.75W *				Green can.	Removed when endangered by ice. 37/15
22415	- Channel Buoy 24	41-20-09.84N 72-10-54.72W *				Red nun.	Removed when endangered by ice. 37/15
31035	- Daybeacon 7						<i>Remove from list.</i> * 37/15
31065	- Daybeacon 13						<i>Remove from list.</i> * 37/15

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
31070	- Buoy 12	40-36-33.25N 73-30-23.99W				Red nun.	Maintained from Apr. 1 to Nov. 15.
	*					*	* 37/15

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1587	<i>State of Delaware (DNREC) Lighted Waverider Buoy B</i>						<i>Remove from list.</i>
							* 37/15
2820	- Buoy 10						<i>Remove from list.</i>
							* 37/15
10577	- Buoy 1A						<i>Remove from list.</i>
							* 37/15
10580	- CHANNEL LIGHT 2	36-58-58.16N 76-18-38.48W	F I R 2.5s	15	3	TR on multi-pile structure.	
		*					37/15
*10583	- Channel Buoy 3	36-58-52.15N 76-18-38.37W				Green can.	
							37/15
10585	- Channel Daybeacon 3A	36-58-42.18N 76-18-36.80W				SG on pile.	
	*	*					37/15
12949	- Daybeacon 1	37-06-30.60N 76-17-45.66W				SG on pile.	Private aid.
	*					*	37/15
19345	- RANGE FRONT LIGHT	38-43-28.13N 76-32-37.44W	F Y	19		Orange dayboards with black and white stripe on pile.	Private aid.
		*					37/15
19350	- RANGE REAR LIGHT	38-43-26.72N 76-32-38.17W	F Y	28		Orange dayboards with black and white stripe on pile.	Private aid.
		*					37/15
19355	- ENTRANCE LIGHT 1	38-43-54.26N 76-32-21.91W	Q G	10		SG on pile.	Private aid.
		*					37/15
19360	- LIGHT 2	38-43-55.14N 76-32-24.08W	Q R	10		TR on pile.	Private aid.
		*					37/15
19365	- LIGHT 3	38-43-50.47N 76-32-24.72W	Q G	10		SG on pile.	Private aid.
		*					37/15
19370	- LIGHT 4	38-43-50.95N 76-32-25.95W	Q R	10		TR on pile.	Private aid.
		*					37/15
19375	- LIGHT 5	38-43-46.09N 76-32-27.28W	Q G	10		SG on pile.	Private aid.
		*					37/15
19380	- LIGHT 6	38-43-46.44N 76-32-28.21W	Q R	10		TR on pile.	Private aid.
		*					37/15

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
24577	- Warning Buoy A	38-21-07.00N 76-16-19.83W				White can with orange diamond worded DANGER SUBMERGED PILES.	
						*	37/15
24995	HAMBROOKS BAR LIGHT	38-35-42.24N 76-04-51.14W	FI W 2.5s (R sector)	19	W 6 R 5	NB on white cylindrical structure on red base.	Red from 312° to 335° covers shoal south side of river at entrance to Cambridge.
						*	37/15
28696	- Buoy FD1						<i>Remove from list.</i>
							*
							37/15
28697	- Buoy FD2						<i>Remove from list.</i>
							*
							37/15
28698	- Buoy FD3						<i>Remove from list.</i>
							*
							37/15
30265	- Buoy 1	34-04-51.76N 77-51-44.24W				Green can.	
		*					37/15
30295	- Buoy 7	34-04-56.22N 77-52-18.40W				Green can.	
		*					37/15

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5855	- Buoy 6	31-31-57.48N 81-09-07.41W				Red nun.	
		*					37/15
5925	- Buoy 3	31-21-37.80N 81-13-26.31W				Green can.	
		*					37/15
24705 60515	- LIGHT 2	27-40-59.92N 82-36-28.98W	FI R 2.5s	16	5	TR-TY on pile.	
						*	37/15
36660	- LIGHT 149	31-31-54.63N 81-16-19.94W	FI G 4s	16	5	SG-SY on pile.	
						*	37/15
36695	- LIGHT 155A	31-29-46.00N 81-19-32.00W	FI G 4s	16	5	SG-SY on pile.	
						*	37/15
36785	- LIGHT 173	31-26-31.76N 81-18-11.49W	FI G 4s	16	5	SG-SY on pile.	
						*	37/15
46840	- LIGHT 9	26-43-25.42N 80-02-47.67W	FI G 4s	16	5	SG-SY on pile.	
						*	37/15
46875	- LIGHT 12	26-42-54.51N 80-02-50.56W	FI R 4s	12	5	TR-TY on pile.	
						*	37/15
46890	- LIGHT 17	26-41-23.01N 80-02-47.47W	FI G 4s	12	5	SG-SY on pile.	
						*	37/15

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
46945	- LIGHT 29	26-37-49.28N 80-02-35.19W	FI G 4s	16	5	SG-SY on pile.	
					*		37/15
60515 24705	- LIGHT 2	27-40-59.92N 82-36-28.98W	FI R 2.5s	16	5	TR-TY on pile.	
					*		37/15

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10357.01	CITY OF BAY ST. LOUIS MUNICIPAL PIER LIGHT 1	30-18-40.40N 89-19-13.90W	FI G 2.5s			Marks entrance of port-side pier structure.	Private aid.
		*					37/15
10357.02	CITY OF BAY ST. LOUIS MUNICIPAL PIER LIGHT 2	30-18-41.10N 89-19-13.90W	FI R 2.5s			Marks entrance of starboard-side pier structure.	Private aid.
		*					37/15
*20919	TEBO POINT DANGER LIGHT	29-51-14.83N 92-48-38.09W	FI W 2.5s			Marks rock dike.	Private aid.
							37/15
36985	WEST BAY (TEXAS) LIGHT 15	29-10-32.71N 95-04-49.91W	FI G 2.5s	17	3	SG-SY on pile.	
		*					37/15

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
7105	- RANGE H REAR LIGHT 670 yards, 115° from front light.	37-59-00.09N 121-23-04.70W	Iso G 6s	43		KRW on skeleton tower.	Visible all around; higher intensity on the range line.
		*		*			37/15
16917	<i>Point Williams Research Lighted Buoy</i>	47-34-13.79N 122-25-22.02W	FI Y 4s			Yellow foam buoy.	Private aid.
		*					37/15
Kawaihae Light Draft Harbor							
*28271.2	- LIGHT 5	20-01-36.68N 155-49-43.25W	FI G 6s	15	5		
							37/15
*28271.4	- Breakwater Daybeacon 8	20-01-39.67N 155-49-41.50W				TR on pile.	
							37/15

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10130	- LIGHT 2	43-50-44.20N 82-37-52.09W	FI R 6s	20 6	5	TR on navigation pole.	HORN: 1 blast ev 30s (3s bl). Operates by keying the microphone five times on VHF channel 83A.
				*	*		37/15
*10133	- LIGHT	43-50-44.30N 82-37-53.10W	FI W 6s	54 16			Private aid.
							37/15

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2015

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10395	- Channel Lighted Buoy 2	43-45-07.55N 83-31-16.39W	FI R 2.5s			Red.	Maintained from Apr. 21 to Nov. 15.
			*				37/15
19845	CALUMET HARBOR DISPOSAL AREA LIGHT	41-43-52.30N 87-31-29.63W	FI G 6s	26 8	4	SG on tower.	
						*	37/15
19850	CALUMET RIVER ENTRANCE LIGHT	41-43-56.31N 87-31-46.18W	FI G 2.5s	28 9	5	SG on post.	
						*	37/15
20795	- MUNICIPAL MARINA LIGHT 1	43-23-17.77N 87-51-48.98W	FI G 2.5s	27 8	5	SG on post.	
						*	37/15
21230	- DIRECTIONAL LIGHT						Remove from list.
							*
							37/15

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.