

SECTION I

NM 3/16

Chart 25673

NM 3/16

MAYAGUEZ HARBOR CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF NOV 2014								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
APPROACH CHANNEL	18.7	30.5	31.7	30.6	10-14	1000-500	0.4	30
TERMINAL CHANNEL	24.0	20.9	21.2	16.0	10-14	500	0.2	30
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION								

Chart 54141 (Plan B)

NM 3/16

## CAUTIONS

1. Numerous mobile oil drilling rigs, production platforms, and submerged pipelines exist in the approaches to Porto Corsini. Anchoring, stopping, and fishing are prohibited.
2. The usable draft shown for any channel refers to passage during the day, under optimal weather conditions, and with favorable sea conditions. The channels are subject to frequent change and are maintained by dredging.
3. Depths in this area have decreased to 2.5 meters.
4. Depths in this area have decreased to 1.5 meters.