

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10451.1	- Fairway Buoy 3	42-30-30.70N 70-50-21.70W *				Green can.	Private aid.  5/16
10451.15	- Fairway Buoy 7	42-30-24.10N 70-50-30.90W *				Green can.	Private aid.  5/16
10451.17	- Fairway Buoy 9	42-30-21.80N 70-50-33.50W *				Green can.	Private aid.  5/16
10451.18	- Fairway Buoy 10	42-30-23.80N 70-50-33.10W *				Red nun.	Private aid.  5/16
10451.21	- Fairway Buoy 13	42-30-14.80N 70-50-42.80W *				Green can.	Private aid.  5/16
15775	GRASSY ISLAND LEDGE LIGHT On south end of ledge.	41-31-16.20N 70-40-33.25W *	Q W (R sector)		W 4 R 4	NR on white skeleton tower.	Red from 077.5° to 194°.  5/16
16230	- Lighted Buoy 23	41-43-52.66N 70-37-59.90W *	Fl G 4s		3	Green.	Replaced by LIB from Dec. 15 to Mar. 15.  5/16
29107.3	- East Cut Buoy 9E	40-46-21.80N 72-44-24.57W *				Green can.	Removed when endangered by ice.  5/16
34155	- Daybeacon D8	40-39-13.00N 73-25-44.00W *				TR on pile.	Private aid.  5/16
34160	- Daybeacon D10	40-39-16.00N 73-25-46.00W *				TR on pile.	Private aid.  5/16
34165	- Daybeacon D12	40-39-22.00N 73-25-50.00W *				TR on pile.	Private aid.  5/16
34170	- Daybeacon D14						Remove from list. * 5/16
34175	- Daybeacon D16	40-39-27.00N 73-25-54.00W *				TR on pile.	Private aid.  5/16

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14770	- Warning Daybeacon A *	37-29-23.13N 76-19-02.15W				NW on pile worded DANGER SHOAL.	  5/16
*14773	- Lighted Buoy 3	37-29-23.82N 76-19-03.60W	Q G		4	Green.	  5/16
14775	- Warning Daybeacon B *	37-29-20.74N 76-18-58.35W				NW on pile worded DANGER SHOAL.	  5/16
*14776	- Buoy 3A	37-29-20.04N 76-19-00.71W				Green can.	  5/16

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*14777	- Buoy 3B	37-29-19.40N 76-18-53.90W				Green can.	5/16
23395	- Entrance Lighted Buoy 1	38-05-40.44N 75-52-19.12W	FI G 2.5s		4	Green.	5/16
			*				5/16

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10460	- ENTRANCE RANGE FRONT LIGHT	25-45-13.22N 80-07-17.81W	Q W	25 27			Lighted throughout 24 hours. Passing light visible around horizon.
		*					5/16
10465	- ENTRANCE RANGE REAR LIGHT 670 yards, 249.5° from front light.	25-45-06.55N 80-07-37.82W	Iso W 6s	49			Lighted throughout 24 hours.
		*					5/16
10466	- ENTRANCE RANGE REAR LIGHT PASSING LIGHTS	25-45-06.55N 80-07-37.82W	FI W 4s		5	Located on the NW and SE corners of the platform.	5/16
		*					5/16
10505	GOVERNMENT CUT RANGE FRONT LIGHT	25-45-14.86N 80-06-37.76W	FI G 2.5s (Night) FI W 2.5s (Day)	25			NIGHT: Visible 4° each side of range line. Passing light visible around horizon.
		*					5/16
10510	GOVERNMENT CUT RANGE REAR LIGHT 785 yards, 114.8° from front light.	25-44-58.19N 80-05-57.88W	Iso G 6s (Night) Iso W 6s (Day)	50			NIGHT: Visible 1.5° each side of range line.
		*					5/16
10511	GOVERNMENT CUT RANGE REAR LIGHT PASSING LIGHTS	25-44-58.19N 80-05-57.88W	FI W 2.5s		5	Located on NW and SE corners of lower platform.	5/16
		*					5/16
22760.5	- INBOUND RANGE FRONT LIGHT PASSING LIGHT	27-45-47.89N 82-31-14.09W	Q W	17	4	On same structure as Cut E Channel Inbound Range Front Light.	Visible all around.
					*		5/16
23595	- LIGHT 3	27-54-19.29N 82-26-01.26W	FI G 6s	16	4	SG on pile.	5/16
					*		5/16
47400	- LIGHT 24	26-06-28.57N 80-07-15.31W	FI R 4s	16	5	TR-TY on pile.	5/16
					*		5/16

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
707	<i>Fugro Lighted Scientific Monitoring Buoy</i>	26-24-15.42N 90-47-32.16W	FI Y 2.5s				Private aid. Provides real-time environmental reports to FPSO SBM Stone Turretella.
	*						* 5/16

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2016**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
915	<b>Fieldwood-100-21 Racon</b>						<i>Remove from list.</i> *
							5/16
8580	ROUND ISLAND BREAKWATER OBSTRUCTION LIGHTS (6)	30-17-29.28N 88-35-18.26W	FI W 2.5s	15		NW on pile worded DANGER BREAKWATER	Private aid.
	*	*					5/16

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2016**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3011	<i>Scripps Waverider Lighted Research Buoy 215</i>	33-42-01.20N 118-12-02.40W	FI (5) Y 20s				Private aid.
		*					5/16
16510	<i>Puget Sound Traffic Separation Lane Lighted Buoy SC</i>	48-01-51.17N 122-38-13.68W	FI Y 2.5s		5	Yellow.	May be submerged during periods of extreme current.
					*		5/16
24665	<i>White Cliff Lighted Buoy 12</i>	55-43-55.26N 133-39-41.08W	FI R 4s		4	Red.	
	*						5/16

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2016**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3693	<i>NOAA Regional Science Consortium Lighted Buoy A</i>	42-08-52.52N 80-15-59.04W	FI Y 4s			Yellow.	Private aid.
							5/16

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.