

SECTION I

NM 11/16

Chart 11532

NM 11/16

WINYAH BAY AND GEORGETOWN HARBOR								
TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - REPORT OF JUN 2015 AND SURVEYS TO JUN 2015								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
ENTRANCE CHANNEL	24.0	23.0	17.5	13.0	6-15	600	2.7	27
RANGE B	24.0	27.4	28.3	23.7	6-15	600	1.0	27
SOUTH ISLAND BEND (A)	32.8	31.0	24.4	20.6	6-15	600	0.5	27
RANGE C	18.9	20.2	20.2	23.0	6-15	600	1.8	27
RANGE D	25.8	25.6	25.6	26.7	6-15	400	1.7	27
RANGE E	18.3	17.6	17.6	17.5	6-15	400-780	5.7	27
FRAZIER PT. BEND	21.8	21.4	21.4	20.3	6-15	400-780	0.7	27
RABBIT ISLAND CHANNEL	23.9	23.6	23.6	0.3	6-15	400-740	2.2	27
SAMPIT CHANNEL	0.0	3.0	3.0	5.3	6-15	250-740B	1.3	27
STEELMILL CHANNEL	5.2	3.2	5.3	4.4	6-15	300-610	0.3	27
PAPERMILL CHANNEL	14.8	20.3	21.5	0.0	6-15	400-780	0.2	27
PAPERMILL TURNING BASIN	14.9	17.6	21.7	12.2	6-15	400-800	0.2	27
BYPASS CHANNEL	—	5.5	5.5	8.6	6-15	100-300C	1.2	12D
BYPASS CHANNEL TURNING BASIN	—	—	8.8	8.6	6-15	100	0.1	12

(A) THE LOWER PORTION OF SOUTH ISLAND BEND IS NOT SHOWN ON THE TAB DUE TO SEVERE SHOALING. CHANNEL LIMITS HAVE BEEN REMOVED AND HYDROGRAPHY SHOWN ON CHART. BUOYS MARK THE DEEPER WATER.

(B) MAINTAINED 300'

(C) MAINTAINED 100'

(D) MAINTAINED 12'

NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION