

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9202	- Buoy 43A						<i>Remove from list.</i> * 23/16
9243	- Buoy 58	42-47-47.64N 71-00-48.36W				Red nun. *	23/16
10133.5	- Buoy 7	42-30-49.56N 70-53-08.22W *				Green can.	Private aid. 23/16
10795	Deer Island Light Southwest of old stone foundation.	42-20-22.43N 70-57-16.29W *	Al W R 10s	53	9		HORN: 1 blast ev 10s (1s bl). Activated for 60 minutes during periods of reduced visibility by keying the microphone 5 times on VHF channel 83A. 23/16
16240	- <i>Lighted Bell Buoy 26</i>	41-44-00.49N 70-37-39.61W *	Fl R 4s		3	Red.	Replaced by LIB from Dec. 15 to Mar. 15. 23/16
19020	- Channel Buoy 8	41-46-37.95N 71-07-03.35W				Red nun.	Maintained from May 1 to Oct. 31. * 23/16
19035	- Channel Buoy 12	41-47-09.39N 71-07-03.32W				Red nun.	Maintained from Mar. 15 to Oct. 31. * 23/16
19040	- Channel Buoy 14	41-47-27.08N 71-07-12.20W				Red nun.	Maintained from Mar. 15 to Oct. 31. * 23/16
19045	- Channel Buoy 15	41-47-39.29N 71-07-13.37W				Green can.	Maintained from Mar. 15 to Oct. 31. * 23/16
19050	- Channel Buoy 16	41-47-52.74N 71-07-06.23W				Red nun.	Maintained from Mar. 15 to Oct. 31. * 23/16
19055	- Channel Buoy 17	41-48-12.82N 71-07-13.34W				Green can.	Maintained from May 1 to Oct. 31. * 23/16
19057	- Channel Buoy 18						<i>Remove from list.</i> * 23/16
19070	- Channel Buoy 22	41-48-48.65N 71-06-53.99W				Red nun.	Maintained from Mar. 15 to Oct. 31. * 23/16
27662	Old Silas Rock Buoy 1	41-11-25.00N 72-08-43.02W *				Green can.	23/16
*27747	<i>Out East Oysters Lighted Aquaculture Buoy A</i>	41-00-07.00N 72-05-24.00W	F Y			Yellow.	Private aid. 23/16
*27747.1	<i>Out East Oysters Lighted Aquaculture Buoy B</i>	41-00-10.00N 72-05-28.00W	F Y			Yellow.	Private aid. 23/16
*27747.2	<i>Out East Oysters Lighted Aquaculture Buoy C</i>	41-00-10.00N 72-05-20.00W	F Y			Yellow.	Private aid. 23/16
*27747.3	<i>Out East Oysters Lighted Aquaculture Buoy D</i>	41-00-04.00N 72-05-20.00W	F Y			Yellow.	Private aid. 23/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
60 1170	<i>Absecon Inlet Lighted Buoy 1</i>	39-20-47.39N 74-24-01.34W	FI G 4s		4	Green.	
		*					23/16
1170 60	- <i>Lighted Buoy 1</i>	39-20-47.39N 74-24-01.34W	FI G 4s		4	Green.	
		*					23/16
1175	- <i>Lighted Buoy 2</i>	39-20-51.34N 74-23-48.86W	FI R 2.5s		5	Red.	
		*					23/16
4420	- Buoy 17	38-36-26.04N 75-05-45.36W				Green can.	Maintained from May 1 to Nov. 1.
		*					23/16
*4425	- Buoy 17A	38-36-18.60N 75-05-48.81W				Green can.	Maintained from May 1 to Nov. 1.
							23/16
28705	- <i>Lighted Buoy 5SF</i>	35-11-50.60N 75-46-45.32W	Q G		3	Green.	
		*					23/16
38433	- Buoy 28A	34-45-23.79N 76-40-24.38W				Red nun.	
		*					23/16
38440	- JUNCTION LIGHT RS	34-45-19.55N 76-40-21.35W	FI (2+1) G 6s	15	3	JG on multi-pile structure	
		*					23/16
38481	- Buoy 30	34-45-20.17N 76-40-25.73W				Red nun with yellow triangle.	
		*					23/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1360	Anna Maria One Mile Fish Haven Buoy A						<i>Remove from list.</i>
							* 23/16
1365	Anna Maria One Mile Fish Haven Buoy B						<i>Remove from list.</i>
							* 23/16
7007	- <i>Lighted Buoy 44A</i>						<i>Remove from list.</i>
							* 23/16
7009	- <i>Lighted Buoy 45A</i>						<i>Remove from list.</i>
							* 23/16
10425 47555	- ARTICULATED LIGHT B						<i>Remove from list.</i>
							* 23/16
13495	LONG KEY LIGHT 44	24-47-48.25N 80-47-00.65W	FI R 6s		5	TR on pile.	
					*		23/16
43550	- Daybeacon 59	27-51-38.98N 80-28-54.58W				SG-SY on pile.	
		*					23/16
43745	- Daybeacon 73	27-47-07.52N 80-26-23.76W				SG-SY on pile.	
		*					23/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
43795	- Daybeacon 83	27-45-32.39N 80-24-41.70W *				SG-SY on pile.	23/16
43905	- Daybeacon 109	27-43-27.71N 80-23-45.31W *				SG-SY on pile.	23/16
47465	- Outfall Line Obstruction Daybeacon						<i>Remove from list.</i> *
47555 10425	- ARTICULATED LIGHT B						<i>Remove from list.</i> *
50135	- Daybeacon 12	25-22-17.37N 80-16-41.25W *				TR-TY on pile.	23/16
50140	- Daybeacon 13	25-22-16.97N 80-16-40.03W *				SG-SY on pile.	23/16
50150	- LIGHT 14	25-22-05.89N 80-16-50.62W	FI R 4s	13	5	TR-TY on pile. *	23/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*7826	SANDY BAY OYSTER COMPANY SPECIAL LIGHTS (6)	30-22-48.26N 88-18-42.02W	FI Y 2.5s			NY on pile.	Marks perimeter of aquaculture farm. Private aid. 23/16
12155	- Daybeacon 1						<i>Remove from list.</i> *
12160	- Daybeacon 3						<i>Remove from list.</i> *
12165	- Daybeacon 5						<i>Remove from list.</i> *
12170	- Daybeacon 7						<i>Remove from list.</i> *
12175	- Daybeacon 9						<i>Remove from list.</i> *
12180	- Daybeacon 11						<i>Remove from list.</i> *
12185	- Daybeacon 13						<i>Remove from list.</i> *
12190	- Daybeacon 15						<i>Remove from list.</i> *
12195	- Daybeacon 17						<i>Remove from list.</i> *
12200	- Daybeacon 19						<i>Remove from list.</i> *
12205	- Daybeacon 23						<i>Remove from list.</i> *

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12210	- Daybeacon 25						<i>Remove from list.</i> * 23/16
12215	- Daybeacon 27						<i>Remove from list.</i> * 23/16
12220	- Daybeacon 29						<i>Remove from list.</i> * 23/16
12225	- Daybeacon 31						<i>Remove from list.</i> * 23/16
12230	- Daybeacon 33						<i>Remove from list.</i> * 23/16
12235	- Daybeacon 35						<i>Remove from list.</i> * 23/16
12240	- Daybeacon 37						<i>Remove from list.</i> * 23/16
12245	- Daybeacon 39						<i>Remove from list.</i> * 23/16
12250	- Daybeacon 41						<i>Remove from list.</i> * 23/16
12255	- Daybeacon 43						<i>Remove from list.</i> * 23/16
12260	- Daybeacon 45						<i>Remove from list.</i> * 23/16
12265	- Daybeacon 47						<i>Remove from list.</i> * 23/16
12270	- Daybeacon 49						<i>Remove from list.</i> * 23/16
12275	- Daybeacon 51						<i>Remove from list.</i> * 23/16
12280	- Daybeacon 53						<i>Remove from list.</i> * 23/16
12285	- Daybeacon 55						<i>Remove from list.</i> * 23/16
12290	- Daybeacon 57						<i>Remove from list.</i> * 23/16
12295	- Daybeacon 59						<i>Remove from list.</i> * 23/16
12300	- Daybeacon 61						<i>Remove from list.</i> * 23/16
12305	- Daybeacon 63						<i>Remove from list.</i> * 23/16
12310	- Daybeacon 65						<i>Remove from list.</i> * 23/16
12315	- Daybeacon 67						<i>Remove from list.</i> * 23/16
12320	- Daybeacon 69						<i>Remove from list.</i> * 23/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12325	- Daybeacon 71						Remove from list. * 23/16
12330	- Daybeacon 73						Remove from list. * 23/16
12335	- Daybeacon 75						Remove from list. * 23/16
12340	- Daybeacon 77						Remove from list. * 23/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15550	- Entrance Lighted Whistle Buoy 2	46-52-42.52N 124-12-40.13W	Fl R 4s		4	Red.	* 23/16
*16733	Kingston Small Boat Harbor Daybeacon 3	47-47-37.12N 122-29-58.43W				SG on steel I-beam piling.	Private aid. 23/16
*16733.5	Kingston Outfall Pipe Warning Beacon	47-47-37.12N 122-29-58.43W				NW on steel I-beam piling.	Private aid. 23/16
19880	SANDY POINT LIGHT 2	48-47-12.43N 122-42-44.75W	Fl R 4s	16	4	TR on multi-pile structure.	* 23/16

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 2016

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
20655	- SOUTH ENTRANCE LIGHT 2	43-00-30.05N 87-52-35.43W	Fl R 4s	35 11	5	White cylindrical tower with red band.	* 23/16

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.