

SECTION I

Chart 12221

NM 25/16

THIMBLE SHOAL AND CHESAPEAKE BAY ENTRANCE CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO AUG 2015								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
THIMBLE SHOAL CHANNEL (A)	47.8	50.2	49.9	47.8	8,9-12	1000	13.0	55
NORTH AUXILIARY CHANNEL (B)						450		32
SOUTH AUXILIARY CHANNEL (B)						450		32
CAPE HENRY CHANNEL	45.6	50.0	47.9	43.5	10-11	1000	4.0	50
YORK SPIT CHANNEL	39.5	49.4	49.7	45.1	8-15	1000C	19.0	50
YORK RIVER ENTRANCE CHANNEL	36.2	37.9	37.5	36.8	11-11;2-12	750	13.8	37

A. CHANNEL IS RESTRICTED TO EXCLUDE VESSELS AND TOWS DRAWING LESS THAN 25 FEET. CHANNEL MAINTAINED TO 50 FEET.
 B. PROJECT MAINTENANCE DISCONTINUED
 C. CHANNEL WIDTH MAINTAINED TO 800 FEET
 NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 12224

NM 25/16

YORK SPIT AND YORK RIVER ENTRANCE CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO AUG 2015								
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	LEFT INSIDE QUARTER	RIGHT INSIDE QUARTER	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT. MILES)	DEPTH MLLW (FEET)
YORK SPIT CHANNEL	39.5	49.4	49.7	45.1	8-15	1000A	19.0	50
YORK RIVER ENTRANCE CHANNEL	36.2	37.9	37.5	36.8	11-11;2-12	750	13.8	37

A. CHANNEL WIDTH MAINTAINED TO 800 FEET.
 NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

Chart 12311

NM 25/16

CHRISTINA RIVER CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO OCT 2015							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)						PROJECT DIMENSIONS	
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (MILES)	DEPTH MLLW (FEET)
DELAWARE RIVER TO THE UPPER END OF THE TURNING BASIN	34.8	34.7	36.8	10-15	500-340	0.70	38
THENCE TO LOBDELL CANAL	34.4	34.3	34.2	10-15	400	0.33	35
TURNING BASIN		A35.9		10-15	320	0.34	38
LOBDELL CANAL TO BRANDYWINE CR.		5.2		8-15	250	0.68	21
BRANDYWINE CR. TO MARKET ST.		3.8		8-15	200	1.24	21
MARKET ST. TO 39°43'38"N, 75°33'40"W		1.3		8-15	200	0.78	21
THENCE TO END OF CHANNEL		7.2		8-15	200	0.12	10

A. REPORTED DEPTH IS FOR FULL WIDTH OF BASIN.
 NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION

SECTION I

NM 25/16

Chart 12312

NM 25/16

CHRISTINA RIVER CHANNEL DEPTHS TABULATED FROM SURVEYS BY THE CORPS OF ENGINEERS - SURVEYS TO OCT 2015							
CONTROLLING DEPTHS FROM SEAWARD IN FEET AT MEAN LOWER LOW WATER (MLLW)					PROJECT DIMENSIONS		
NAME OF CHANNEL	LEFT OUTSIDE QUARTER	MIDDLE HALF OF CHANNEL	RIGHT OUTSIDE QUARTER	DATE OF SURVEY	WIDTH (FEET)	LENGTH (NAUT MILES)	DEPTH MLLW (FEET)
DELAWARE RIVER TO THE UPPER END OF THE TURNING BASIN	34.8	34.7	36.8	10-15	500-340	0.70	38
THENCE TO LOBDELL CANAL	34.4	34.3	34.2	10-15	400	0.33	35
TURNING BASIN		A35.9		10-15	320	0.34	38
LOBDELL CANAL TO BRANDYWINE CR.		5.2		8-15	250	0.68	21
BRANDYWINE CR. TO MARKET ST.		3.8		8-15	200	1.24	21
MARKET ST. TO 39°43'38"N, 75°33'40"W		1.3		8-15	200	0.78	21
THENCE TO END OF CHANNEL		7.2		8-15	200	0.12	10

A. REPORTED DEPTH IS FOR FULL WIDTH OF BASIN.
NOTE - CONSULT THE CORPS OF ENGINEERS FOR CHANGES SUBSEQUENT TO THE ABOVE INFORMATION